


ALTRACK

ALTRACK

CUSTOMIZE YOUR LIGHT




CUSTOMIZE YOUR **COLORS**



CUSTOMIZE YOUR **TEXTURE**



CUSTOMIZE YOUR **SIZE**



CUSTOMIZE YOUR CEILING



CUSTOMIZE YOUR LIGHT

Soft Spot



High Density Spot



Wall Washer




Wall Washer
Double Asymmetric





Ø 35mm	Ø45mm	Ø55mm	Ø70mm	Ø85mm
--------	-------	-------	-------	-------

COB LED	COB LED	COB LED	COB LED	COB LED
<ul style="list-style-type: none"> 6W 300lm-500lm 2700K 3000K 4000K SDCM<3 CRI>80 CRI>90 Magnetic track48V DC48V 	<ul style="list-style-type: none"> 9W 11W 500lm-900lm 2700K 3000K 4000K SDCM<3 CRI>80 CRI>90 CRI>95 Magnetic track48V DC48V 	<ul style="list-style-type: none"> 11W 15W 1000lm-2000lm 2700K 3000K 4000K SDCM<3 CRI>80 CRI>90 CRI>95 Magnetic track48V DC48V AC220V 	<ul style="list-style-type: none"> 20W 23W 27W 2000lm-3000lm 2700K 3000K 4000K SDCM<3 CRI>80 CRI>90 CRI>95 DC48V AC220V 	<ul style="list-style-type: none"> 27W 35W 40W 2000lm-3600lm 2700K 3000K 4000K SDCM<3 CRI>80 CRI>90 CRI>95 AC220V
		ZOOM	ZOOM	ZOOM
		WALL WASHER	WALL WASHER	WALL WASHER
			PROJECTOR	



JALT65
 Ø 35mm
COB LED
 25W
 300lm-500lm
 3000K
 SDCM<3
 CRI>80




JALT35	<p>Super Spot Spot Medium Flood</p>
JALT45	<p>Super Spot Spot Medium Flood Wide Flood</p>
JALT55	<p>Super Spot Spot Medium Flood Wide Flood Wall Washer Zoom 1 15°-36° Zoom 2 35°-60°</p>
JALT70	<p>Super Spot Spot Medium Flood Wide Flood Wall Washer Zoom 1 15°-36° Zoom 2 35°-60° Projector</p>
JALT85	<p>Super Spot Spot Medium Flood Wide Flood Oval Wall Washer Zoom 1 15°-36° Zoom 2 35°-60°</p>


ALTRACK Lighting System Accessories



- 1** COB
- 2** Lens holder
- 3** Zoom holder
- 4** Soft beam lens
- 5** High intensity lens
- 6** Zoomable lens



UGR<19



accessories	JALT35	JALT45	JALT55	JALT70	JALT85
48V					
220V					
oval diffuser 7					
soft diffuser 8					
Honeycomb 9					
Snoot 10					




JALT35
48V/Magnetic

JALT35
48V/Magnetic 2X

JALT35

48V/Magnetic

With its miniaturized design and various glare control accessories, there is a room for ALT35 anywhere where accent and diverse lighting effects are needed. This multi-functional product, combined with a low voltage/magnetic track, makes it a perfect choice for growing lighting tasks in different spaces like shop displays, private homes, restaurants, hotels and art exhibitions. With a few centimetres in size, the flexibility and multi-function makes it truly a versatile lighting tool for architects and designers.



JALT45
48V/Magnetic



ALT45
48V/Magnetic



ALT45
48V/Magnetic 2X

JALT55



48V/Magnetic/AC220V

JALT70

48V/AC220V

JALT85

AC220V



ALTRACK ZOOM




TYPE 1




15° ~ 36°

TYPE 2



35° ~ 60°



Flux out:1363 lm

Height	Ravg,Max	Angle:14.00deg	Diameter
3.281ft 1m	1804,2470fc 19421,26592lx		0.9691ft 29.54cm
6.562ft 2m	451,11174fc 4855,6448lx		1.9382ft 59.07cm
9.843ft 3m	200,5,2744fc 2159,2954lx		2.9073ft 89.61cm
13.124ft 4m	112,8,114,36fc 1214,1461lx		3.8764ft 118.15cm
16.405ft 5m	72,17,59,78fc 774,9,1043lx		4.8455ft 147.80cm


Flux out:1789 lm

Height	Ravg,Max	Angle:14.00deg	Diameter
3.281ft 1m	532,3,750,6fc 5730,8079lx		2.011ft 61.31cm
6.562ft 2m	133,1,187,6fc 1432,2020lx		4.022ft 122.62cm
9.843ft 3m	59,14,83,40fc 636,6,897,7lx		6.033ft 183.93cm
13.124ft 4m	33,27,46,51fc 358,1,504,9lx		8.044ft 245.24cm
16.405ft 5m	21,29,30,02fc 229,2,323,2lx		10.055ft 306.55cm

ZOOM IN





ZOOM OUT



WALLWASHER ASYMMETRIC

Every lighting task requires specific lighting tools. For this reason, we offer lighting experts different lighting distributions and beam shapes. Besides the spot lens, you can also find wall washer lens from our multi-functional ALTRACK lighting system. This wall washer lens is designed to provide very high uniformity of illuminance on the wall.



This double asymmetric lens is designed to simplify wall washer lighting design for shop display shelves and passageways. A single lens brings high uniformity of illuminance to the walls or products on display shelves on both sides.

DOUBLE ASYMMETRIC



Asymmetric





SIDE VIEW

TOP VIEW



JALT55



JALT70





JALT85





Double Asymmetric





JALT55



JALT70





JALT85



Play with your light

Light sets atmosphere in different life scenarios whenever in shopping, work, listening to music, watching TV, receiving a visitor, with family or even when tasting whiskey, adjust the brightness or tune the color of different lights may bring you different motions and feelings in need. Play with our smart ALTRACK lighting system to achieve whatever atmosphere you desire in daily life. You can easily do this by using either your smart phone or a remote controller by simply pressing the button. CASAMBI, DALI, Phase-cut, 0~10V are all included in this smart lighting system.




ALTRACK Warm Dimming



2000K
2000K
3000K



Whether in receive a visitor, watching TV, listening to music, or with family, or think alone, even when tasting whiskey, adjust the brightness of the different lights, create a comfortable, quiet, harmonious, sweet atmosphere, deeper experience of the life, the soft light can bring a good mood, little and dark light help thinking, much more warm and bright light makes the atmosphere. These operations are very convenient. You can press and hold the local switch to lighten and dim the light, or you can use the centralized controller or remote control to adjust the brightness of the light just by pressing the button.



- COLOUR TUNING BY DIM LEVEL**
- 50 mA: 2000 K
 - 350 mA: 3000 K
- NARROW COLOUR TOLERANCES:**
3 STEP MacAdam
- HIGH COLOUR RENDERING INDEX:**
CRI > 90
- COMPACT SHAPE**
- 13.5 x 13.5 mm
 - LES: Ø 10 mm

Perfect Ambience Created by Light


Tunable lighting enriches your life more than ever through superb optimizations




Wide Range of Color Temperature
From 2700K thru 6500K white color tunable



JALT70 PROJECTOR





Achieve clear Logo projection by replacing Logo sheet.



The four insert piece would help to create different shape of light spot as below pictures




Slide up & down to adjust uniformity of light spot




By installing different filters, you can get the same spot as the color of the filter.



JALT35-L06			
6W	(lm)		
	2700K	3000K	4000K
16°	482	518	549
24°	458	492	521
34°	460	494	524




2X-JALT35-L06			
12W	(lm)		
	2700K	3000K	4000K
16°	964	1036	1098
24°	915	984	1043
34°	920	989	1048




JALT45-L11			
11W	(lm)		
	2700K	3000K	4000K
14°	710	764	809
20°	702	755	801
32°	708	762	808
56°	598	643	682




2X-JALT45-L11			
22W	(lm)		
	2700K	3000K	4000K
14°	1420	1527	1619
20°	1405	1510	1601
32°	1417	1524	1615
56°	1197	1287	1364




JALT55-L11			
11W	(lm)		
	2700K	3000K	4000K
15°	758	815	864
20°	748	804	853
39°	744	800	848
50°	661	711	753




JALT55-11			
11W	(lm)		
	2700K	3000K	4000K
15°	758	815	864
20°	748	804	853
39°	744	800	848
50°	661	711	753



JALT55-15			
15W	(lm)		
	2700K	3000K	4000K
15°	1034	1112	1178
20°	983	1057	1121
39°	977	1050	1113
50°	865	930	986




JALT55-L15			
15W	(lm)		
	2700K	3000K	4000K
15°	1034	1112	1178
20°	983	1057	1121
39°	977	1050	1113
50°	865	930	986



JALT55-D15			
15W	(lm)		
	2700K	3000K	4000K
15°	1034	1112	1178
20°	983	1057	1121
39°	977	1050	1113
50°	865	930	986






JALT70-L20
20W (lm)

	2700K	3000K	4000K
16°	1597	1717	1820
22°	1588	1707	1809
34°	1473	1584	1679
43°	1443	1552	1645




JALT70-23
23W (lm)

	2700K	3000K	4000K
16°	2000	2151	2280
22°	1998	2149	2278
34°	1886	2028	2150
43°	1870	2010	2131



JALT70-D23
23W (lm)

	2700K	3000K	4000K
16°	2000	2151	2280
22°	1998	2149	2278
34°	1886	2028	2150
43°	1870	2010	2131




JALT70-L27
27W (lm)

	2700K	3000K	4000K
16°	2295	2468	2616
22°	2300	2473	2622
34°	2157	2319	2458
43°	2149	2311	2450



JALT70-27
27W (lm)

	2700K	3000K	4000K
16°	2295	2468	2616
22°	2300	2473	2622
34°	2157	2319	2458
43°	2149	2311	2450



JALT85-27
27W (lm)

	2700K	3000K	4000K
17°	2194	2359	2501
23°	2128	2288	2426
34°	2148	2274	2410
43°	2028	2181	2312
34X62	2036	2189	2321



JALT85-D27
27W (lm)

	2700K	3000K	4000K
17°	2194	2359	2501
23°	2128	2288	2426
34°	2148	2274	2410
43°	2028	2181	2312
34X62	2036	2189	2321



JALT85-35
35W (lm)

	2700K	3000K	4000K
21°	3012	3239	3433
26°	2965	3188	3379
36°	2943	3165	3354
45°	2834	3047	3230
36X59	2856	3071	3255



JALT85-40
40W (lm)

	2700K	3000K	4000K
21°	3390	3639	3858
26°	3384	3639	3857
36°	3314	3381	3584
45°	3144	3381	3584
36X59	3176	3416	3620





Jibe Lighting b.v.
www.jibe.lighting
Tel +31(0)33 8447111
Fax +31(0)33 2537619
Address Hogebrinkerweg 14-V 3871 KN Hoevelaken Nederland