

Washable ESP Air Purifier

Sterilization rate **99.99%**

Sanitization rate **97.18%**

Smart WIFI control | Washable Filter System

LED Double Screen | PM2.5 Digital Display



ABLATUM AIR PRO

The higher the CCM value of formaldehyde
The more cumulative purification value

P4

CCM value of particle matter

P4

CCM value of formaldehyde



ABLATUM
AIR PRO

Washable filter
No need to replace

Save about 300 USD per year



HEPA filter ❌
Need to replace 3-4
times annually
Cost about 300 USD

Electrostatic ✅
Precipitator
Only clean regularly
Expense 0



ABLATUM
AIR PRO

Graphene Conductive Film Tech

Compared with traditional materials, it has high voltage resistance, good weather resistance and high efficiency. At the same time, it has excellent charge storage performance and more durable and environmentally friendly!



ABLATUM
AIR PRO

Graphene composite material

Bipolar conduction The initiative adsorption

0.01 -- 0.03 tiny dust particles

—Graphene—
electric field



ABLATUM
AIR PRO

Large air volume and circulation in whole room

360° closed-loop purification leaving no corner of pollution source



**ABLATUM
AIR PRO**

Light sense smart sleep mode

When the lights are turned off at night,
the product automatically enters sleep mode.
No need to operate by hand.

30dB(A)

Sleep mode average
sound pressure level



Upgraded higher performance

AI intelligent controlling | monitoring data visually

038

Digital display



Level display



APP control



Double displays



Light sensor



Around air intake



Washable filter



10 million ions



Filter shield




ABLATUM AIR PRO

Detect air by AQI
dust/voc sensor












10-50 51-100 101-150 ≥ 150
Excellent Good Common Poor



Dual screen digital displays

Real-time monitoring of indoor air quality

 TVOC TVOC STATUS	 FILTER STATUS	 PRECIPITATOR STATUS
 WIFI CONTROL	 ANION OPERATING	 NIGHT MODE
 ESP PROTECTION	 AIRFLOW LEVELS	 PM2.5 VALUE



ABLATUM AIR PRO

Dual screen digital displays

Real-time monitoring of indoor air quality

TVOC

TVOC STATUS



FILTER STATUS



PRECIPITATOR STATUS



WIFI CONTROL



ANION OPERATING



NIGHT MODE

ESP

ESP PROTECTION

4

AIRFLOW LEVELS

PM2.5

003

PM2.5 VALUE



**ABLATUM
AIR PRO**

Craft Details

Control panel
Simple, easy to control
and understand



Smart mode



Power switch




Airflow adjustable



ABLATUM
AIR PRO




Air quality monitoring
area
PM2.5 value display
Pollution level aperture
Real-time monitoring
of air quality



ABLATUM
AIR PRO

Universal pulley
Hidden design
easy to move



Five Stage Filtration System decomposition and then adsorption



ABLATUM AIR PRO

PRODUCT SHOWCASE



**ABLATUM
AIR PRO**

ABLATUM AIR PRO

Rated voltage	AC/220V / 50Hz
Power	130W
Product Size	365*365*690 (mm)
Product weight	12.5 kg
CADR particulate	609 m ³ / h
CADR formaldehyde	350 m ³ / h
Applicable area	40 m ³ - 80 m ³
Executive standard	GB/T18801-2015

