

LIGNUM RETAIL SERIES

LED SPOT WOLD



مباز

LIGNUM RETAIL SERIES LED SPOT WOLD



PRODUCT INFORMATION

Part Number	JBGU10MC 7W
-------------	----------------

GENERAL CHARACTERISTICS

Case Material	Die-casting Aluminium Alloy
Optics Material	Reflector and lens
Intensity Degradation 90% @ 25°C	10,000 hrs
Intensity Degradation 75% @ 25°C	40,000 hrs
Operation Temperature	-30% - +50°C
Installation	GU10 Retrofit
Colours	Aluminum (Al)

PHOTOMETRIC CHARACTERISTICS

Total Flux	480 lm	-
Nominal Optical Efficiency	69 lm/W	-
Color Temperature for all 3 models	2950K - 2250K	
Color Rendering Index (CRI)	97	
Viewing Angle	24, 36, 45	

ELECTRICAL CHARACTERISTICS

Input Voltage	90-265VAC / 50-60Hz
Power Consumption	7W
Power Factor	0,90
Dimmable (5%-100%)	Yes leading and trailing edge phase-cat dimmers

SHIPMENT DIMENSIONS


Carton Dimensions (LxWxH in cm)	290x330x510mm
Packing Quantity	200 pcs
Weight per carton in Kg	0.32




LIGNUM RETAIL SERIES LED SPOT WOLD



LIGNUM RETAIL SERIES LED SPOT WOLD



CCT	2934 K
CRI	96.8
Lux	28532.5
λ_p	631 nm
fc	2651.7
FLICKER	2.61 %



CCT	2276 K
CRI	89.9
Lux	80.9
λ_p	638 nm
fc	7.5
FLICKER	1.83 %

