

Assembly Instructions

Poly Dining Chair



Thank you for choosing A&L Furniture Co.
We hope that this piece brings you many years of enjoyment!

For help with assembling your furniture, or if you have missing hardware, please email us at helpalf@ibyfax.com or call us at 814-349-8203

PARTS (included)

- (A) Chair Seat (1)
- B Back Rest(1)
- © Front Legs (2)
- D Leg Brace (1)

HARDWARE (included)

- (a) 13/4" Bolts (8)
- (b) 21/2" Screws (2)
- c 1½" Screws (2)
- d Allen Wrench (1)
- e Square Drive Bit (1)



Screwgun

If your Dining Chair came with arms the following is also included:

PARTS (included)

- E Right Arm (1)
- F Left Arm (1)

HARDWARE (included)

a 13/4" Bolts (6)



STEP 1

Attach the back rest to the seat. Insert 1¾" bolts through the predrilled holes in the seat & screw into the metal inserts in the back rest. (See photos 1 & 2.) Do not fully tighten any bolts until fully assembled.




photo 1



photo 2

STEP 2

Take the 2 front legs & line up the predrilled holes in the seat with the metal inserts in the legs. Insert the 13/4" bolts through the holes & screw into the metal inserts in the legs. (See photos 3 & 4.)






photo 3



STEP 3

Find the predrilled holes in the legs & line up with the leg brace. Insert the $2\frac{1}{2}$ " screws through the legs & into the frame using a screwgun. (See photos 5 & 6.)







photo 6

STEP 4

Find the predrilled holes in the back legs & the brace. Insert the $1\frac{1}{2}$ " screws through the brace & into the back legs using a screwgun. (See photos 7 & 8.)







photo 8

If your chair came with arms, Step 5 is also needed.

STEP 5

Find the predrilled holes in the arms & seat, then align with the metal inserts in the arm & the back rest. Insert the $1\frac{3}{4}$ " bolts through the holes & screw into the metal inserts. Tighten all the bolts with the Allen wrench. (See photos 9, 10 & 11.)








photo 9

photo 10

photo 11

