

# OPTIMUM POLYMER TECHNOLOGIES, INC. GHS SAFETY DATA SHEET

# Section 1: Identification

Product Name: Ceramic Clear Coat Resin Product Code: 405

Trade Name: Optimum Gloss-Coat	
Manufacturer/Supplier:	Emergency Telephone Number:
Optimum Polymer Technologies, Inc. 4130 Senator Street	24 Hour Emergency Assistance: (901) 292-4324
Memphis, TN 38118 Tel: 1 (901) 363-4955 Fax: 1 (901) 363-4956	CHEMTREC Customer Service 1-800-262-8200 (within the U.S.) +1 703-741-5500 (US or Canada) chemtrec@chemtrec.com
Email: info@optimumcarcare.com	www.chemtrec.com
Adres: Optimum Car Care Opaalstraat 10 7554 TS	Telefoon: +31(0)743577679 Info@Optimumcarcare.NL
Hengelo (OV) Nederland	Emergency Telephone Number: Nationaal Advies Orgaan/ Vergiftigings Centrum: 030-274 88 88 Uitsluitend voor professionele Hulpverleners. Open 24/7

Product Use: Automotive Exterior Protectant Not recommended for: Non-Automotive Use

Section	2: Hazards Identification	
---------	---------------------------	--

OSHA Hazards No known OSHA hazards

# **GHS Ratings:**

Flammable liquid

Flash point < 23°C and initial boiling point > 35°C (95°F)

# **GHS** label elements including precautionary Statements

2

# **GHS Hazards**

H226	Flammable liquid and vapour
H302	Harmful if swallowed
H315	Causes skin irritation
H319	Causes serious eye irritation

# **GHS Precautions**

P102 P210	Keep out of reach of children Keep away from heat/sparks/open
P281	flames/hot surfaces – No smoking Use personal protective equipment as
	required
P301+330+331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting
P303+361+353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
P305+351+338	IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing




Signal Word: Warning

# Hazardous Material Information System (HMIS)

HEALTH	2	
FLAMMABILITY	3	
PHYSICAL HAZARD	1	
PERSONAL PROTECTION	В	

HMIS & NFPA Hazard Rating Legend \* = Chronic Health Hazard 0 = INSIGNIFICANT 1 = SLIGHT 2 = MODERATE 3 = HIGH





Inhalation

Skin Contact

Eye Contact

Ingestion

### Effects of Overexposure

None known.

Section 3: Composition/ Information on Ingredients			
Chemical Name	CAS Number	Concentration	
Alkyl siloxane	Proprietary5	-	
Ceramic clear coat resin	Proprietary6	-	
Alkyl silane co-polymer	Proprietary4	-	

```
Section 4: First Aid Measures
```

# Inhalation:

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### Eye Contact:

In case of eye contact, rinse thoroughly with plenty of water for at least 15 minutes and consult a physician if irritation persists.

### Skin Contact:

In case of skin contact, wash off immediately with soap and water. Consult a physician if irritation persists.

# Ingestion:

Never give anything by mouth to an unconscious person. Drink plenty of water. Consult a physician.

# Notes to Physician

Read the entire safety data sheet.

# Section 5: Fire Fighting Measures

# LEL: N/A

UEL: N/A

**Conditions of Flammability** Flammable liquid. Keep away from sources of ignition. **Extinguishing Media** Use Foam, carbon dioxide foam, or dry chemical

### Unsuitable Extinguishing Media Water Unusal Fire or Explosion Hazards: None known.

# **Hazardous Combustion Products:**

Nitrogen oxides (NOx), carbon monoxide, carbon dioxide

# **Fire Fighting Equipment**

Wear self contained breathing apparatus for fire fighting if necessary

# **Special Protective Equipment For Firefighters**

Well closed full proterctive clothing (coat and pants) including helmet.

Use self-contained breathing apparatus.

# Section 6: Accidental Release Measures

# **Personal Precautions**

Use personal protective equipment. Avoid breathing vapors, mist, or gas. Ensure adequate ventilation exists.

# **Environmental Precautions**

Prevent further leakage or spilage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided. Contact local and state authorities if spill enters open waters. **Small spills** 

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable closed container for disposal.

### Large Spills

Use dykes to contain the spill. Prevent further leakage or spilage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided. Contact local and state authorities if spill enters open waters.

### Section 7: Handling and Storage

Follow label directions for proper usage and SDS for safe handling and storage

### **Handling Precautions**

Avoid contact with eyes or skin. Do not breath vapors or spray mist. Areas of storage, preparations, and application should be well ventilated. Do not smoke, eat, or drink when using this product.

# Storage Requirements

Store between 5C and 40C. Keep container tightly closed in a dry well ventilated area away from sources of flame, heat, and direct sunlight

Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
Alkyl siloxane	Not Determined	Not Determined	Not Determined
Proprietary5			
Ceramic clear coat resin	Not Determined	Not Determined	Not Determined
Proprietary6			
Alkyl silane co-polymer	Not Determined	Not Determined	Not Determined
Proprietary4			

### **Control Parameters:**

This product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

#### Ventilation

Use adequate ventilation.

### **Protective Gear**

Safety glasses with side-shields conforming to EN166. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166 (EU)

#### **Protection of Hands:**

Wear chemical resistant gloves such as North Silver Shields(R) or Viton(R). For limited use, PVC or nitrile gloves may be worn. Silver Shield is a registered trademark of Siebe North, Inc. Viton is a redistered trademark of E. I. Dupont deNemours and Company, Inc.

#### **Respiratory Protection**

Use combination filter A2 B2 E2 K2 Hg/P3, to standard DIN EN 371/372

### **Body protection**

Protective overalls, antistatic Protective clothing Category 3, type 3 - liquid-tight **Contaminated Gear** 

Remove contaminated clothing. Thoroughly wash contaminated clothing before reuse.

Odor threshold: Not Determined	Vapor Density: Not Determined
pH: Not Determined	Density: 0.94
Melting point: -40C	Freezing point: -40C
Boiling range: Not Determined	Flash point: Not Applicable
Evaporation rate: Not Determined	Flammability: Not Applicable
Explosive Limits: Not Applicable	Partition coefficient (n-octanol/water): Not Applicable
Autoignition temperature: Not Applicable	Decomposition temperature: Not Determined
Viscosity: 10 cps	Grams VOC less water: 0
Appearance: Clear	Odor: Pungent
Vapor Pressure: Not Determined	Solubility Insoluble

Follow label directions for proper usage.

# Stability

The material can slowly hydrolyze in the presence of water to form hydrogen and ammonia gases **Materials to avoid:** Oxidizing agents, bases, acids, Halogenated compounds

# Reactivity

The material can slowly hydrolyze in the presence of water to form hydrogen and ammonia gases

Hazardous Decomposition:

None if used for intended purpose

Hazardous Decomposition Products: Hydrogen, ammonia.

**Conditions to avoid** Avoid freezing and termperatures over 40 C

Hazardous polymerization will not occur.

# Section 11: Toxicology Information

Mixture Toxicity: Not Known

**Component Toxicity:** 

Alkyl siloxane Ceramic clear coat resin Alkyl silane co-polymer

# Acute toxicity

Oral LD50 No data available

Inhalation LC50 No data available

**Dermal LD50** No data available

Skin corrosion/irritaion No data available

Serious eye damage/eye irritation No data available

Respiratory or skin sensitisation No data available

Carcinogenicity

**IARC:** No known component of this product is identified as probable, possible, or confirmed human carcinogen by IARC

**ACGIH:** No component of this product is identified as probable, possible, or confirmed human carcinogen by ACGIH

**NTP:** No component of this product is identified as probable, possible, or confirmed human carcinogen by NTP **OSHA:** No component of this product is identified as probable, possible, or confirmed human carcinogen by OSHA

Section 12: Ecological Information

Biodegradability

No relevant information is available.

Persistence and degradability:

No relevant information is available.

### Bioaccumulative potential:

No relevant information is available.

Mobility in soil:

No relevant information is available.

## Other adverse effects:

None known.
Section 13: Disposal Considerations

### Method of disposal:

Dispose according to local and regional regulations for waste disposal.

Section 14: Transportation Information

# Marine polutant:

No

Transport in bulk (according to Annex II of Marpol 73/78 and IBC Code):

Not applicable

### Special requirements for user:

Follow handling guidelines in Section 7.

Agency	Proper Shipping Name	<u>UN Number</u>	Packing Group	Hazard Class
ADR	Flammable Liquid	1263	III	3
DOT (US)	Flammable Liquid	1263	III	3
IATA	Flammable Liquid	1263	111	3
IMDG	Flammable Liquid	1263	III	3
Section 15:	Section 15: Regulatory Information			

### California

This product contains no chemicals listed by the state of California under the safe drinking water and toxic enforcement act of 1986 (Proposition 65) as being known to cause cancer, birth defects, or other reproductive harm .

<u>Country</u>	Regulation	All Components Listed
USA	California Proposition 65	No
USA	CERCLA	No
USA	Sara 311/312	No
USA	Sara 313 Components	No
USA	Sara 302	No
USA	SARA 304	No
EU Risk Phrases		

R10: Flammable R22: Harmful if swallowed R36: Irritating to eyes R38: Irritating to skin

### Safety Phrase

S16: Keep away from sources of ignition - No smoking

S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice

S39: Wear eye/face protection

S64: If swallowed, rinse mouth with water (only if the person is conscious)



# TSCA

The components of this product are included on or exempted from listing on TSCA inventory of chemical substances.

### Section 16: Other Information

**Department Issuing Safety Data Sheet:** Safety Department **Contact:** davidg@optimumcarcare.com

ACGIH: American Conference of Governmental Industrial Hygienists CAS: Chemical Abstracts Service Registry Number DOT: Department of Transportation EPA: Environmental Protection Agency IARC: International Agency for Research on Cancer IATA: International Agency for Research on Cancer IATA: International Air Transport Association IMDG: International Maritime Dangerous Goods NTP: National Toxicology Program OSHA: Occupational Safety Health Administration PEL: Permissible Exposure Limit (OSHA) TSCA: Toxic Substance Control Act

Date Prepared: 8/27/2014 Date revised: 2014-08-21

**Reviewer Revision 1** 

The information contained in this document is believed to be accurate to the best of our current knowledge but is not all inclusive and shall be used only as a guide. It is provided in good faith but without warranty, expressed or implied, as to the results of the use of the information and/or this product. Optimum and its affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.