

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Name : Easy Coat
Product code : EC

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public
Main use category : Consumer use, Industrial use
Use of the substance/mixture : Coating

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

GTECHNIQ LTD
Unit 2 Langfurlong
Upper Heyford
Northampton
Northamptonshire
NN7 3FA
United Kingdom

Tel: +44 (0)10604 962553

1.4. Emergency telephone number

Emergency number : +44 (0)1604 962553

Country	Organisation/Company	Address	Emergency number
	National Poisons Information Centre Beaumont Hospital	Beaumont Hospital Beaumont Road 9 Dublin	: +353 1 8379964
	National Poisons Information Service (NHS Direct)	http://www.npis.org	111 (England & Wales only) or 112 (EU) or 08454 24 24 24 (Scotland)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

This product has no classification under CLP.

2.2. Label elements

This product has no label elements.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

This product is not identified as a PBT/vPvB substance.

3.2. Mixture

Hazardous ingredients:

ISOPROPYL ALCOHOL - REACH registered number(s): 01-2119457558-25-XXXX

EINECS	CAS	PBT/WEL	CLP Classification	Percent
-	67-63-0	-	STOT SE 3: H336; Eye Irrit. 2: H319; Flam. Liq. 2: H225	1-10%

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Consult a doctor.
 First-aid measures after skin contact : Wash immediately with plenty of soap and water.
 First-aid measures after eye contact : Bathe the eye with running water for 15 minutes.
 First-aid measures after ingestion : Wash out mouth with water.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after skin contact : There may be mild irritation at the site of contact.
 Symptoms/injuries after eye contact : There may be irritation and redness.
 Symptoms/injuries after ingestion : There may be irritation of the throat.
 Symptoms/injuries after inhalation : No symptoms.

4.3. Indication of any immediate medical attention and special treatment needed

Not applicable.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

5.2. Special hazards arising from the substance or mixture

Reactivity : In combustion emits toxic fumes.

5.3. Advice for firefighters

Protection during firefighting : Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Refer to section 8 of SDS for personal protection details. Turn leaking containers leak- side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

See section 7 for information on safe handling. See Section 8 for information on personal protective equipment. See section 13 for disposal information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Not applicable.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a cool, well ventilated area. Keep container tightly closed.
 Suitable packaging : It is recommended to store in original packaging

7.3. Specific end use(s)

Washing and cleaning products (including solvent based products).

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:
 ISOPROPYL ALCOHOL

Workplace exposure limits:

Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	999 mg/m ³	1250 mg/m ³	-	-

8.2. Exposure controls

Personal protective equipment : Protective clothing. Protective goggles. Gloves.



Hand protection : Protective gloves.

Eye protection : Safety glasses. Ensure eye bath is to hand.

Skin and body protection : Protective clothing.

Respiratory protection : Respiratory protection not required.

Environmental exposure controls : An environmental assessment must be made to ensure compliance with local environmental legislation.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Colourless liquid.
Colour	: Colourless.
Odour	: No data available
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: >100
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 1.00-1.03
Density	: No data available
Solubility	: No data available
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: Non-viscous
Viscosity, dynamic	: Non-viscous
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Heat.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

In combustion emits toxic fumes.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

ISOPROPYL ALCOHOL

IVN	RAT	LD50	1088	mg/kg
ORL	MUS	LD50	3600	mg/kg
ORL	RAT	LD50	5045	mg/kg
SCU	MUS	LDLO	6	gm/kg

- Skin corrosion/irritation : There may be mild irritation at the site of contact.
- Serious eye damage/irritation : There may be irritation and redness.
- Ingestion : There may be irritation of the throat.
- Inhalation : No symptoms.
- Delayed/ Immediate effects : No data available.

SECTION 12: Ecological information

12.1. Toxicity

No data available.

12.2. Persistence and degradability

Biodegradable.

12.3. Bioaccumulative potential

No bioaccumulation potential.

12.4. Mobility in soil

Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Negligible ecotoxicity.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Transfer to a suitable container and arrange for collection by specialised disposal company.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

This product does not require a classification for transport.

SECTION 15: Regulatory information

EU Legislation Regulation (EC) No 1907/2006 REACH. Regulation (EC) No 1272/2008 CLP. Guidance Notes: Workplace Exposure Limits EH40

GTECHNIQ Easy Coat Safety Data Sheet

SMART SURFACE SCIENCE

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830.

Phrases used in s.2 and s.3:

H225: Highly flammable liquid and vapour.

H319: Causes serious eye irritation.

H336: May cause drowsiness or dizziness.

Legal disclaimer:

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

SDS EU_NSC

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.