Safety Data Sheet for not dangerous mixtures according to 878/2020 EU Regulation

Date of Compilation/Revision: 16.09.2021.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier Extravagance - Jewel Texture Paste

968748, 968755, 968762, 968779, 968786, 968793,

969004, 969011, 969028, 969035, 969042

Type of substance: CLP Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Coloring paste

1.3. Details of the supplier of the safety data sheet

Prima Marketing Inc.

5564 Edison Avenue, Chino CA 91710

tel.: 909-627-5532 fax: 909-627-4322

e-mail: customerservice@primamarketinginc.com

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

This product is not classified according to (EC) Regulation No 1272/2008.

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008

Extravagance - Jewel Texture Paste

This product is not classified according to (EC) Regulation No 1272/2008.

Additional labelling:

EUH208 Contains BIT, C(M)IT-MIT. May cause an allergic reaction. .

2.3. Other hazards

It does not contain PBT/vPvB materials.

SECTION 3: Composition/information on ingredients

3.2. Mixture

The details below includes all impurities and by-products that contribute to the product classification or that have an occupational exposure limits.

Hazardous Substance(s): aluminium powder (stabilised)

concentration: < 2% EC-No.: 231-072-3 CAS-No.: 7429-90-5 Index-No.: 013-002-00-1

Classification according to Regulation (EC) No 1272/2008: Flam. Sol. 1 H228 (Note T)

Registration number: 01-2119529243-45-xxxx

Hazardous Substance(s): ammonia...% (Substance with Community workplace exposure limit)

concentration: < 0,2% EC-No.: 215-647-6 CAS-No.: 1336-21-6 Index-No.: 007-001-01-2

Classification according to Regulation (EC) No 1272/2008 : Skin Corr 1B H314, STOT SE 3 H335, Aquatic Acute 1 H400, Aquatic Chronic 3 H412 (SCL: STOT SE 3 H335: c ≥ 5 %) (Note B)

Version number: 1.

Substance with Community workplace exposure limit: : Tin dioxide (C.I. 77861)

concentration: < 0.05 % EC-No.: 242-159-0 CAS-No.: 18282-10-5

Classification according to Regulation (EC) No 1272/2008: --

Hazardous Substance(s): 1,2-benzisothiazol-3(2H)-one (BIT) (Substance with triggering limit)

concentration: < 0,03% EC-No.: 220-120-9 CAS-No.: 2634-33-5 Index-No.: 613-088-00-6

Classification according to Regulation (EC) No 1272/2008: Acute Tox. oral 4 H302, Acute Tox. inhal. 2 H330, Skin Irrit. 2 H315, Skin Sens. 1 H317, Eye Dam, 1 H318, Aquatic Acute 1 H400

(M=1), Aquatic Chronic 2 H411 (SCL: Skin Sens. 1 H317: c >= 0.05)

Hazardous Substance(s): Zinc pyrithione

concentration: < 0,02% EC-No.: 236-671-3 CAS-No.: 13463-41-7

Classification according to Regulation (EC) No 1272/2008 : Acute Tox. oral 3 H301, Acute Tox. inhal. 2 H330, Eye Dam. 1 H318, Aquatic Acute 1 H400 (M=100), Aquatic Chronic 1 H410 (M=10)

Registration number 01-2119511196-46-xxxx (as biocid is free)

Note B: Certain substances (acids, alkalis, etc.) are in the form of aqueous solutions of different concentrations and should therefore be labeled differently as the degree of danger varies depending on the concentration. The items supplemented with Note B has a general description: ... % ammonia. In this case, the supplier of the substance must indicate the concentration of the solution on the label. Unless otherwise stated, it is to be assumed that the percentage concentration is expressed as a percentage by weight.

Note T: This material can be placed on the market in a form, which does not have the physical hazards listed in Part 3. If the results of the the method of the regulation show that the given form of the placed material does not have this physical property, or these physical hazards, the classification of the substance shall be based on the result of this test or tests. The relevant information, including reference to relevant test methods, shall be indicated on the safety data sheet.

Refer to Section 16 for full details of hazard statements and Notas.

SECTION 4: First aid measures

4.1. Description of necessary first-aid measures

General:

In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.

Inhalation:

Keep patient calm, remove to fresh air, if necessary, seek medical attention.

Eye contact:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consultan eye specialist.

Skin contact:

Wash thoroughly with soap and water.

Ingestion:

Rinse mouth. When symptoms persist, seek medical attention.

4.2. Most important symptoms and effects, both acute and delayed

From symptoms and effects we do not have any information.

4.3. Indication of immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing media that is suitable for the extinguishing of burning agents in the environment. Not to be used: Not known.

Version number: 1.

5.2. Special hazards arising from the substance or mixture

The product is not flammable. In case of fire hazardous vapors, gases may be formed.

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing.

Use fine water spray to cool endangered containers. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Remove the unauthorized persons. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin and eyes. Remove all sources of ignition. Provide adequate ventilation.

6.2. Environmental precautions

Do not allow to enter drains or watercourses.

6.3. Methods and materials for containment and cleaning up

Small spills: Soak up with cloth. For residues: Pick up with suitable absorbent material (e.g. sand, earth, or similar inert absorbent material) Dispose of absorbed material in accordance with regulations. Wash the contaminated area with plenty of water.

6.4. Reference to other sections

Use personal protective equipment recommended in section 8.

For disposal see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

No special measures are required.

Avoid contact with skin and eyes. Do not breathe vapour. Provide adequate ventilation. Do not use the product near sources of ignition.

Do not eat, drink or smoke while working. Wash hands before breaks and at the end of workday.

7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a cool, well-ventilated place. Keep away from sources of ignition and from incompatible materials.

7.3. Specific end uses

See section 1.2

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Components with workplace control parameters

CAS 7664-41-7 ammonia:

Directive 2000/39/EC

8 hours limit value: 14 mg/m³ (20 ppm)

Short term limit value: 36 mg/m³

CAS 18282-10-5 Tin(IV)-compounds, inorganic:

Directive EU91

8 mg/m3 with reference to the inhalable fraction (EU, AGS).

2 mg/m3 with reference to the inhalable fraction (EU).

The occupational exposure limit value refers to the element content of the corresponding Metal.

8.2. Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Local or general extraction system is recommended in order to keep the exposure as low as possible. Safety shower, eyewash is recommended.

Version number: 1.

If local risk assessment requires, weigh the concentration of the components in the air.

Personal protective equipment

Eye/face protection

Safety glasses with side-shields according to EN 166.

Skin protection

Protective gloves according to EN 374. can be used, but in normal case it is not necessary. Observe glove manufacturer's instructions concerning penetrability and breakthrough time. If local risk assessment requires, use protective equipment. (Chemical resistant gloves, overall or work clothes)

Body Protection

Protective clothing according to EN ISO 20345

Respiratory protection

Provide good ventilation of working area. Wear respiratory protection if ventilation is inadequate. Dust mask and organic substances provided for combined respiratory protective, if necessary.

Environmental exposure controls

Check emissions of the local exhaust system during the production in order to comply with environmental protection requirements

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

(a) Physical state	liqiud, paste
(b) Colour	product specific
(c) Odour	characteristic
(d) Melting point/freezing point	not determined
(e) Boiling point or initial boiling point and boiling range	not determined
(f) Flammability	not determined
(g) Lower and upper explosion limit	not determined
(h) Flash point	not determined
(i) Auto-ignition temperature	not determined
(j) Decomposition temperature	not determined
(k) pH	not determined
(I) Kinematic viscosity	not determined
(m) Solubility	not determined
(n) Partition coefficient n-octanol/water (log value)	not applicable
(o) Vapour pressure	not determined
(p) Density and/or relative density	1,2-1,4 g/cm3
(q) Relative vapour density	not determined
(r) Particle characteristics	Not determined. It does not contain nanoparticles.

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reactions can be expected under normal handling and storage

10.2. Chemical stability

Stable under recommended storage and handling conditions.

10.3. Possibility of hazardous reactions

No dangerous reaction in normal use.

10.4. Conditions to avoid

Heat, flames and sparks.

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

Hazardous vapors, gases

Version number: 1.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

There are no data available on the preparation itself.

- (a) acute toxicity: Based on available data, the classification criteria are not met
- (b) skin corrosion/irritation: Based on available data, the classification criteria are not met
- (c) serious eye damage/irritation: Based on available data, the classification criteria are not met
- (d) respiratory or skin sensitisation: Based on available data, the classification criteria are not met The product contains components classified as skin sensitization at concentrations above the triggering limit as indicated by the EUH208 phrases on the label.
- (e) germ cell mutagenicity: Based on available data, the classification criteria are not met The product does not contain mutagenic components
- (f) carcinogenicity: Based on available data, the classification criteria are not met
- (g) reproductive toxicity: Based on available data, the classification criteria are not met The product does not contain components of reproductive toxicity.
- (h) STOT-single exposure: Based on available data, the classification criteria are not met
- (i) STOT-repeated exposure: Based on available data, the classification criteria are not met
- (j) aspiration hazard: Based on available data, the classification criteria are not met

The product does not contain components classified with aspiration toxicity.

SECTION 12: Ecological information

12.1. Toxicity

There are no data available on the preparation itself.

Based on available data, the classification criteria are not met

Component(s):

Zinc pyrithione

LC₅₀ (Brachydanio rerio, 96 h): 0,0104 mg/l (OECD 203, 3026. s.).

EC₅₀ (Daphnia magna, 48 h): 0,051 mg/l (OECD 202, 3024. s.).

EC₅₀ (Skeletonema costatum): 0,0013 mg/l (ISO 10253, literature data).

EC₅₀ (Pseudokirchneriella subcapitata, 72 h):

0,051 mg/l (OECD 201, 3023. s.)

NOEC (Brachvdanio rerio, 28 d):

0,00125 mg/l (OECD 215, 3027. s.).

NOEC (Daphnia magna, 21 d): 0,0022 mg/l (OECD 211, 3025. s.).

NOEC (Skeletonema costatum, 96 h):

0,00046 mg/l (OECD 201, literature data).

NOEC (Pseudokirchneriella subcapitata, 72 h):

0,0149 mg/l (OECD 201, 3023.s.).

12.2. Persistence and degradability

Biodegradability

No relevant information available.

Component(s):

Zinc pyrithione

Readily biodegradable

t ½: 0,5 d (OECD 308 biodegradable simulation in sediment (freshwater)

1,2-benzizotiazolin-3-on:

Readily biodegradable.

ca. 90 % (OECD 302B Zahn-Wellens test, activated sludge)

> 70 % (OECD 303A DOC, activated sludge)

t ½: 1,28-2,1 d (OECD 308 in freshwater sediment)

t ½: 4,1 nap (OECD 309 biodegradable simulation in surface water))

Ammonia: Readily biodegradable

12.3. Bioaccumulative potential

Component(s):

Zinc pyrithione

It is not enriched in living organisms.

log Ko/v: 1,21 (OECD 107, shaking method)

1,2-benzizotiazolin-3-on: Bioaccumulation is not expected.

Extravagance - Jewel Texture Paste

Partition coefficient: n-octanol/water: log Ko/v = 0,7 (OECD 117, HPLC method

Bioconcentration factor, BCF (fish): 6,95 (OECD 305)

Ammonia: It does not accumulate biologically.

12.4. Mobility in soil Component(s):

Ammonia: It is absorbed in the soil.

12.5. Results of PBT and vPvB assessment

The product does not fulfill the criteria for PBT(Persistent/bioaccumulative/toxic) and vPvB (very persistent/very bioaccumulative).

Version number: 1.

12.6. Endocrine disrupting properties

No information available

12.7. Other adverse effects

Not known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Do not dispose of together with household waste. In accordance with local and national regulations.

Non-hazardous waste, but the generation of waste should be avoided or minimized wherever possible. Do not allow into drains or water courses. The waste packaging can be recycled.

SECTION 14: Transport information

Transportation for non-hazardous goods.

- 14.1. UN number or ID number Notapplicable.
- 14.2. UN proper shipping name Not applicable.
- 14.3. Transport hazard class(es) Not applicable.
- 14.4. Packing group Not applicable.
- 14.5. Environmental hazards No
- 14.6. Special precautions for user Observe the applicable safety data sheet.
- 14.7. Maritime transport in bulk according to IMO instruments Notapplicable.

SECTION 15: Regulatory information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

According to the local regulation. For product there are no special requirements.

The components of this product are included in the following notification lists; are exempted, or otherwise meet requirements: EINECS/ELINCS/NLP (EU), DSL/NDSL (Kanada), KECI (Dél-Korea), TSCA (USA).

The ingredients of this product are not included on California's 65 list

15.2. Chemical safety assessment

Chemical safety assessment has not been carried out./ not required.

SECTION 16: Other information

LIST OF RELEVANT H-PHRASES IN SECTION 3

H-Phrases

- H228 Flammable solid
- H301 Toxic if swallowed
- H302 Harmful if swallowed
- H314 Causes severe skin burns and eye damage
- H315 Causes skin irritation
- H317 May cause an allergic skin reaction
- H318 Causes serious eye damage
- H330 Fatal if inhaled
- H335 May cause respiratory irritation
- H400 Very toxic to aquatic life

Extravagance - Jewel Texture Paste

H410 Very toxic to aquatic life with long lasting effects

H411 Toxic to aquatic life with long lasting effects

H412 Harmful to aquatic life with long lasting effects

EUH208 Contains (name of sensitising substance). May produce an allergic reaction.

This product is not classified according to (EC) Regulation No 1272/2008.- based on calculation method

Version number: 1.

Data Sources:

The previously-classified hazardous materials list Internet database of chemical substances Safety data sheets of components

Abbreviations:

Flam.Sol. Flammable solid

Acute Tox. oral Acute Toxicity oral,

Acute Tox. inhal Acute Toxicity inhalation

Skin Corr. Skin Corrosion Skin Irrit. Skin Irritation Skin Sens. Skin sensitization

Eye Dam. Eye Damage

STOT SE Specific target organ toxicity – single exposure

Aquatic Acute Aquatic Chronic

SCL: Specific Concentration limit

EK / EU European community/European union

EGK European Economic Community

DNEL Derived No Effect Level

PNEC Predicted No Effect Concentration

CLP Regulation on Classification, Labelling and Packaging of Substances and Mixtures /

CAS Chemical Abstracts Service

UN / ENSZ United Nations

ADN Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

ADR Accord européen relatif au transport international des marchandises Dangereuses par Route RID Réglement international concernant le transport des marchandises dangereuses par chemin de fer

IMDG International Maritime Code for Gangerous Goods

MARPOL International Convention for the Prevention of Pollution From Ships

IBC Intermediate Bulk Container

IATA International Air Transport Association

ICAO International Civil Aviation Organization

PBT Persistent, Bioaccumulative, Toxic

vPvB very Persistent, very Bioaccumulative

This product Safety Data Sheet provides health, safety, and regulatory information. The information contained in this Safety Data Sheet is based on data available to us at the date of issue, and is provided in good faith, and believed to be accurate and reliable at the date of issue, however, no warranty, express or implied is provided. The product is to be used in applications consistent. For any other uses, exposures should be evaluated so that the appropriate handling practices and training programs can be established to ensure safe working conditions and operations. It is the buyer's/user's responsibility to satisfy itself that the product is suitable for the intended use, and to ensure that its activities comply with all federal, state, provincial, or local laws and regulations. Regulatory requirements are subject to change and may differ between European Member States and Nations.Individuals handling this product should be informed of the recommended safety precautions and should have access to this information.