

Safety Data Sheet

GREEN EZ REMOVE™ FURNITURE STRIPPER

Complies with OSHA Hazard Communication
Standard 29 CFR 1910.1200



SECTION 1. Identification

1.1 Product Identifier:

Product Name: Green EZ Remove™ Furniture Stripper

Product Code: Formulation JB-230

1.2 Uses of the product:

Coating & adhesive remover/stripper

1.3 Details of the product manufacturer:

Supplied By: Specco Industries Inc.
601 N. 5th Ave.
Kankakee, Illinois 60901
(630)-257-5060
e-Mail: Info@specco.com
www.specco.com

1.4 Emergency Telephone Number:

24 Hour Emergency:
INFOTRAC: 1-800-535-5053

Outside U.S. and Canada
Infotrac: 352-323-3500

Note: INFOTRAC and National Response Center emergency numbers to be used only in the event of chemical emergencies involving a spill, leak, fire, exposure or accident involving chemicals

SECTION 2. Hazard(s) Identification

2.1* EMERGENCY OVERVIEW** * OSHA Hazards:** Causes serious eye and skin irritation. May be harmful if swallowed

2.2 GHS –US Classification of the substance or mixture:

Reproductive toxicity, Cat. 1B (H360)

Eye Irritant- Cat 2 (H319)

Specific target organ toxicity SE -Cat 3, Respiratory System (H335)

Skin irritant – Cat 2 (H315)

2.3 Label elements:

Symbol(s) of Product GHS-US labeling:

Hazard pictograms (GHS-US):

Signal Word:



DANGER

2.3 Label Elements:

GHS –US HAZARD STATEMENTS

H315 Causes skin irritation
H319 Causes serious eye irritation
H335 May cause respiratory irritation.
H360 Damage fertility or the unborn child

GHS –US PRECAUTIONARY STATEMENTS

Prevention:

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area
P280	Wear protective gloves/protective clothing/eye protection/face protection

Response:

P302 +P352	IF ON SKIN: Wash with plenty of soap and water.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
P308+ P313	If exposed or concerned: Get medical advice/attention.
P332 + P313	If skin irritation occurs: Get medical advice/attention.
P337 + P313	If eye irritation persists, get medical advice/attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.

Storage:

P233	Keep containers tightly closed.
------	---------------------------------

Disposal:

P501	Dispose of contents/container in accordance with local / regional / national / international regulations.
------	---

2.4 Other hazards:

Hazardous decomposition products: None listed

SECTION 3. Composition on Ingredients

3.1 Substances:

<u>Chemical name</u>	<u>CAS-No.</u>	<u>Wt. %</u>
N-Methyl-2-Pyrrolidone	872-50-4	>15%
Dimethyl Glutarate	1119-40-0	>20%
Dimethyl Adipate	627-93-0	>10%
Dimethyl Succinate	106-65-0	>15%
Proprietary Compounds *	NA	>30%

Ingredients not listed on this safety data sheet are considered to be non-hazardous according to OSHA 1910.1200 or are not present above their cutoff levels.

*Regarding Proprietary Components: Specific chemical identities will be made available to medical professionals and others as required by 29 CFR 1910.2100 (i)(iv). Refer to Section 4 for additional health hazard information.

SECTION 4. First-Aid Measures

4.1 Description of first aid measures:



FIRST AID- EYE CONTACT: Immediately flush eyes with water. Flush eyes with water for a **minimum** of 15 minutes, occasionally lifting and lowering upper lids. Remove contact lenses if worn. If eye irritation persists obtain medical advice or attention promptly.



FIRST AID- SKIN CONTACT: Immediately flush skin with plenty of water. Remove clothing. Get medical attention immediately. Wash clothing separately and clean shoes before reuse.



FIRST AID- INHALATION: Remove person to fresh air if they feel lightheadedness and keep comfortable breathing.



FIRST AID- INGESTION: If swallowed, do **NOT** induce vomiting. Give victim a glass of water. Call a physician or poison control center immediately. Never give anything by mouth to an unconscious person.

4.2 Principle symptoms and health effects both acute and delayed:



EYE CONTACT: May cause mild to severe eye irritation



SKIN CONTACT: Contact with skin may cause mild irritation. Prolonged or repeated contact can result in defatting skin which may result in skin irritation and dermatitis (rash). Personnel with pre-existing skin disorders should avoid contact with this product.



INHALATION: Concentrated vapors may cause slight irritation of the respiratory tract.



INGESTION: These materials may be harmful or fatal if swallowed. Harmful or fatal if liquid is aspirated into the lungs. Irritating to mouth, throat, and stomach. Can be readily absorbed by the stomach and intestinal tract. Symptoms include burning sensation of the mouth and esophagus, nausea, vomiting, diarrhea, dizziness, staggering gait, drowsiness, loss of consciousness and delirium as well as additional central nervous system effects,

CHRONIC SYMPTOMS: None

4.3 Indication of any immediate medical attention and special treatment needed:

No specific actions are required.

SECTION 5. Fire-Fighting Measures

5.1 Extinguishing Media:

Suitable Extinguishing Media: Use Carbon Dioxide, Dry Chemical, Foam, Water Fog

Unsuitable Extinguishing Media: None Known

5.2 Special hazards arising from the substance or mixture:

Fire Hazard: None

Explosion Hazard: No -Product is **not** combustible

Reactivity: No hazardous combustion products or hazard reactions are known.

5.3 Advice for Firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand (MSHA / NIOSH approved or equivalent) and full protective gear. Evacuate all unnecessary personnel. Water spray to cool containers or protect personnel.

SECTION 6. Accidental Release Measures

6.1 Personal precautions, protective equipment, and emergency procedures

General: Wear personal protection equipment (see Section 8). Keep unprotected persons away. Avoid contact with eyes and skin. If material is released indicate risk of slipping.

Protective Equipment: Wear protective clothing as appropriate for the work environment, including gloves, and eye/face protection. The use of a NIOSH/OSHA approved respirator is recommended if the work area does not have sufficient ventilation or air movement.

Emergency Procedure: Collect spilled materials for disposal.

6.2 Environmental precautions:

Containment: Prevent material from entering surface waters, drains or sewers and soil. Contain any fluid that runs out using suitable material. Retain contaminated water/extinguishing water. Dispose of in prescribed marked containers. Spills of materials which could reach surface waters must be reported to the United States Coast Guard National Response Center's toll-free phone number (800) 424-8802.

6.3 Methods and material for containment and cleaning up:

Do not flush away with water. For small amounts: Absorb with a liquid binding material such as diatomaceous earth, dry sand, or earth, place in a chemical waste container and dispose of according to local/state/federal regulations. Do not touch or walk through spilled material. Avoid runoff into storm sewers and ditches which lead to waterways. Ventilate spilled area. Stay upwind of spill. Clean any slippery coating that remains using a detergent/soap solution or another biodegradable cleaner. Exhaust vapors.

6.4 Reference to other Sections:

Refer to Sections 8 and 13 for additional information.

SECTION 7. Handling and Storage

7.1 Precautions for safe handling:

Work Practices. Avoid contact with eyes, skin, and clothing.

Hygiene Practices: Do not eat, drink, or smoke in work areas. Wash hands after use. Remove contaminated clothing and protective equipment before entering eating areas.



7.2 Conditions for safe storage, including any incompatibilities:

K Store containers in a cool, well ventilated place. Keep container closed when not in use. Protect from direct sunlight. Do not let material freeze if possible,

Static Discharge: Not applicable

7.3 Specific end use(s):

Intended Use(s): Coating remover/stripper

Prohibited use(s): None listed

SECTION 8. Exposure Controls/Personal Protection

8.1 Control Parameters:

Ingredients with Occupational Exposure Limit:

<u>Chemical Name</u>	<u>ACGIH-TLV-TWA</u>	<u>ACGIH-TLV STEL</u>	<u>OSHA PEL-TWA</u>	<u>OSHA PEL-CEILING</u>
N-Methyl Pyrrolidinone	100ppm	400 mg/2	100ppm	400 mg/2

8.2 Exposure controls:**8.2.1 Engineering controls:**

Minimize the release of fumes or vapors. Use process controls, local exhaust ventilation, or other engineering controls to maintain airborne levels below the limits shown in Section 8.1 above. See also ACGIH Industrial Ventilation-Recommended Practice (latest edition).

8.2.2 Personal protective equipment (PPE):

RESPIRATORY PROTECTION: NIOSH/OHSA approved respirators are only recommended if airborne concentrations are expected to exceed exposure limits or if the work area is confined and not well ventilated with limited air flow movement.



SKIN PROTECTION: Wear impervious, impermeable gloves such as nitrile or butyl rubber based to prevent contact with the skin. Wear protective gear as needed such as apron, long sleeved shirts to minimize contact. Wash hands with soap and water after use.



EYE PROTECTION: Wear safety glasses with side shields (or goggles) and a face shield



OTHER PROTECTIVE EQUIPMENT: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.



HYGIENIC PRACTICES: Do not eat or drink in areas where the material is used. Remove contaminated clothing and wash before re-use. Wash thoroughly after handling. Wash hands before eating.

SECTION 9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties:

Appearance:	Clear yellowish liquid	Physical State:	Thickened Liquid
Odor:	Mild-slightly pungent	Odor Threshold:	N.D.
Spec. Grav. g/cm³:	1.097	pH:	Approx. 7.00 +/- 0.20
Freeze Point, °F:	NA	Viscosity:	Approx. 300-500 cps
Solubility in Water:	95%	Density:	8.70 lb. / gal
Boiling Range, F:	100° C/ 212° F	Flash Point:	>200°F (93.3 °C)
Evaporation Rate:	N.A.	Auto Ignition Temp, °F:	N.A.
V.O.C.:	4.12 lb./ gal = 495 g/L	Vapor Pressure:	N.A.

9.2 Note: See "Other Information" Section (16) for abbreviation legend

SECTION 10. Stability and Reactivity

10.1 Reactivity:

None

10.2 Chemical stability:

Stable under normal temperature and pressure

10.3 Possibility of hazardous reactions:

Hazardous reactions or polymerization will **not** occur.

10.4 Conditions to avoid:

None known

10.5 Incompatible materials:

None Known

10.6 Hazardous decomposition products:

None known

SECTION 11. Toxicological Information

**11.1 Information on Toxicological Effects:** Toxicological testing **has not been conducted with this material.**

Aquatic toxicity for **DBE** 96 hour LC50-fathead minnows 18-24 mg/L moderately toxic 48 hour Daphnia Magna, 112-150 mg/L

11.1.1 Acute toxicity: Inhalation 4 hour LC-50 = >11mg/L in rats. Inhalation 1 hour LC 50 = > 10.7 mg/L in rats, Skin absorption, LD-50= >2250 mg/kg in rabbits, Oral LD50 = 8,191 mg/kg in rats

11.1.2 Skin corrosion/irritation: This material is considered a mild to severe skin irritant.

11.1.3 Serious eye damage/eye irritation: Depending on concentration or residual monomers (typically less than 0.1%, vapors can collect above the liquid in closed containers. Can cause serious eye irritation.

11.1.4 Respiratory or skin sensitization: None

11.1.5 Germ cell mutagenicity: None

11.1.6 Carcinogenicity: No components of this product are present at levels greater than or equal to 0.1% are identified as carcinogens or possible carcinogens.

11.1.7 Reproductive toxicity: None

11.1.8 Specific target organ toxicity (single exposure): None

11.1.9 Specific target organ toxicity (repeated exposure): None

11.1.10 Aspiration hazard: None

Assessment: For this endpoint, **no** toxicological test data is available for this product.

11.1.11: NA

SECTION 12. Ecological Information

12.1 Toxicity

Eco toxicity: No data

12.2 Persistence and degradability

Biodegradability: The D.B.E. components dimethyl succinate, dimethyl glutarate, and dimethyl adipate were tested for biodegradability using the 28 day closed bottle test. A minimum of 60% biodegradation must be reached in a 14 day window after exceeding 10% level in order to pass this test and rated as readily biodegradable. Results: Dimethyl succinate= 67% biodegradability in day 7, dimethyl glutarate= 70% biodegradability in day 7, Dimethyl adipate= 84% biodegradability in day 14.

12.3 Bioaccumulative potential

Organic, not known to bio-accumulate.

12.4 Mobility in Soil

Not applicable

12.5 Other adverse effects

None known

SECTION 13. Disposal Considerations**13.1 RCRA Waste Classification**

Not known

**13.2 Product disposal**

Recommended to dispose of according to regulations in a special waste incinerator. Always dispose of any waste in accordance with all local, state, and federal regulations.

13.3 Packaging disposal

Completely discharge containers (no tear drops, no residual contents). Containers may be recycled or be reused. Observe local/state/federal regulations.

SECTION 14. Transport Information**14.1 UN Number:**

Not regulated

14.2 UN Proper Shipping Name / IMDG/IATA:

Not applicable/ not classified as a dangerous good

14.3 Transport hazards class:

Not applicable

14.4 Packing Group:

Not applicable

14.5 Environmental hazards:

Not relevant

14.6 Special precautions for user:

No special precautions

SECTION 15. Regulatory Information**15.1 U.S. Federal Regulations:****TSCA No:**

This material or its components are listed on or are in compliance with the requirements of the TSCA Chemical Substance Inventory. CAS#872-50-4 is listed on the TSCA inventory.

SARA SECTION 302: None**SARA SECTION 311/312 Hazard categories:** Acute: yes**SARA SECTION 313 (Chemicals)**

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendment and reauthorization Act of 1986 and 40CFR part 372:

CAS #	Chemical:	Upper limit wt. %
None		

RCRA:

No components are listed under the Resource Conservation and Recovery Act, or its regulations, 40CFR S261 et. Seq.

CERCLA:

Components of this product have been reviewed according to the EPA "Hazard Categories" promulgated under Sections 311 and 312 of the Superfund Amendment and reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the following categories:

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

EMERGENCY PLANNING AND COMMUNITY RIGHT TO KNOW ACT:

None listed

CLEAN AIR ACT:

This product does not contain any Class I or Class II ozone depleting substances.

FDA:

No information

NTP:

No information

OSHA:

No information

15.2 U.S. State Regulations:**CALIFORNIA PROPOSITION 65:**

This material does **not** contain any chemicals known to the state of California to cause cancer.

CALIFORNIA PROPOSITION 65 REPRODUCTIVETOXINS: The following ingredients present in the product are known to the state of California to cause birth defects, or other reproductive hazards.

Yes- Contains N-Methyl Pyrrolidinone

MASSACHUSETTS TOXIC USE REDUCTION ACT:

This material contains no listed components

NEW JERSEY RIGHT-TO -KNOW:

This material contains no listed components

PENNSYLVANIA RIGHT-TO- KNOW:

This material contains no listed components

15.3 International regulations:**CANADIAN WHMIS:**

This product has been classified in accordance with the Hazard criteria of the CPR and the SDS contains all of the information required by the CPR

WHMIS Class: Class D2B (Toxic) Symbol: Stylized T

DSL Status: This material or one or more of its components is **not** listed on the Canadian Domestic Substances List.

EUROPEAN UNION:

No Information

IARC:

No information

15.4 Other Regulations

National, state, provincial or local emergency planning, community right to know or other laws, regulations or ordinances may be applicable-consult applicable national, state, provincial or local laws.

SECTION 16. Other Information

Revision Date: 08-06-20

Supersedes Date: 07-01-20

S.D.S. produced by: Specco Regulatory Department in accordance with the requirements outlined in the Federal Register, Volume 77, NO.58, March 2012 page 17574. In this final rule, OSHA modified its Hazard Communication Standard (HCS) to conform to the United Nation's Globally Harmonized System of Classification and Labeling of Chemicals (GHS). The modifications to the standard included but were not limited to revised criteria for classification of chemical hazards and a new specified format for Safety Data Sheets.

Standardized American System for the identification of hazards presented by this product in view of emergency procedures (NFPA 704) -H.M.I.S. Ratings:

Health:	2	Flammability:	1	Reactivity:	0	Personal Protection:	C
----------------	----------	----------------------	----------	--------------------	----------	-----------------------------	----------

Regarding Volatile Organic Compounds, gram/liter: N.A. (0)

DISCLAIMER: THE VOLATILE ORGANIC COMPOUND (V.O.C.) CONTENT REPORTED HEREIN, IF ANY, IS BASED ON A MATERIAL V.O.C. CALCULATION. NOTE THAT SEVERAL METHODS ARE USED FOR CALCULATING V.O.C. CONTENT AND THAT STANDARDS/REQUIREMENTS REGARDING V.O.C. CONTENT VARY BY LOCATION/JURISDICTION. ACCORDINGLY, SPECCO MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESSED OR IMPLIED, REGARDING THIS MATERIAL'S COMPLIANCE WITH V.O.C. STANDARDS/REQUIREMENTS APPLICABLE IN LOCATIONS/JURISDICTIONS WHERE THIS MATERIAL MAY BE SOLD OR USED.

Text for GHS Hazard Statements shown in section 3 describing each ingredient:

H315 Causes skin irritation
 H319 Causes serious eye irritation
 H335 May cause respiratory irritation.
 H360 Damage fertility or the unborn child

Icons for GHS Pictograms shown in Section 3 describing each ingredient:



Legend: * Refer to 49 CFR for possible exceptions and exemptions. Abbreviations: TLV= Threshold Limit Value. TWA= Time Weighted Average. STEL= Short Term Exposure Limit. N.A. = Not Applicable. N.D. = Not Determined, N.E. =Not Established. IATA= International Air Transport Association. IMDG= International Maritime Dangerous Goods.

The information on this SDS was obtained from sources which we believe to be reliable. However, the information provided is without any warranty, expressed or implied, regarding its correctness. Some information presented and conclusions drawn herein are from sources other than direct test data on the product itself. The information and recommendations are offered for the user's consideration and examination and should be used to make an independent determination of the methods to safeguard workers and the environment. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge, For these reasons we do not assume responsibility and expressly disclaim any liability from loss, damage, or expense arising out of or in any way connected with handling, storage, use, or disposal of this product. It is the responsibility of the user to comply with all Federal, State, and Local laws and regulations.