



CAST BLADE
ASSEMBLY SERIES

POSTS

10' 0"

\$144.00

12' 0"

\$172.00

13' 6"

\$200.00



4" DIAMETER FLUTED



10'-0", 12'-0" or 13'-6" LENGTH
WALL THICKNESS: .125
EXTRUDED ALUMINUM: ALLOY 6063



4" DIAMETER FLUTED



10'-0", 12'-0" or 13'-6" LENGTH
WALL THICKNESS: .125
EXTRUDED ALUMINUM: ALLOY 6063

FINIALS



ACORN FOR 4" OD POLE

FN-0104

\$45.00

FN-0104*

HEIGHT: 8.25" WIDTH: 5.50"
CAST ALUMINUM: ALLOY 356



GLOBE FOR 4" OD POLE

FN-0204

\$45.00

FN-0204*

HEIGHT: 7.00" WIDTH: 5.25"
CAST ALUMINUM: ALLOY 356

** fastens with (3) 1/4-20 x 3/8" stainless steel set screws provided*

BASES

MINI-AMERICANA

BS-04F

\$105.00



BS-04F*
SOLID (1 pc.)

HEIGHT: 10.00" WIDTH: 10.50"
CAST ALUMINUM: ALLOY 356

STREETSCAPE

BS-04A

\$225.00



BS-04A*
SPLIT (2 pc.)

HEIGHT: 32.00"
WIDTH: 12.00"
CAST ALUMINUM: ALLOY 356

** fastens with (3) 1/4-20 x 3/8" stainless steel set screws provided*

CAST BLADES

ITEM#

SIZE

PRICE

BELL

CA-BL2810

28" x 10"

\$ 275.00



CA-BL3512

35" x 12"

\$ 350.00

SCALLOP

CA-SC2807

28" x 7"

\$ 275.00



CA-SC3609

36" x 9"

\$ 350.00

OVAL

CA-OV2808

28" x 8"

\$ 275.00



CA-OV3610

36" x 10"

\$ 350.00

CHAMFERED BELL

CA-CB3010

30" x 10"

\$ 275.00



CA-CB3612

36" x 12"

\$ 350.00

RECTANGLE

CA-RT3007

30" x 7"

\$ 275.00



CA-RT3609

36" x 9"

\$ 350.00

DOME

CA-DM3010

30" x 10"

\$ 275.00



CA-DM3612

36" x 12"

\$ 350.00

COLONIAL

CA-CL2214

22" x 14"

\$ 275.00



CA-CL3018

30" x 18"

\$ 350.00

CAST BLADES CUSTOMIZATIONS

REFLECTIVE RAISED AREAS

Glo-Bead is a paint additive containing thousands of small glass spheres, designed to reflect lots of light, even at night. This creates a reflective* street name on cast blades.

*Glo-Bead reflectivity is not MUTCD Compliant

ADD GLO BEAD

\$25.00



STANDARD FONT OPTIONS

ROADGEEK SERIES C

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
1234567890

CASLON BOLD EXTRA CONDENSED

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
1234567890

KABEL DEMI

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
1234567890

SCROLL OPTIONS

ADD SCROLL

\$50.00



SORRENTO SCROLL
12.5" X 9.5"



IVY SCROLL
12" X 6.25"



BELLFLOWER SCROLL
17" X 9"



HATTERAS SCROLL
15.375" X 6"

SIGN FRAMES

EXTRUDED ALUMINUM SIGN FRAMES

STANDARD HOLE PUNCH | 2" WIDE EXTRUDED ALUMINUM ALLOY #6063 | GLOSS BLACK POWDER COAT



STOP SIGN FRAMES

24"

\$158.00

30"

\$165.00



SQUARE SIGN FRAMES

24"

\$132.00

30"

\$145.00



RECTANGLE SIGN FRAMES

18" x 24"

\$125.00

24" x 30"

\$160.00



YIELD SIGN FRAMES

24"

\$132.00

30"

\$150.00



DIAMOND SIGN FRAMES

24"

\$132.00

30"

\$145.00



*All Sign Frames and Cast Blades
Made in Muskegon, MI USA*

TRAFFIC SIGNS

HIGH INTENSITY PRISMATIC (HIP) REFLECTIVE | STANDARD HOLE PUNCH | THICKNESS: .080 ALUMINUM



**STOP SIGN:
R1-1**

24"

\$55.00

30"

\$81.00



**DO NOT ENTER
SIGN: R5-1**

24"

\$56.00

30"

\$65.00



SPEED SIGN: R2-1
Specify Speed

18" x 24"

\$48.00

24" x 30"

\$62.00



**YIELD SIGN:
R1-2**

24"

\$40.00

30"

\$49.00



**PEDESTRIAN CROSSING
SIGN: W11-2**

24"

\$56.00

30"

\$65.00

*More MUTCD sign options
available, call for assistance:
1-800-705-1446*

BELL CAST STREET BLADE ASSEMBLY

ITEM ID: ASSEMBLY-CB1 | DRAWING: CB1

STARTING AT:

\$1,042.00



4" x 12'-0" POLE:

4" DIAMETER FLUTED POLE
WALL THICKNESS: .125
EXTRUDED ALUMINUM: ALLOY 6063



FINIAL: FN-0204

GLOBE FINIAL FOR 4" OD POLE
HEIGHT: 7.00"
WIDTH: 5.25"
CAST ALUMINUM: ALLOY 356

* fastens with (3) 1/4-20 x 3/8" stainless steel set screws provided



BASE: BS-04A

STREETSCAPE BASE (2 pc.)
HEIGHT: 32.00"
WIDTH: 12.00"
CAST ALUMINUM: ALLOY 356

* fastens with (3) 1/4-20 x 3/8" stainless steel set screws provided



POWDER COAT COLOR

TIGER DRYLAC: BENGAL GLOSS BLACK

28" x 10" BELL CAST STREET BLADE

CA-BL2810 (x2)

CAST ALUMINUM
CA-BKT MOUNTING BRACKET
DEEP GREEN BACKGROUND
ROLLED WHITE COPY
APPLY GLO-BEAD



STOP SIGN & BELL STREET BLADE ASSEMBLY

ITEM ID: ASSEMBLY-CB2-SS | DRAWING: CB2

STARTING AT:

\$1,228.00



4" x 13'-6" POLE:

4" DIAMETER FLUTED POLE
WALL THICKNESS: .125
EXTRUDED ALUMINUM: ALLOY 6063



FINIAL: FN-0204

GLOBE FINIAL FOR 4" OD POLE
HEIGHT: 7.00"
WIDTH: 5.25"
CAST ALUMINUM: ALLOY 356


* fastens with (3) 1/4-20 x 3/8" stainless steel set screws provided



BASE: BS-04A

STREETSCAPE BASE (2 pc.)
HEIGHT: 32.00"
WIDTH: 12.00"
CAST ALUMINUM: ALLOY 356

* fastens with (3) 1/4-20 x 3/8" stainless steel set screws provided



SIGN FRAME

24" STOP SIGN: SF-SS02
STANDARD HOLE PUNCH
2" WIDE EXTRUDED
ALUMINUM ALLOY #6063

PRICE DOES NOT INCLUDE SIGN
R1-1-24: 24" Reflective Stop Sign - \$55.00




POWDER COAT COLOR

TIGER DRYLAC: BENGAL GLOSS BLACK

28" x 10" BELL CAST STREET BLADE

CA-BL2810 (x2)

CAST ALUMINUM
CA-BKT MOUNTING BRACKET
DEEP GREEN BACKGROUND
ROLLED WHITE COPY
APPLY GLO-BEAD



perpendicular street blade

84"

grade level

concrete footer (optional)

24" post burial depth recommended

Signature
Streetscapes
a division of Port City Architectural Signs

1-800-705-1446

www.signaturestreetscapes.com

BELFLOWER SCROLL CAST ASSEMBLY

ITEM ID: ASSEMBLY-CB3 | DRAWING: CB3

STARTING AT:

\$1,142.00



4" x 12'-0" POLE:

4" DIAMETER FLUTED POLE
WALL THICKNESS: .125
EXTRUDED ALUMINUM: ALLOY 6063



FINIAL: FN-0204

GLOBE FINIAL FOR 4" OD POLE
HEIGHT: 7.00"
WIDTH: 5.25"
CAST ALUMINUM: ALLOY 356

* fastens with (3) 1/4-20 x 3/8" stainless steel set screws provided



BASE: BS-04A

STREETSCAPE BASE (2 pc.)
HEIGHT: 32.00"
WIDTH: 12.00"
CAST ALUMINUM: ALLOY 356

* fastens with (3) 1/4-20 x 3/8" stainless steel set screws provided



POWDER COAT COLOR

TIGER DRYLAC: BENGAL GLOSS BLACK

28" x 10" BELL CAST STREET BLADE

CA-BL2810 (x2)

CAST ALUMINUM
CA-BKT MOUNTING BRACKET
WELDED BELFLOWER SCROLL*
MOSS GREEN BACKGROUND
ROLLED WHITE COPY
ROLLED GOLD LOGO
APPLY GLO-BEAD



84"

Signature
Streetscapes
a division of Port City Architectural Signage
1-800-705-1446
www.signaturestreetscapes.com

grade level

*CHOOSE FROM ANY SCROLL OPTION



Bellflower

Sorrento

Ivy

Hatteras

— concrete footer (optional)

— 24" post burial depth recommended

BELFLOWER SCROLL CAST & STOP SIGN ASSEMBLY

ITEM ID: ASSEMBLY-CB4-SS | DRAWING: CB4

STARTING AT:

\$1,328.00



4" x 13'-6" POLE:

4" DIAMETER FLUTED POLE
WALL THICKNESS: .125
EXTRUDED ALUMINUM: ALLOY 6063



FINIAL: FN-0204

GLOBE FINIAL FOR 4" OD POLE
HEIGHT: 7.00"
WIDTH: 5.25"
CAST ALUMINUM: ALLOY 356


* fastens with (3) 1/4-20 x 3/8" stainless steel set screws provided



BASE: BS-04A

STREETSCAPE BASE (2 pc.)
HEIGHT: 32.00"
WIDTH: 12.00"
CAST ALUMINUM: ALLOY 356

* fastens with (3) 1/4-20 x 3/8" stainless steel set screws provided



SIGN FRAME

24" STOP SIGN: SF-SS02
STANDARD HOLE PUNCH
2" WIDE EXTRUDED
ALUMINUM ALLOY #6063

PRICE DOES NOT INCLUDE SIGN
R1-1-24: 24" Reflective Stop Sign - \$55.00




POWDER COAT COLOR

TIGER DRYLAC: BENGAL GLOSS BLACK

28" x 10" BELL CAST STREET BLADE

CA-BL2810 (x2)

CAST ALUMINUM
CA-BKT MOUNTING BRACKET
WELDED BELFLOWER SCROLL*
MOSS GREEN BACKGROUND
ROLLED WHITE COPY
ROLLED GOLD LOGO
APPLY GLO-BEAD



84"

grade level

*CHOOSE FROM ANY SCROLL OPTION



Bellflower



Sorrento



Ivy



Hatteras

— concrete footer (optional)

— 24" post burial depth recommended

Signature
Streetscapes
a division of Port City Architectural Signage

1-800-705-1446

www.signaturestreetscapes.com

SCALLOP CAST STREET BLADE ASSEMBLY

ITEM ID: ASSEMBLY-CB5 | DRAWING: CB5

STARTING AT:

\$1,042.00



4" x 12'-0" POLE:

4" DIAMETER FLUTED POLE
WALL THICKNESS: .125
EXTRUDED ALUMINUM: ALLOY 6063



FINIAL: FN-0204

GLOBE FINIAL FOR 4" OD POLE
HEIGHT: 7.00"
WIDTH: 5.25"
CAST ALUMINUM: ALLOY 356

* fastens with (3) 1/4-20 x 3/8" stainless steel set screws provided



BASE: BS-04A

STREETSCAPE BASE (2 pc.)
HEIGHT: 32.00"
WIDTH: 12.00"
CAST ALUMINUM: ALLOY 356

* fastens with (3) 1/4-20 x 3/8" stainless steel set screws provided



POWDER COAT COLOR

TIGER DRYLAC: BENGAL GLOSS BLACK

28" x 7" SCALLOP CAST STREET BLADE

CA-SC2807 (x2)

CAST ALUMINUM
CA-BKT MOUNTING BRACKET
MEXICALLI RED BACKGROUND
ROLLED WHITE COPY
APPLY GLO-BEAD



STOP SIGN & SCALLOP BLADE W/ SCROLL ASSEMBLY

ITEM ID: ASSEMBLY-CB6-SS | DRAWING: CB6

STARTING AT:

\$1,328.00



4" x 13'-6" POLE:

4" DIAMETER FLUTED POLE
WALL THICKNESS: .125
EXTRUDED ALUMINUM: ALLOY 6063



FINIAL: FN-0204

GLOBE FINIAL FOR 4" OD POLE
HEIGHT: 7.00"
WIDTH: 5.25"
CAST ALUMINUM: ALLOY 356


* fastens with (3) 1/4-20 x 3/8" stainless steel set screws provided



BASE: BS-04A

STREETSCAPE BASE (2 pc.)
HEIGHT: 32.00"
WIDTH: 12.00"
CAST ALUMINUM: ALLOY 356

* fastens with (3) 1/4-20 x 3/8" stainless steel set screws provided



SIGN FRAME

24" STOP SIGN: SF-SS02
STANDARD HOLE PUNCH
2" WIDE EXTRUDED
ALUMINUM ALLOY #6063

PRICE DOES NOT INCLUDE SIGN
R1-1-24: 24" Reflective Stop Sign - \$55.00




POWDER COAT COLOR

TIGER DRYLAC: BENGAL GLOSS BLACK

28" x 7" SCALLOP CAST STREET BLADE

CA-SC2807 (x2)

CAST ALUMINUM
CA-BKT MOUNTING BRACKET
WELDED SORRENTO SCROLL*
BLACK BACKGROUND
ROLLED WHITE COPY
APPLY GLO-BEAD



84"

Signature
Streetscapes
a division of Port City Architectural Signs

1-800-705-1446

www.signaturestreetscapes.com

grade level

*CHOOSE FROM ANY SCROLL OPTION



Bellflower



Sorrento



Ivy



Hatteras

— concrete footer (optional)

— 24" post burial depth recommended

STOP SIGN & CHAMFERED BELL W/ SCROLL ASSEMBLY

ITEM ID: ASSEMBLY-CB8-SS | DRAWING: CB8

STARTING AT:

\$1,328.00



4" x 13'-6" POLE:

4" DIAMETER FLUTED POLE
WALL THICKNESS: .125
EXTRUDED ALUMINUM: ALLOY 6063



FINIAL: FN-0204

GLOBE FINIAL FOR 4" OD POLE
HEIGHT: 7.00"
WIDTH: 5.25"
CAST ALUMINUM: ALLOY 356


* fastens with (3) 1/4-20 x 3/8" stainless steel set screws provided



BASE: BS-04A

STREETSCAPE BASE (2 pc.)
HEIGHT: 32.00"
WIDTH: 12.00"
CAST ALUMINUM: ALLOY 356

* fastens with (3) 1/4-20 x 3/8" stainless steel set screws provided



SIGN FRAME

24" STOP SIGN: SF-SS02
STANDARD HOLE PUNCH
2" WIDE EXTRUDED
ALUMINUM ALLOY #6063

PRICE DOES NOT INCLUDE SIGN
R1-1-24: 24" Reflective Stop Sign - \$55.00




POWDER COAT COLOR

TIGER DRYLAC: BENGAL GLOSS BLACK

30" x 10" CHAMFERED BELL CAST STREET BLADE

CA-CB3010 (x2)

CAST ALUMINUM
CA-BKT MOUNTING BRACKET
WELDED HATTERAS SCROLL*
CAPRI BLUE BACKGROUND
ROLLED WHITE COPY
ROLLED GOLD LOGO
APPLY GLO-BEAD



84"

perpendicular street blade

grade level

Signature
Streetscapes
a division of Port City Architectural Signage

1-800-705-1446

www.signaturestreetscapes.com

*CHOOSE FROM ANY SCROLL OPTION



Bellflower

Sorrento

Ivy

Hatteras

concrete footer (optional)

24" post burial depth recommended

STOP SIGN ASSEMBLY

ITEM ID: ASSEMBLY-SS9 | DRAWING: SS9

STARTING AT:

\$600.00



4" x 12'-0" POLE:

4" DIAMETER FLUTED POLE
WALL THICKNESS: .125
EXTRUDED ALUMINUM: ALLOY 6063



FINIAL: FN-0204

GLOBE FINIAL FOR 4" OD POLE
HEIGHT: 7.00"
WIDTH: 5.25"
CAST ALUMINUM: ALLOY 356


* fastens with (3) 1/4-20 x 3/8" stainless steel set screws provided



BASE: BS-04A

STREETSCAPE BASE (2 pc.)
HEIGHT: 32.00"
WIDTH: 12.00"
CAST ALUMINUM: ALLOY 356

* fastens with (3) 1/4-20 x 3/8" stainless steel set screws provided



SIGN FRAME


24" STOP SIGN: SF-SS02
STANDARD HOLE PUNCH
2" WIDE EXTRUDED
ALUMINUM ALLOY #6063

PRICE DOES NOT INCLUDE SIGN
R1-1-24: 24" Reflective Stop Sign - \$55.00



POWDER COAT COLOR

TIGER DRYLAC: BENGAL GLOSS BLACK



84"

grade level

concrete footer (optional)

24" post burial depth recommended

Signature
Streetscapes
a division of Port City Architectural Signs
1-800-705-1446
www.signaturestreetscapes.com

DO NOT ENTER SIGN ASSEMBLY

ITEM ID: ASSEMBLY-SS10 | DRAWING: SS10

STARTING AT:

\$574.00



4" x 12'-0" POLE:

4" DIAMETER FLUTED POLE
WALL THICKNESS: .125
EXTRUDED ALUMINUM: ALLOY 6063



FINIAL: FN-0204

GLOBE FINIAL FOR 4" OD POLE
HEIGHT: 7.00"
WIDTH: 5.25"
CAST ALUMINUM: ALLOY 356


* fastens with (3) 1/4-20 x 3/8" stainless steel set screws provided



BASE: BS-04A

STREETSCAPE BASE (2 pc.)
HEIGHT: 32.00"
WIDTH: 12.00"
CAST ALUMINUM: ALLOY 356

* fastens with (3) 1/4-20 x 3/8" stainless steel set screws provided



SIGN FRAME

24" SQUARE: SF-SQ02
STANDARD HOLE PUNCH
2" WIDE EXTRUDED
ALUMINUM ALLOY #6063

PRICE DOES NOT INCLUDE SIGN
R5-1-24: 24" Reflective Do Not Enter Sign - \$56.00



POWDER COAT COLOR

TIGER DRYLAC: BENGAL GLOSS BLACK



SPEED SIGN ASSEMBLY

ITEM ID: ASSEMBLY-SS11 | DRAWING: SS11

STARTING AT:

\$567.00



4" x 12'-0" POLE:

4" DIAMETER FLUTED POLE
WALL THICKNESS: .125
EXTRUDED ALUMINUM: ALLOY 6063



FINIAL: FN-0204

GLOBE FINIAL FOR 4" OD POLE
HEIGHT: 7.00"
WIDTH: 5.25"
CAST ALUMINUM: ALLOY 356


* fastens with (3) 1/4-20 x 3/8" stainless steel set screws provided



BASE: BS-04A

STREETSCAPE BASE (2 pc.)
HEIGHT: 32.00"
WIDTH: 12.00"
CAST ALUMINUM: ALLOY 356

* fastens with (3) 1/4-20 x 3/8" stainless steel set screws provided



SIGN FRAME

18" x 24" RECTANGLE: SF-RT03
STANDARD HOLE PUNCH
2" WIDE EXTRUDED
ALUMINUM ALLOY #6063

PRICE DOES NOT INCLUDE SIGN

R2-1-25: 18" x 24" Reflective Speed Limit Sign - \$48.00



POWDER COAT COLOR

TIGER DRYLAC: BENGAL GLOSS BLACK



84"

grade level

concrete footer (optional)

24" post burial depth recommended

Signature
Streetscapes
a division of Port City Architectural Signs
1-800-705-1446
www.signaturestreetscapes.com

YIELD SIGN ASSEMBLY

ITEM ID: ASSEMBLY-SS12 | DRAWING: SS12

STARTING AT:

\$574.00



4" x 12'-0" POLE:

4" DIAMETER FLUTED POLE
WALL THICKNESS: .125
EXTRUDED ALUMINUM: ALLOY 6063



FINIAL: FN-0204

GLOBE FINIAL FOR 4" OD POLE
HEIGHT: 7.00"
WIDTH: 5.25"
CAST ALUMINUM: ALLOY 356


* fastens with (3) 1/4-20 x 3/8" stainless steel set screws provided



BASE: BS-04A

STREETSCAPE BASE (2 pc.)
HEIGHT: 32.00"
WIDTH: 12.00"
CAST ALUMINUM: ALLOY 356

* fastens with (3) 1/4-20 x 3/8" stainless steel set screws provided



SIGN FRAME

24" YIELD: SF-YD01
STANDARD HOLE PUNCH
2" WIDE EXTRUDED
ALUMINUM ALLOY #6063

PRICE DOES NOT INCLUDE SIGN
R1-2-24: 24" Reflective Yield Sign - \$40.00



POWDER COAT COLOR

TIGER DRYLAC: BENGAL GLOSS BLACK



84"

grade level

— concrete footer (optional)

— 24" post burial depth recommended

Signature
Streetscapes
a division of Port City Architectural Signs
1-800-705-1446
www.signaturestreetscapes.com

CAUTION SIGN ASSEMBLY

ITEM ID: ASSEMBLY-SS13 | DRAWING: SS13

STARTING AT:

\$574.00



4" x 12'-0" POLE:

4" DIAMETER FLUTED POLE
WALL THICKNESS: .125
EXTRUDED ALUMINUM: ALLOY 6063



FINIAL: FN-0204

GLOBE FINIAL FOR 4" OD POLE
HEIGHT: 7.00"
WIDTH: 5.25"
CAST ALUMINUM: ALLOY 356


* fastens with (3) 1/4-20 x 3/8" stainless steel set screws provided



BASE: BS-04A

STREETSCAPE BASE (2 pc.)
HEIGHT: 32.00"
WIDTH: 12.00"
CAST ALUMINUM: ALLOY 356

* fastens with (3) 1/4-20 x 3/8" stainless steel set screws provided



SIGN FRAME*

24" DIAMOND: SF-DM01
STANDARD HOLE PUNCH
2" WIDE EXTRUDED
ALUMINUM ALLOY #6063

PRICE DOES NOT INCLUDE SIGN
W11-2-24: 24" Reflective Pedestrian Sign - \$56.00



POWDER COAT COLOR

TIGER DRYLAC: BENGAL GLOSS BLACK

* WHEN USING A 30" DIAMOND FRAME A 13'-6" POST
MAY BE NEEDED TO MEET GRADE LEVEL REQUIREMENTS



84"

grade level

Signature
Streetscapes
a division of Port City Architectural Signage

1-800-705-1446

www.signaturestreetscapes.com

concrete footer (optional)

24" post burial depth recommended