

## BALI ESCAPE

Version 6

Revision Date 02.06.2018

Print Date 20.12.2018

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 Product identifier

Commercial Product Name : BALI ESCAPE

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Fragrance mix

#### 1.3 Details of the supplier of the safety data sheet

Candle Supply Pty Ltd  
Unit 3 8-9 Lagana Place  
Wetherill Park, NSW 2164  
ABN: 70612899626

Phone Number: 02 8741 4000  
e-mail: [customerservice@candlesupply.com.au](mailto:customerservice@candlesupply.com.au)

#### 1.4 Emergency telephone number

In an emergency call: 13 11 26

### SECTION 2: HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2	H315
Eye irritation, Category 2	H319
Skin sensitisation, Category 1	H317
Chronic aquatic toxicity, Category 2	H411

#### 2.2 Label elements

##### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## BALI ESCAPE

Version 6

Revision Date 02.06.2018

Print Date 20.12.2018

Hazard statements	: H315 H317 H319 H411	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Toxic to aquatic life with long lasting effects.
Precautionary statements	: <b>Prevention:</b> P273 P280  <b>Response:</b> P302 + P352 P305 + P351 + P338  P333 + P313  P337 + P313	Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection.  IF ON SKIN: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/ attention. If eye irritation persists: Get medical advice/ attention.

Contains : 3,7-DIMETHYLOCTAN-3-OL, LINALOOL, ALPHA-METHYL-1,3-BENZODIOXOLE-5-PROPIIONALDEHYDE, ALPHA-METHYL-4-(1-METHYETHYL)-PHENYLPROPANAL.

### 2.3 Other hazards

No data available

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substances

No data available

### 3.2 Mixtures

#### Hazardous components

Chemical name	CAS-No. EC-No. Registration number	Classification (REGULATION (EC) No 1272/2008)	Concentration [%]
2,6-Dimethyloct-7-en-2-ol	18479-58-8 242-362-4 01-2119457274-37 01-2119457274-37	Skin Irrit.: 2; H315 Eye Irrit.: 2; H319	>= 5 - < 10
FLOROSA BM / PYRANOL	63500-71-0 405-040-6 01-2119455547-30	Eye Irrit.: 2; H319	>= 5 - < 10
(2-Methoxymethylethoxy)propanol	34590-94-8 252-104-2 01-2119450011-60 01-2119450011-60 01-2119450011-60 01-2119450011-60	not hazardous	>= 5 - < 10
2-Phenylethanol	60-12-8 200-456-2 01-2119963921-31	Acute Tox.: 4 (Oral); H302 Eye Irrit.: 2; H319	>= 1 - < 5

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## BALI ESCAPE

Version 6

Revision Date 02.06.2018

Print Date 20.12.2018

cis-2-tert-Butylcyclohexyl acetate	20298-69-5 88-41-5 243-718-1 201-828-7 01-2119970713-33 01-2119970713-33 01-2119970713-33	Aquatic Chronic: 2; H411	>= 1 - < 5
Benzyl acetate	140-11-4 205-399-7 01-2119638272-42 01-2119638272-42	Aquatic Chronic: 3; H412	>= 1 - < 5
1,4-Dioxacycloheptadecane-5,17-dione	105-95-3 203-347-8 01-2119976314-33	not hazardous	>= 1 - < 5
3,7-Dimethyloctan-3-ol	78-69-3 201-133-9 01-2119454788-21	Skin Irrit.: 2; H315 Eye Irrit.: 2; H319 Skin Sens.: 1B; H317	>= 1 - < 5
Linalool	78-70-6 201-134-4	Skin Irrit.: 2; H315 Eye Irrit.: 2; H319 Skin Sens.: 1B; H317	>= 1 - < 5
α-Methyl-1,3-benzodioxole-5-propionaldehyde	1205-17-0 214-881-6	Skin Sens.: 1B; H317 Aquatic Chronic: 2; H411	>= 1 - < 5
3-p-Cumenyl-2-methylpropionaldehyde	103-95-7 203-161-7	Skin Irrit.: 2; H315 Skin Sens.: 1B; H317 Aquatic Chronic: 3; H412	>= 1 - < 5
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	54464-57-2 259-174-3	Skin Irrit.: 2; H315 Aquatic Chronic: 1; H410 Skin Sens.: 1; H317	>= 1 - < 5
Citronellyl acetate	150-84-5 205-775-0 01-2119959860-27-0001	Skin Irrit.: 2; H315 Aquatic Chronic: 2; H411	>= 1 - < 5
2,6,10-Trimethylundec-9-enal <sup>1)</sup>	141-13-9 205-460-8	Aquatic Acute: 1; H400 Aquatic Chronic: 1; H410	>= 0,1 - < 1
Undecan-4-olide	104-67-6 203-225-4 01-2119959333-34 01-2119959333-34 01-2119959333-34	Aquatic Chronic: 3; H412	>= 0,1 - < 1
3a,4,5,6,7,7a-Hexahydro-4,7-methano-1H-indenyl propionate	68912-13-0 17511-60-3 272-805-7 241-514-7	Aquatic Chronic: 2; H411	>= 0,1 - < 1
4-tert-Butylcyclohexyl acetate	32210-23-4 250-954-9 01-2119976286-24-0006 01-2119976286-24-0004	Skin Sens.: 1; H317	>= 0,1 - < 1
Dodecanal	112-54-9 203-983-6	Skin Irrit.: 2; H315 Eye Irrit.: 2; H319 Skin Sens.: 1B; H317	>= 0,1 - < 1
2,4-Dimethylcyclohex-3-ene-1-carbaldehyde	68039-49-6 268-264-1	Skin Irrit.: 2; H315 Aquatic Chronic: 2; H411 Skin Sens.: 1B; H317	>= 0,1 - < 1
4,7-Methano-1H-indene-2-carboxaldehyde, octahydro-5-methoxy-	86803-90-9 429-860-9 01-0000017614-70	Skin Sens.: 1; H317 Aquatic Chronic: 2; H411	>= 0,1 - < 1

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## BALI ESCAPE

Version 6

Revision Date 02.06.2018

Print Date 20.12.2018

(R)-p-Mentha-1,8-diene	5989-27-5 227-813-5	Asp. Tox.: 1; H304 Aquatic Chronic: 1; H410 Aquatic Acute: 1; H400 Skin Sens.: 1B; H317 Skin Irrit.: 2; H315 Flam. Liq.: 3; H226	>= 0,1 - < 1
Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl acetate	125-12-2 204-727-6	not hazardous	>= 0,1 - < 1
FLORHYDRAL	125109-85-5 412-050-4 01-2119858360-39 01-0000015936-60	Aquatic Chronic: 2; H411	>= 0,1 - < 1
Eugenol	97-53-0 202-589-1	Eye Irrit.: 2; H319 Skin Sens.: 1B; H317	>= 0,1 - < 1
3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one	127-51-5 204-846-3	Skin Irrit.: 2; H315 Aquatic Chronic: 2; H411 Skin Sens.: 1B; H317 Eye Irrit.: 2; H319	>= 0,1 - < 1
Tridec-2-enenitrile <sup>2)</sup>	22629-49-8 245-142-6	Aquatic Acute: 1; H400 Aquatic Chronic: 1; H410 M-Factor: 10	>= 0,1 - < 1
Decanal	112-31-2 203-957-4	Eye Irrit.: 2; H319 Aquatic Chronic: 3; H412	>= 0,1 - < 1
2-Methylundecanal	110-41-8 203-765-0	Skin Irrit.: 2; H315 Aquatic Acute: 1; H400 Aquatic Chronic: 1; H410 Skin Sens.: 1B; H317 M-Factor: 1	>= 0,1 - < 1
Allyl heptanoate <sup>1)</sup>	142-19-8 205-527-1 01-2119488961-23-0000	Acute Tox.: 3 (Oral); H301 Acute Tox.: 3 (Dermal); H311 Aquatic Acute: 1; H400 Aquatic Chronic: 3; H412	>= 0,1 - < 1
Benzophenone	119-61-9 204-337-6 01-2119899704-20	STOT RE: 2 (Oral); H373 Aquatic Chronic: 3; H412	>= 0,1 - < 1
[R-(E)]-1-(2,6,6-Trimethyl-2-cyclohexen-1-yl)pent-1-en-3-one	127-42-4 204-842-1	Skin Irrit.: 2; H315 Aquatic Chronic: 2; H411	>= 0,1 - < 1
4-Penten-2-ol, 3,3-dimethyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)-	107898-54-4 411-580-3 01-0000015895-58	Aquatic Chronic: 1; H410 Aquatic Acute: 1; H400 Skin Irrit.: 2; H315	>= 0,1 - < 1

For the full text of the H-Statements mentioned in this Section, see Section 16.

Acute aquatic toxicity:

<sup>1)</sup> 0,1 < L(E)C50 <= 1 mg/l

<sup>2)</sup> 0,01 < L(E)C50 <= 0,1 mg/l

## SECTION 4: FIRST AID MEASURES

### 4.1 Description of first aid measures

General advice : Move out of dangerous area.  
Never give anything by mouth to an unconscious person.

Inhalation : Move to fresh air.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## BALI ESCAPE

Version 6

Revision Date 02.06.2018

Print Date 20.12.2018

- Skin contact : Take off all contaminated clothing immediately.  
If skin irritation persists, call a physician.  
Wash off immediately with plenty of water for at least 15 minutes.
- Eye contact : Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.  
Remove contact lenses.
- Ingestion : Clean mouth with water and drink afterwards plenty of water.  
Prevent vomiting if possible.  
If a person vomits when lying on his back, place him in the recovery position.  
Never give anything by mouth to an unconscious person.

### 4.2 Most important symptoms and effects, both acute and delayed

No data available

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

## SECTION 5: FIREFIGHTING MEASURES

### 5.1 Extinguishing media

- Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
- Extinguishing media which shall not be used for safety reasons : High volume water jet

### 5.2 Special hazards arising from the substance or mixture

- Specific hazards during firefighting : Do not use a solid water stream as it may scatter and spread fire.  
Do not allow run-off from fire fighting to enter drains or water courses.

### 5.3 Advice for firefighters

- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
- Further information : In the event of fire and/or explosion do not breathe fumes.  
Use water spray to cool unopened containers.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.  
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

- Personal precautions : Ensure adequate ventilation.  
Use personal protective equipment.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## BALI ESCAPE

Version 6

Revision Date 02.06.2018

Print Date 20.12.2018

### 6.2 Environmental precautions

Environmental precautions : Should not be released into the environment.  
Avoid subsoil penetration.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

### 6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Dam up.  
Wipe up with absorbent material (e.g. cloth, fleece).

Additional advice : Local authorities should be advised if significant spillages cannot be contained.  
Suppress (knock down) gases/vapours/mists with a water spray jet.

### 6.4 Reference to other sections

For personal protection see section 8.

## SECTION 7: HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Advice on safe handling : Dispose of rinse water in accordance with local and national regulations.  
For personal protection see section 8.

Advice on protection against fire and explosion : When using do not smoke.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in original container.  
Keep container tightly closed in a dry and well-ventilated place.  
To maintain product quality, do not store in heat or direct sunlight.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Advice on common storage : No special restrictions on storage with other products.

Other data : No decomposition if stored and applied as directed.

### 7.3 Specific end use(s)

Fragrance mix

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## BALI ESCAPE

Version 6

Revision Date 02.06.2018

Print Date 20.12.2018

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

##### Components with workplace control parameters, Germany:

Components	CAS-No.	Control parameters	Update	Basis
(2-Methoxymethylethoxy)propanol	34590-94-8	AGW 50 ppm TWA 50 ppm	09 2013 12 2009	TRGS 900 EU ELV(DE)
(R)-p-Mentha-1,8-diene	5989-27-5	AGW 5 ppm	04 2013	TRGS 900
Oxydipropanol	25265-71-8	AGW 100 mg/m <sup>3</sup>	09 2012	TRGS 900
2-Phenoxyethanol	122-99-6	AGW 20 ppm	10 2014	TRGS 900

##### Components with workplace control parameters, United Kingdom:

Components	CAS-No.	Control parameters	Update	Basis
(2-Methoxymethylethoxy)propanol	34590-94-8	TWA 50 ppm TWA 50 ppm	12 2009 12 2011	EU ELV(GB) EH40 WEL

##### Components with workplace control parameters, Spain:

Components	CAS-No.	Control parameters	Update	Basis
(2-Methoxymethylethoxy)propanol	34590-94-8	VLA-ED 50 ppm TWA 50 ppm	2012 12 2009	VLA (ES) EU ELV(ES)
Benzyl acetate	140-11-4	VLA-ED 10 ppm	2012	VLA (ES)

##### Components with workplace control parameters, France:

Components	CAS-No.	Control parameters	Update	Basis
(2-Methoxymethylethoxy)propanol	34590-94-8	VME 50 ppm TWA 50 ppm	07 2012 12 2009	INRS (FR) EU ELV(FR)

##### Components with workplace control parameters, Austria:

Components	CAS-No.	Control parameters	Update	Basis
(2-Methoxymethylethoxy)propanol	34590-94-8	TWA 50 ppm	12 2009	EU ELV(AT)

##### Components with workplace control parameters, Poland:

Components	CAS-No.	Control parameters	Update	Basis
(2-Methoxymethylethoxy)propanol	34590-94-8	NDSCh 480 mg/m <sup>3</sup> NDS 240 mg/m <sup>3</sup> TWA 50 ppm	06 2014 06 2014 12 2009	POL MAC POL MAC EU ELV(PL)
2-Phenoxyethanol	122-99-6	NDS 230 mg/m <sup>3</sup>	12 2011	POL MAC

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## BALI ESCAPE

Version 6

Revision Date 02.06.2018

Print Date 20.12.2018

--	--	--	--	--

### 8.2 Exposure controls

#### Engineering measures

none

#### Personal protective equipment

- Respiratory protection : No personal respiratory protective equipment normally required.
- Hand protection : Wear chemicals-resistant gloves, e.g. safety gloves of chloroprene Level 2 or of butyl rubber Level 6.
- Eye protection : Safety glasses
- Skin and body protection : Lightweight protective clothing
- Hygiene measures : Wash hands before breaks and immediately after handling the product.
- Protective measures : When using, do not eat, drink or smoke.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

#### Appearance

- Form : clear liquid
- Colour : colorless to yellow-green
- Odour : characteristic
- Odour Threshold : No data available

#### Safety data

- Flash point : 88 °C
- Water solubility : immiscible
- Relative density : 0,9420 - 0,9520 at  
20 °C relation to density of water at 4°C
- Bulk density :
- Relative vapour density : not determined
- Vapour pressure : < 1 kPa at 50 °C  
calculated
- Melting point/freezing point :  
not determined
- Boiling point : not determined



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## BALI ESCAPE

Version 6

Revision Date 02.06.2018

Print Date 20.12.2018

Partition coefficient: n-octanol/water	:	log Pow: Not applicable
pH	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	Not applicable
Auto-ignition temperature	:	The substance or mixture is not classified as self heating.
Decomposition temperature	:	No data available
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Explosive properties	:	Due to its structural properties, the product is not classified as explosive
Lower explosion limit	:	Vapours may form explosive mixtures with air.
Upper explosion limit	:	Vapours may form explosive mixtures with air.

A final assessment of potential explosion hazards can only be made on a case-by-case basis when precise information is available on product handling, production setup and the circumstances surrounding the use of the product.

### 9.2 Other data

None.

## SECTION 10: STABILITY AND REACTIVITY

<b>10.1 Reactivity</b>	:	No data available
<b>10.2 Chemical stability</b>	:	No data available
<b>10.3 Possibility of hazardous reactions</b>	:	No dangerous reaction known under conditions of normal use.
<b>10.4 Conditions to avoid</b>	:	No data available
<b>10.5 Incompatible materials to avoid</b>	:	No data available
<b>10.6 Hazardous decomposition products</b>	:	No data available

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

Acute oral toxicity	:	Acute toxicity estimate : > 2.000 mg/kg, Calculation method
Acute inhalation toxicity	:	No data available
Acute dermal toxicity	:	Acute toxicity estimate : > 2.000 mg/kg, Calculation method
Repeated dose toxicity	:	No data available
Acute toxicity (other routes of administration)	:	No data available
Skin irritation	:	No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## BALI ESCAPE

Version 6

Revision Date 02.06.2018

Print Date 20.12.2018

Eye irritation	:	No data available
Sensitisation	:	No data available
Mutagenicity	:	No data available
Carcinogenicity	:	No data available
Reproductive toxicity	:	No data available
Teratogenicity	:	No data available
Specific target organ toxicity - single exposure	:	No data available
Specific target organ toxicity - repeated exposure	:	No data available
Aspiration toxicity	:	No data available

### SECTION 12: ECOLOGICAL INFORMATION

#### 12.1 Toxicity

No data available

#### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### 12.6 Other adverse effects

Toxic to aquatic life with long lasting effects.

### SECTION 13: DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods

Product	:	Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations.
Contaminated packaging	:	Empty remaining contents. Dispose of as unused product.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## BALI ESCAPE

Version 6

Revision Date 02.06.2018

Print Date 20.12.2018

### SECTION 14: TRANSPORT INFORMATION

#### 14.1 UN number

ADR : 3082  
RID : 3082  
IMDG : 3082  
IATA-DGR : 3082

#### 14.2 Proper shipping name

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2-tert-BUTYLCYCLOHEXYL ACETATE)  
RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2-tert-BUTYLCYCLOHEXYL ACETATE)  
IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2-tert-BUTYLCYCLOHEXYL ACETATE, OCTAHYDRO-TETRAMETHYL-NAPHTHALENYL-ETHANONE) MP  
IATA-DGR : Environmentally hazardous substance, liquid, n.o.s. (2-tert-BUTYLCYCLOHEXYL ACETATE)

#### 14.3 Transport hazard class

ADR : 9  
RID : 9  
IMDG : 9  
IATA-DGR : 9

#### 14.4 Packing group

ADR:  
Packaging group : III  
Classification Code : M6  
Hazard Identification Number : 90  
Labels : 9  
Tunnel restriction code : (-)

RID:  
Packaging group : III  
Classification Code : M6  
Hazard Identification Number : 90  
Labels : 9

IMDG:  
Packaging group : III  
Labels : 9  
EmS - EmS : F-A, S-F

IATA-DGR:  
Packing instruction (cargo aircraft) : 964  
Qty/Pkg (Cargo) : 450,00 L  
Packing instruction (passenger aircraft) : 964  
Qty/Pkg (Passenger) : 450,00 L  
Packaging group : III  
Labels : 9MI

#### 14.5 Environmental hazards

ADR:  
Environmentally hazardous : yes

RID:  
Environmentally hazardous : yes

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## BALI ESCAPE

Version 6

Revision Date 02.06.2018

Print Date 20.12.2018

### IMDG:

Marine pollutant : yes

### IATA-DGR:

Environmentally hazardous : yes

#### 14.6 Special precautions for user

No data available

#### 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

### SECTION 15: REGULATORY INFORMATION

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

##### National legislation

Risk classification according to BetrSichV (Germany) : Flash Point > 55 °C up to 100 °C, at 15 °C not miscible with water

Water contaminating class (Germany) : WGK 2 (water endangering)  
Calculation acc. Annex 4 to VwVwS

#### 15.2 Chemical safety assessment

No data available

### SECTION 16: OTHER INFORMATION

#### Full text of H-Statements referred to under sections 2 and 3.:

H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H373	May cause damage to organs through prolonged or repeated exposure if swallowed.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

#### Further information

*The data contained in this Safety Data Sheet is accurate to the best knowledge of Candle Supply Pty Ltd, applies to the product as supplied Candle Supply Pty Ltd, and does not relate to use in combination with any other material or in any process. Data and information is furnished without warranty expressed or implied, nor does Candle Supply Pty Ltd, assume responsibility for use or reliance upon this data.*

*This SDS is current to the date listed above. However, the GHS classifications may change due to hazard communication updates by the overseeing governing body. For the most current SDS information please contact [customerservice@candlesupply.com.au](mailto:customerservice@candlesupply.com.au)*