according to Regulation (EC) No. 1907/2006



### **BEACHY COCONUT MILK**

Version 6 Revision Date 22.05.2018 Print Date 07.09.2018

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 Product identifier

Commercial Product Name : BEACHY COCONUT MILK

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Fragrance mix

### 1.3 Details of the supplier of the safety data sheet

Candle Supply Pty Ltd Unit 3 8-9 Lagana Place Wetherill Park, NSW 2164 ABN: 70612899626

Phone Number: 02 8741 4000

e-mail: <a href="mailto:customerservice@candlesupply.com.au">customerservice@candlesupply.com.au</a>

### 1.4 Emergency telephone number

13 11 26

### **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1 Classification of the substance or mixture

### Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2	H315
Eye irritation, Category 2	H319
Skin sensitisation, Category 1	H317
Chronic aquatic toxicity, Category 3	H412

### 2.2 Label elements

### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word : Warning

according to Regulation (EC) No. 1907/2006

### **BEACHY COCONUT MILK**

Version 6 Revision Date 22.05.2018 Print Date 07.09.2018

Hazard statements H315 Causes skin irritation.

May cause an allergic skin reaction. H317 Causes serious eye irritation. H319

H412 Harmful to aquatic life with long lasting

effects.

Precautionary statements **Prevention:** 

P273 Avoid release to the environment. P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response:

IF ON SKIN: Wash with plenty of water. P302 + P352 P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for

several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333 + P313 If skin irritation or rash occurs: Get medical

advice/ attention.

P337 + P313 If eye irritation persists: Get medical advice/

attention.

COUMARINE, 3,7-DIMETHYLOCTAN-3-OL, LINALOOL, 2,6-Contains

OCTADIENAL, 3,7-DIMETHYL-, ACID-ISOMERIZED.

### 2.3 Other hazards

No data available

### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.1 Substances

No data available

### 3.2 Mixtures

#### **Hazardous components**

Chemical name	CAS-No. EC-No. Registration number	Classification (REGULATION (EC) No 1272/2008)	Concentration [%]
(2- Methoxymethylethoxy)pr opanol	34590-94-8 252-104-2 01-2119450011-60 01-2119450011-60 01-2119450011-60 01-2119450011-60	not hazardous	>= 5 - < 10
3,7-Dimethyloctan-3-ol	78-69-3 201-133-9 01-2119454788-21	Skin Irrit.: 2; H315 Eye Irrit.: 2; H319 Skin Sens.: 1B; H317	>= 5 - < 10
3,7-Dimethylnona-1,6- dien-3-ol	10339-55-6 233-732-6 01-2119969272-32	Skin Irrit.: 2; H315 Eye Irrit.: 2; H319	>= 5 - < 10
Ethyl hexanoate	123-66-0 204-640-3	Flam. Liq.: 3; H226 Skin Irrit.: 2; H315	>= 1 - < 5

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

## **BEACHY COCONUT MILK**

Version 6	Revision Dat	e 22.05.2018	Print Date 07.09.2018
Linalool	78-70-6 201-134-4	Skin Irrit.: 2; H315 Eye Irrit.: 2; H319 Skin Sens.: 1B; H317	>= 1 - < 5
2-Ethyl-3-hydroxy-4- pyrone	4940-11-8 225-582-5	Acute Tox.: 4 (Oral); H302	>= 1 - < 5
3-Ethoxy-4- hydroxybenzaldehyde	121-32-4 204-464-7	Eye Irrit.: 2; H319	>= 1 - < 5
Coumarin	91-64-5 202-086-7 01-2119949300-45 01-2119943756-26	Acute Tox.: 4 (Oral); H302 Aquatic Chronic: 3; H412 Skin Sens.: 1B; H317	>= 1 - < 5
Hexyl acetate	142-92-7 205-572-7	Flam. Liq.: 3; H226	>= 1 - < 5
2,6-Octadienal, 3,7-dimethyl-, acid-isomerized	147060-73-9 90480-35-6 291-768-8	Flam. Liq.: 2; H225 Skin Irrit.: 2; H315 Aquatic Chronic: 3; H412 Skin Sens.: 1; H317	>= 1 - < 5
(R)-p-Mentha-1,8-diene	5989-27-5 227-813-5	Asp. Tox.: 1; H304 Aquatic Chronic: 1; H410 Aquatic Acute: 1; H400 Skin Sens.: 1B; H317 Skin Irrit.: 2; H315 Flam. Liq.: 3; H226	>= 0,1 - < 1
Allyl hexanoate 1)	123-68-2 204-642-4 01-2119983573-26-0000	Acute Tox.: 3 (Inhalation); H331 Acute Tox.: 3 (Oral); H301 Acute Tox.: 3 (Dermal); H311 Aquatic Acute: 1; H400 AquaticChronic: 3; H412	>= 0,1 - < 1
Allyl 3- cyclohexylpropionate <sup>1)</sup>	2705-87-5 220-292-5 01-2119976355-27-0000	Acute Tox.: 4 (Oral); H302 Acute Tox.: 4 (Dermal); H312 Acute Tox.: 4 (Inhalation); H332 Skin Sens.: 1; H317 Aquatic Acute: 1; H400 Aquatic Chronic: 1; H410	>= 0,1 - < 1
Undecan-4-olide	104-67-6 203-225-4 01-2119959333-34 01-2119959333-34 01-2119959333-34	Aquatic Chronic: 3; H412	>= 0,1 - < 1
Ethyl acetate	141-78-6 205-500-4 01-2119475103-46 01-2119475103-46	Flam. Liq.: 2; H225 Eye Irrit.: 2; H319 STOT SE: 3; H336	>= 0,1 - < 1
Allyl phenoxyacetate	7493-74-5 231-335-2	Acute Tox.: 4 (Oral); H302 Acute Tox.: 4 (Dermal); H312 Skin Irrit.: 2; H315 Skin Sens.: 1; H317	>= 0,1 - < 1
Decanal	112-31-2 203-957-4	Eye Irrit.: 2; H319 Aquatic Chronic: 3; H412	>= 0,1 - < 1
Citral	5392-40-5 226-394-6	Eye Irrit.: 2; H319 Skin Irrit.: 2; H315 Skin Sens.: 1B; H317	>= 0,1 - < 1

according to Regulation (EC) No. 1907/2006

### **BEACHY COCONUT MILK**

Version 6 Revision Date 22.05.2018 Print Date 07.09.2018

Pentane-2,3-dione	600-14-6 209-984-8	Flam. Liq.: 2; H225 Eye Dam.: 1; H318 Skin Sens.: 1B; H317 STOT RE: 2; H373	>= 0,1 - < 1
Tridec-2-enenitrile <sup>2)</sup>	22629-49-8 245-142-6	Aquatic Acute: 1; H400 Aquatic Chronic: 1; H410 M-Factor: 10	>= 0,025 - < 0,1

For the full text of the H-Statements mentioned in this Section, see Section 16.

Acute aquatic toxicity:  $^{1)} 0,1 < L(E)C50 <= 1 \text{ mg/l}$ 

 $^{2)}$  0,01 < L(E)C50 <= 0,1 mg/l

#### **SECTION 4: FIRST AID MEASURES**

#### 4.1 Description of first aid measures

General advice : Move out of dangerous area.

Never give anything by mouth to an unconscious person.

Inhalation : Move to fresh air.

Skin contact : Take off all contaminated clothing immediately.

If skin irritation persists, call a physician.

Wash off immediately with plenty of water for at least 15 minutes.

Eye contact : Irrigate copiously with clean, fresh water for at least 10 minutes, holding

the eyelids apart. Remove contact lenses.

Ingestion : Clean mouth with water and drink afterwards plenty of water.

Prevent vomiting if possible.

If a person vomits when lying on his back, place him in the recovery

position.

Never give anything by mouth to an unconscious person.

### 4.2 Most important symptoms and effects, both acute and delayed

No data available

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

#### **SECTION 5: FIREFIGHTING MEASURES**

### 5.1 Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Extinguishing media which shall not be used for safety

reasons

: High volume water jet

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during

firefighting

: Do not use a solid water stream as it may scatter and spread fire. Do not allow run-off from fire fighting to enter drains or water courses.

according to Regulation (EC) No. 1907/2006

### **BEACHY COCONUT MILK**

Version 6 Revision Date 22.05.2018 Print Date 07.09.2018

#### 5.3 Advice for firefighters

Special protective equipment

for firefighters

: In the event of fire, wear self-contained breathing apparatus.

Further information : In the event of fire and/or explosion do not breathe fumes.

Use water spray to cool unopened containers.

Fire residues and contaminated fire extinguishing water must be

disposed of in accordance with local regulations.

Collect contaminated fire extinguishing water separately. This must not

be discharged into drains.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Ensure adequate ventilation.

Use personal protective equipment.

#### 6.2 Environmental precautions

Environmental precautions : Should not be released into the environment.

Avoid subsoil penetration.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform respective

authorities.

#### 6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder,

universal binder, sawdust).

Dam up.

Wipe up with absorbent material (e.g. cloth, fleece).

Additional advice : Local authorities should be advised if significant spillages cannot be

contained.

Suppress (knock down) gases/vapours/mists with a water spray jet.

### 6.4 Reference to other sections

For personal protection see section 8.

### **SECTION 7: HANDLING AND STORAGE**

#### 7.1 Precautions for safe handling

Advice on safe handling : Dispose of rinse water in accordance with local and national regulations.

For personal protection see section 8.

Advice on protection against

fire and explosion

: When using do not smoke.

according to Regulation (EC) No. 1907/2006

### **BEACHY COCONUT MILK**

Version 6 Revision Date 22.05.2018 Print Date 07.09.2018

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Store in original container.

Keep container tightly closed in a dry and well-ventilated place. To maintain product quality, do not store in heat or direct sunlight. Containers which are opened must be carefully resealed and kept

upright to prevent leakage.

Advice on common storage : No special restrictions on storage with other products.

Other data : No decomposition if stored and applied as directed.

### 7.3 Specific end use(s)

Fragrance mix

according to Regulation (EC) No. 1907/2006

### **BEACHY COCONUT MILK**

Version 6 Revision Date 22.05.2018 Print Date 07.09.2018

### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

### 8.1 Control parameters

### Components with workplace control parameters, Germany:

Components	CAS-No.	Control parameters	Update	Basis
(2-	34590-94-8	AGW 50 ppm	09 2013	TRGS 900
Methoxymethylethoxy)pro panol		TWA 50 ppm	12 2009	EU ELV(DE)
(R)-p-Mentha-1,8-diene	5989-27-5	AGW 5 ppm	04 2013	TRGS 900
Oxydipropanol	25265-71-8	AGW 100 mg/m3	09 2012	TRGS 900
Ethanol	64-17-5	AGW 500 ppm	09 2012	TRGS 900
Ethyl acetate	141-78-6	AGW 400 ppm	09 2012	TRGS 900
		TWA 200 ppm	02 2017	EU ELV(DE)
		STEL 400 ppm	02 2017	EU ELV(DE)
Ethyl formate	109-94-4	AGW 100 ppm	09 2012	TRGS 900

### Components with workplace control parameters, United Kingdom:

Components	CAS-No.	Control parameters	Update	Basis
(2-	34590-94-8	TWA 50 ppm	12 2009	EU ELV(GB)
Methoxymethylethoxy)pro panol		TWA 50 ppm	12 2011	EH40 WEL
Ethanol	64-17-5	TWA 1.000 ppm	12 2011	EH40 WEL
Ethyl acetate	141-78-6	TWA 200 ppm STEL 400 ppm STEL 400 ppm TWA 200 ppm	02 2017 02 2017 12 2011 12 2011	EU ELV(GB) EU ELV(GB) EH40 WEL EH40 WEL
Ethyl formate	109-94-4	STEL 150 ppm TWA 100 ppm	12 2011 12 2011	EH40 WEL EH40 WEL

### Components with workplace control parameters, Spain:

Components	CAS-No.	Control parameters	Update	Basis
(2- Methoxymethylethoxy)pro panol	34590-94-8	VLA-ED 50 ppm TWA 50 ppm	2012 12 2009	VLA (ES) EU ELV(ES)
Ethanol	64-17-5	VLA-EC 1.000 ppm	2013	VLA (ES)
Ethyl acetate	141-78-6	VLA-ED 400 ppm TWA 200 ppm STEL 400 ppm	2012 02 2017 02 2017	VLA (ES) EU ELV(ES) EU ELV(ES)
Citral	5392-40-5	VLA-ED 5 ppm	2013	VLA (ES)
Ethyl formate	109-94-4	VLA-ED 100 ppm	2012	VLA (ES)

### Components with workplace control parameters, France:

Components	CAS-No.	Control parameters	Update	Basis
(2-	34590-94-8	VME 50 ppm	07 2012	INRS (FR)

according to Regulation (EC) No. 1907/2006

### **BEACHY COCONUT MILK**

Version 6 Revision Date 22.05.2018 Print Date 07.09.2018

Methoxymethylethoxy)pro panol		TWA 50 ppm	12 2009	EU ELV(FR)
Ethanol	64-17-5	VLE 5.000 ppm VME 1.000 ppm	07 2012 07 2012	INRS (FR) INRS (FR)
Ethyl acetate	141-78-6	VME 400 ppm TWA 200 ppm STEL 400 ppm	07 2012 02 2017 02 2017	INRS (FR) EU ELV(FR) EU ELV(FR)
Ethyl formate	109-94-4	VME 100 ppm	07 2012	INRS (FR)

### Components with workplace control parameters, Austria:

Components	CAS-No.	Control parameters	Update	Basis
(2- Methoxymethylethoxy)pro panol	34590-94-8	TWA 50 ppm	12 2009	EU ELV(AT)
Ethyl acetate	141-78-6	TWA 200 ppm STEL 400 ppm	02 2017 02 2017	EU ELV(AT) EU ELV(AT)

### Components with workplace control parameters, Poland:

Components	CAS-No.	Control parameters	Update	Basis
(2- Methoxymethylethoxy)pro panol	34590-94-8	NDSCh 480 mg/m3 NDS 240 mg/m3 TWA 50 ppm	06 2014 06 2014 12 2009	POL MAC POL MAC EU ELV(PL)
Ethanol	64-17-5	NDS 1.900 mg/m3	12 2011	POL MAC
Ethyl acetate	141-78-6	NDS 734 mg/m3 NDSCh 1.468 mg/m3 TWA 200 ppm STEL 400 ppm	06 2014 06 2014 02 2017 02 2017	POL MAC POL MAC EU ELV(PL) EU ELV(PL)
Citral	5392-40-5	NDSCh 54 mg/m3 NDS 27 mg/m3	12 2011 12 2011	POL MAC POL MAC
Ethyl formate	109-94-4	NDS 250 mg/m3 NDSCh 500 mg/m3	12 2011 12 2011	POL MAC POL MAC

### 8.2 Exposure controls

### **Engineering measures**

none

### Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.

Hand protection : Barrier creams may help to protect the exposed areas of skin, they

should however not be applied once exposure has occurred.

Wear chemicals-resistant gloves, e.g. safety gloves of chloroprene Level

2 or of butyl rubber Level 6.

Eye protection : Safety glasses

Skin and body protection : Lightweight protective clothing

Remove and wash contaminated clothing before re-use.

Hygiene measures : Wash hands before breaks and immediately after handling the product.

Protective measures : Avoid contact with skin.

When using, do not eat, drink or smoke.

according to Regulation (EC) No. 1907/2006

### **BEACHY COCONUT MILK**

Version 6 Revision Date 22.05.2018 Print Date 07.09.2018

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

### 9.1 Information on basic physical and chemical properties

#### **Appearance**

Form : clear liquid

Colour : pale yellow to yellow-green

Odour : characteristic

Odour Threshold : No data available

Safety data

Flash point : 69 °C

Water solubility : immiscible

Relative density : 0,9330 - 0,9430 at

20 °C relation to density of water at 4°C

Bulk density :

Relative vapour density : not determined

Vapour pressure : 1 kPa at 50  $^{\circ}$ C

calculated

Melting point/freezing point :

not determined

Boiling point : not determined

Partition coefficient: n-

octanol/water

log Pow:

Not applicable

pH : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : Not applicable

Auto-ignition temperature : The substance or mixture is not classified as self heating.

Decomposition temperature : No data available

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Explosive properties : Due to its structural properties, the product is not classified as explosive

Lower explosion limit : Vapours may form explosive mixtures with air.

Upper explosion limit : Vapours may form explosive mixtures with air.

A final assessment of potential explosion hazards can only be made on a case-by-case basis when precise information is available on product handling, production setup and the circumstances surrounding the use

of the product.

according to Regulation (EC) No. 1907/2006

### **BEACHY COCONUT MILK**

Version 6 Revision Date 22.05.2018 Print Date 07.09.2018

#### 9.2 Other data

None

#### **SECTION 10: STABILIT AND REACTIVITY**

10.1 Reactivity : No data available

10.2 Chemical stability : No data available

10.3 Possibility of hazardous

reactions

: No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid : No data available

10.5 Incompatible materials

to avoid

: No data available

10.6 Hazardous decomposition : No data available

products

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

### 11.1 Information on toxicological effects

: Acute toxicity estimate : > 2.000 mg/kg, Calculation method Acute oral toxicity

: Acute toxicity estimate : > 20 mg/l , 4 h, Calculation method Acute inhalation toxicity

Acute dermal toxicity : Acute toxicity estimate : > 2.000 mg/kg, Calculation method

: No data available Repeated dose toxicity

Acute toxicity (other routes

of administration)

: No data available

: No data available Skin irritation

Eye irritation : No data available

Sensitisation : No data available

: No data available Mutagenicity

Carcinogenicity : No data available

: No data available Reproductive toxicity

Teratogenicity : No data available

Specific target organ toxicity : No data available

single exposure

Specific target organ toxicity : No data available

- repeated exposure

Aspiration toxicity : No data available

10/12

according to Regulation (EC) No. 1907/2006

### **BEACHY COCONUT MILK**

Version 6 Revision Date 22.05.2018 Print Date 07.09.2018

### **SECTION 12: ECOLOGICAL INFORMATION**

#### 12.1 Toxicity

No data available

### 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### 12.6 Other adverse effects

Harmful to aquatic life with long lasting effects.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

#### 13.1 Waste treatment methods

Product : Where possible recycling is preferred to disposal or incineration.

If recycling is not practicable, dispose of in compliance with local  $\ensuremath{\mathsf{I}}$ 

regulations.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product.

### **SECTION 14: TRANSPORT INFORMATION**

#### 14.1 UN number

Not classified as dangerous in the meaning of transport regulations.

### 14.2 Proper shipping name

Not classified as dangerous in the meaning of transport regulations.

#### 14.3 Transport hazard class

Not classified as dangerous in the meaning of transport regulations.

#### 14.4 Packing group

Not classified as dangerous in the meaning of transport regulations.

### 14.5 Environmental hazards

Not classified as dangerous in the meaning of transport regulations.

according to Regulation (EC) No. 1907/2006

### **BEACHY COCONUT MILK**

Version 6 Revision Date 22.05.2018 Print Date 07.09.2018

#### 14.6 Special precautions for user

Not classified as dangerous in the meaning of transport regulations.

### 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not classified as dangerous in the meaning of transport regulations.

### **SECTION 15: REGULATORY INFORMATION**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture National legislation

Risk classification according to BetrSichV (Germany)

: Flash Point > 55 °C up to 100 °C, at 15 °C not miscible with water

Water contaminating class

: WGK 2 (water endangering)

(Germany)

Calculation acc. Annex 4 to VwVwS

TA Luft List (Germany) : Type: Organic Substances

portion Class 1: 0,01 %

### 15.2 Chemical safety assessment

No data available

### **SECTION 16: OTHER INFORMATION**

### Full text of H-Statements referred to under sections 2 and 3.:

H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

#### **Further information**

The data contained in this Safety Data Sheet is accurate to the best knowledge of Candle Supply Pty Ltd, applies to the product as supplied Candle Supply Pty Ltd, and does not relate to use in combination with any other material or in any process. Data and information is furnished without warranty expressed or implied, nor does Candle Supply Pty Ltd, assume responsibility for use or reliance upon this data.

This SDS is current to the date listed above. However, the GHS classifications may change due to hazard communication updates by the overseeing governing body. For the most current SDS information please contact customerservice@candlesupply.com.au