according to Regulation (EC) No. 1907/2006



### **BLACK SEA SALT**

Version 1 Revision Date 19.03.2014 Print Date 19.03.2014

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1 Product identifier

Commercial Product Name : BLACK SEA SALT

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Fragrance mix

### 1.3 Details of the supplier of the safety data sheet

Candle Supply Pty Ltd Unit 3 8-9 Lagana Place Wetherill Park, NSW 2164 ABN: 70612899626

Phone Number: 02 8741 4000

e-mail: <a href="mailto:customerservice@candlesupply.com.au">customerservice@candlesupply.com.au</a>

#### 1.4 Emergency telephone number

In an emergency call: 13 11 26

### **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1 Classification of the substance or mixture

### Classification (REGULATION (EC) No 1272/2008)

Skin sensitisation, Category 1 H317 Chronic aquatic toxicity, Category 2 H411

### Classification (67/548/EEC, 1999/45/EC)

Xn; R22 Xi; R43 N; R51/53

### 2.2 Label elements

### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms





Signal word : Warning

according to Regulation (EC) No. 1907/2006

### **BLACK SEA SALT**

Version 1 Revision Date 19.03.2014 Print Date 19.03.2014

Hazard statements : H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:** 

P261 Avoid breathing dust/ fume/ gas/ mist/

vapours/ spray.

P272 Contaminated work clothing should not be

allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and

water.

P333 + P313 If skin irritation or rash occurs: Get medical

advice/ attention.

### Labelling (67/548/EEC, 1999/45/EC)

Symbol(s) : Xn Harmful

N Dangerous for the environment

R-phrase(s) : R22 Harmful if swallowed.

R43 May cause sensitisation by skin contact.

R51/53 Toxic to aquatic organisms, may cause long-term

adverse effects in the aquatic environment.

S-phrase(s) : S24 Avoid contact with skin.

S37 Wear suitable gloves.

Use appropriate container to avoid environmental

contamination.

S60 This material and its container must be disposed

of as hazardous waste.

### 2.3 Other hazards

no data available

### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.1 Substances

no data available

### 3.2 Mixtures

#### **Hazardous components**

Chemical Name	CAS-No. EC-No. Registration number	Classification (67/548/EEC)	Classification (REGULATION (EC) No 1272/2008)	Concentration [%]
Benzyl benzoate	120-51-4 204-402-9 01-2119976371-33	Xn; N R22 R51/53	Acute Tox.: 4 (Oral); H302 Aquatic Chronic: 2; H411	>= 50 - <= 100
3-(p- Methoxyphenyl)-2- methylpropionaldehy de	5462-06-6 226-749-5	Xi R43 R52/53	Aquatic Chronic: 3; H412 Skin Sens.: 1; H317	>= 5 - < 10
Benzyl salicylate	118-58-1 204-262-9 01-2119969442-31	Xi; N R43 R51/53	Skin Sens.: 1; H317 Aquatic Chronic: 2; H411	>= 1 - < 5

2/11

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

# **BLACK SEA SALT**

Version 1	Revisi	on Date 19.03.	.2014 Pri	nt Date 19.03.20
1-(1,2,3,4,5,6,7,8- Octahydro-2,3,8,8- tetramethyl-2- naphthyl)ethan-1- one	54464-57-2 915-730-3 01-2119489989-04	N; Xi R38 R43 R51/53	Skin Sens.: 1; H317 Aquatic Chronic: 2; H411 Skin Irrit.: 2; H315	>= 1 - < 5
2,4- Dimethylcyclohex-3- ene-1-carbaldehyde	68039-49-6 268-264-1	Xi R36/38 R43 R52/53	Skin Irrit.: 2; H315 Eye Irrit.: 2; H319 Skin Sens.: 1; H317 Aquatic Chronic: 3; H412	>= 0,1 - < 1
(Z)-3-Hexenyl salicylate <sup>1)</sup>	65405-77-8 265-745-8	Xi; N R43 R50/53	Skin Sens.: 1; H317 Aquatic Chronic: 1; H410	>= 0,1 - < 1
2,6-di-tert-Butyl-p- cresol <sup>1)</sup>	128-37-0 204-881-4 01-2119555270-46 01-2119565113-46 01-2119480433-40	N R50/53	Aquatic Acute: 1; H400 Aquatic Chronic: 1; H410	>= 0,1 - < 1
(R)-p-Mentha-1,8- diene	5989-27-5 227-813-5	Xi; N R10 R38 R43 R50/53	Skin Sens.: 1; H317 Skin Irrit.: 2; H315 Flam. Liq.: 3; H226 Aquatic Acute: 1; H400 Aquatic Chronic: 1; H410 Asp. Tox .: 1; H304	>= 0,1 - < 1
7-Hydroxycitronellal	107-75-5 203-518-7	Xi R36 R43	Eye Irrit.: 2; H319 Skin Sens.: 1; H317	>= 0,1 - < 1
.alpha.,.alpha Dimethylphenethyl butyrate	10094-34-5 233-221-8	N R51/53	Aquatic Chronic: 2; H411	>= 0,1 - < 1
[3R- (3.alpha.,3a.beta.,7. beta.,8a.alpha.)]- 2,3,4,7,8,8a- Hexahydro-3,6,8,8- tetramethyl-1H-3a,7- methanoazulene <sup>2)</sup>	469-61-4 207-418-4	Xn; N R50/53 R65	Asp. Tox.: 1; H304 Aquatic Acute: 1; H400 Aquatic Chronic: 1; H410 M-Factor: 10	>= 0,1 - < 1
[3R- (3.alpha.,3a.beta.,6. alpha.,7.beta.,8a.alp ha.)]-Octahydro- 3,6,8,8-tetramethyl- 1H-3a,7- methanoazulen-6-ol	77-53-2 201-035-6	N R51/53	Aquatic Chronic: 2; H411	>= 0,1 - < 1
Allyl 3- cyclohexylpropionate	2705-87-5 220-292-5 01-2119976355-27-0000	Xn; N R20/21/22 R43 R50/53	Acute Tox.: 4 (Oral); H302 Acute Tox.: 4 (Dermal); H312 Acute Tox.: 4 (Inhalation); H332 Skin Sens.: 1; H317 Aquatic Acu te: 1; H400 Aquatic Chronic: 1; H410	>= 0,1 - < 1
Allyl hexanoate 1)	123-68-2 204-642-4 01-2119983573-26-0000	N; T R21/22 R23 R50/53	Acute Tox.: 3 (Inhalation); H331 Acute Tox.: 3 (Oral); H301 Acute Tox.: 3 (Dermal); H311 Aquatic Acute: 1; H400 Aquatic Chronic: 3; H412	>= 0,1 - < 1

according to Regulation (EC) No. 1907/2006

### **BLACK SEA SALT**

Version 1 Revision Date 19.03.2014 Print Date 19.03.2014

Allyl heptanoate 1)	142-19-8 205-527-1 01-2119488961-23-0000	T; N R21/22 R23 R50/53	Acute Tox.: 3 (Oral); H301 Acute Tox.: 3 (Inhalation); H331 Acute Tox.: 3 (Dermal); H311 Aquatic Acute: 1; H400 Aquatic Chronic: 3; H412	>= 0,1 - < 1
4-Penten-2-ol, 3,3- dimethyl-5-(2,2,3- trimethyl-3- cyclopenten-1-yl)-	107898-54-4 411-580-3 01-0000015895-58	Xi; N R38 R50/53	Aquatic Chronic: 1; H410 Aquatic Acute: 1; H400 Skin Irrit.: 2; H315	>= 0,1 - < 1
[3R- (3.alpha.,3a.beta.,7. beta.,8a.alpha.)]- Octahydro-3,8,8- trimethyl-6- methylene-1H-3a,7- methanoazulene <sup>2)</sup>	546-28-1 208-898-8	N; Xn R50/53 R65	Asp. Tox.: 1; H304 Aquatic Chronic: 1; H410 Aquatic Acute: 1; H400 M-Factor: 10	>= 0,025 - < 0,1

For the full text of the H-Statements mentioned in this Section, see Section 16. For the full text of the R-phrases mentioned in this Section, see Section 16.

Acute aquatic toxicity:  $^{1)}$  0,1 < L(E)C50 <= 1 mg/l

<sup>2)</sup> 0,01 < L(E)C50 <= 0,1 mg/l

#### **SECTION 4: FIRST AID MEASURES**

### 4.1 Description of first aid measures

General advice : Move out of dangerous area.

Never give anything by mouth to an unconscious person.

Inhalation : Move to fresh air.

Skin contact : Take off all contaminated clothing immediately.

If symptoms persist, call a physician.

Eye contact : Immediately flush eye(s) with plenty of water.

Ingestion : Clean mouth with water and drink afterwards plenty of water.

Prevent vomiting if possible.

If a person vomits when lying on his back, place him in the recovery

position.

Never give anything by mouth to an unconscious person. If accidentally swallowed obtain immediate medical attention.

### 4.2 Most important symptoms and effects, both acute and delayed

no data available

### 4.3 Indication of any immediate medical attention and special treatment needed

no data available

### **SECTION 5: FIREFIGHTING MEASURES**

### 5.1 Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

according to Regulation (EC) No. 1907/2006

### **BLACK SEA SALT**

Version 1 Revision Date 19.03.2014 Print Date 19.03.2014

Extinguishing media which shall not be used for safety

reasons

: High volume water jet

#### 5.2 Special hazards arising from the substance or mixture

Specific hazards during

firefighting

: Do not use a solid water stream as it may scatter and spread fire.

Do not allow run-off from fire fighting to enter drains or water courses.

### 5.3 Advice for firefighters

Special protective equipment

for firefighters

: In the event of fire, wear self-contained breathing apparatus.

Further information : In the event of fire and/or explosion do not breathe fumes.

Use water spray to cool unopened containers.

Fire residues and contaminated fire extinguishing water must be

disposed of in accordance with local regulations.

Collect contaminated fire extinguishing water separately. This must not

be discharged into drains.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Ensure adequate ventilation.

Use personal protective equipment.

#### 6.2 Environmental precautions

Environmental precautions : Should not be released into the environment.

Avoid subsoil penetration.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform respective

authorities.

### 6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder,

universal binder, sawdust).

Wipe up with absorbent material (e.g. cloth, fleece).

Additional advice : Local authorities should be advised if significant spillages cannot be

contained.

Suppress (knock down) gases/vapours/mists with a water spray jet.

#### 6.4 Reference to other sections

For personal protection see section 8.

#### **SECTION 7: HANDLING AND STORAGE**

### 7.1 Precautions for safe handling

Advice on safe handling : Dispose of rinse water in accordance with local and national regulations.

For personal protection see section 8.

according to Regulation (EC) No. 1907/2006

### **BLACK SEA SALT**

Version 1 Print Date 19.03.2014 Revision Date 19.03.2014

Advice on protection against

fire and explosion

: When using do not smoke.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage

areas and containers

: Store in original container.

Keep container tightly closed in a dry and well-ventilated place. To maintain product quality, do not store in heat or direct sunlight. Containers which are opened must be carefully resealed and kept

upright to prevent leakage.

: No special restrictions on storage with other products. Advice on common storage

Other data : No decomposition if stored and applied as directed.

### 7.3 Specific end use(s)

Fragrance mix

### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

### 8.1 Control parameters

#### Components with workplace control parameters, Germany:

Components	CAS-No.	Control parameters	Update	Basis
(R)-p-Mentha-1,8-diene	5989-27-5	AGW 20 ppm	07 2009	TRGS 900

### Components with workplace control parameters, United Kingdom:

Components	CAS-No.	Control parameters	Update	Basis
2,6-di-tert-Butyl-p-cresol	128-37-0	TWA 10 mg/m3	2005	EH40 WEL

### 8.2 Exposure controls

### **Engineering measures**

none

### Personal protective equipment

: No personal respiratory protective equipment normally required. Respiratory protection

Hand protection Wear chemicals-resistant gloves, e.g. safety gloves of chloroprene Level

2 or of butyl rubber Level 6.

Eye protection : Safety glasses

Skin and body protection : Lightweight protective clothing

Hygiene measures : Wash hands before breaks and immediately after handling the product.

Protective measures : When using, do not eat, drink or smoke.

according to Regulation (EC) No. 1907/2006

## **BLACK SEA SALT**

Version 1 Revision Date 19.03.2014 Print Date 19.03.2014

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

### 9.1 Information on basic physical and chemical properties

### **Appearance**

Form : clear liquid

Colour : pale yellow to yellow

Odour : characteristic

Safety data

Flash point : 100 °C

Water solubility : no data available

Relative density : no data available

Vapour pressure : < 1 kPa at 50 °C (calculated)

Boiling point : no data available

Melting point/freezing point : no data available

Partition coefficient: n-

octanol/water

Conductivity

: no data available

: no data available

pH : no data available

Viscosity, dynamic : no data available

Viscosity, kinematic : no data available

Evaporation rate : no data available

Flammability (solid, gas) : no data available

Ignition temperature : no data available

Minimum ignition energy : no data available

Auto-ignition temperature : no data available

Oxidizing properties : no data available

Lower explosion limit : no data available

Upper explosion limit : no data available

Bulk density : no data available

Solubility/qualitative : no data available

Solubility in other solvents : no data available

Impact sensitivity : no data available

Burning number : no data available

Relative vapour density  $\hspace{1.5cm}$  : no data available

according to Regulation (EC) No. 1907/2006

### **BLACK SEA SALT**

Version 1 Revision Date 19.03.2014 Print Date 19.03.2014

#### 9.2 Other data

None

### **SECTION 10: STABILIT AND REACTIVITY**

10.1 Reactivity : no data available

10.2 Chemical stability : no data available

10.3 Possibility of hazardous

reactions

: No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid : no data available

10.5 Incompatible materials

to avoid

: no data available

10.6 Hazardous decomposition : no data available

products

### **SECTION 11: TOXICOLOGICAL INFORMATION**

#### 11.1 Information on toxicological effects

Acute oral toxicity : Acute toxicity estimate : 2.101,1 mg/kg, Calculation method

: Acute toxicity estimate : 1.500 mg/l , Calculation method Acute inhalation toxicity

: Acute toxicity estimate : > 5000 mg/kg, Calculation method Acute dermal toxicity

Repeated dose toxicity : no data available

Acute toxicity (other routes

of administration)

: no data available

Skin irritation : no data available

: no data available Eye irritation

Sensitisation : no data available

: no data available Mutagenicity

: no data available Carcinogenicity

Reproductive toxicity : no data available

Teratogenicity : no data available

Specific target organ toxicity : no data available

- single exposure

Specific target organ toxicity : no data available

- repeated exposure

Aspiration toxicity : no data available

8/11

according to Regulation (EC) No. 1907/2006

### **BLACK SEA SALT**

Version 1 Revision Date 19.03.2014 Print Date 19.03.2014

### **SECTION 12: ECOLOGICAL INFORMATION**

### 12.1 Toxicity

no data available

### 12.2 Persistence and degradability

no data available

### 12.3 Bioaccumulative potential

no data available

### 12.4 Mobility in soil

no data available

#### 12.5 Results of PBT and vPvB assessment

no data available

### 12.6 Other adverse effects

Toxic to aquatic life with long lasting effects.

### **SECTION 13: DISPOSAL CONSIDERATIONS**

#### 13.1 Waste treatment methods

Product : Where possible recycling is preferred to disposal or incineration.

If recycling is not practicable, dispose of in compliance with local

regulations.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product.

### **SECTION 14: TRANSPORT INFORMATION**

#### 14.1 UN number

ADR : 3082 RID : 3082 IMDG : 3082 IATA-DGR : 3082

### 14.2 Proper shipping name

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BENZYL

BENZOATE)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BENZYL

BENZOATE)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BENZYL

BENZOATE, BENZYL-2-HYDROXY-BENZOATE) MP

IATA-DGR : Environmentally hazardous substance, liquid, n.o.s. (BENZYL

BENZOATE)

#### 14.3 Transport hazard class

ADR : 9 RID : 9 IMDG : 9

9/11

according to Regulation (EC) No. 1907/2006

### **BLACK SEA SALT**

Revision Date 19.03.2014 Print Date 19.03.2014 Version 1

IATA-DGR : 9

### 14.4 Packing group

ADR:

Packaging group III Classification Code М6 Hazard Identification 90 Number

Labels Tunnel restriction code : (E)

RID:

Packaging group IIIClassification Code M6 Hazard Identification 90 Number Labels : 9

IMDG:

Packaging group : III Labels EmS - EmS : F-A, S-F

IATA-DGR:

964 Packing instruction (cargo :

aircraft)

450,00 L Qty/Pkg (Cargo) Packing instruction 964

(passenger aircraft)

Qty/Pkg (Passenger) 450,00 L Packaging group Ш Labels 9MI

### 14.5 Environmental hazards

ADR:

Environmentally hazardous:

Environmentally hazardous :

IMDG:

Marine pollutant yes

IATA-DGR:

Environmentally hazardous : yes

#### 14.6 Special precautions for user

no data available

#### 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not applicable

### **SECTION 15: REGULATORY INFORMATION**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture **National legislation**

to BetrSichV (Germany)

Risk classification according  $\,$ : Flash Point > 55 °C up to 100 °C, at 15 °C not miscible with water

according to Regulation (EC) No. 1907/2006

### **BLACK SEA SALT**

Version 1 Revision Date 19.03.2014 Print Date 19.03.2014

Water contaminating class : WGK 2 (water endangering)
(Germany) Calculation acc. Annex 4 to VwVwS

#### 15.2 Chemical Safety Assessment

no data available

#### **SECTION 16: OTHER INFORMATION**

### Full text of R-phrases referred to under sections 2 and 3:

Flammable. Harmful by inhalation, in contact with skin and if swallowed. R20/21/22 R21/22 Harmful in contact with skin and if swallowed. Harmful if swallowed. R22 R23 Toxic by inhalation. Irritating to eyes. R36 R36/38 Irritating to eyes and skin. R38 Irritating to skin. May cause sensitisation by skin contact. R43 R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Harmful: may cause lung damage if swallowed.

### Full text of H-Statements referred to under sections 2 and 3.:

H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

### **Further information**

R65

The data contained in this Safety Data Sheet is accurate to the best knowledge of Candle Supply Pty Ltd, applies to the product as supplied Candle Supply Pty Ltd, and does not relate to use in combination with any other material or in any process. Data and information is furnished without warranty expressed or implied, nor does Candle Supply Pty Ltd, assume responsibility for use or reliance upon this data.

This SDS is current to the date listed above. However, the GHS classifications may change due to hazard communication updates by the overseeing governing body. For the most current SDS information please contact customerservice@candlesupply.com.au