

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 10/21/2014 Revision date: 5/16/2017 Supersedes: Version:

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixtures

Trade name : Coconut & Mandarin

Product code

Type of product : Perfumes, Fragrances
Product group : Finished Good

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

### 1.2.1. Relevant identified uses

Main use category : Industrial use

Industrial/Professional use spec : Industrial For professional use only

Use of the substance/mixture : Perfumes, Fragrances Function or use category : Odour agents

## 1.2.2. Uses advised against

No additional information available

# 1.3. Details of the supplier of the safety data sheet

Candle Supply Pty Ltd Unit 3 8-9 Lagana Place Wetherill Park, NSW 2164 ABN: 70612899626

Phone Number: 02 8741 4000

e-mail: customerservice@candlesupply.com.au

# 1.4. Emergency telephone number

Emergency number : 13 11 26

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

# Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral) Category 4 H302
Skin corrosion/irritation Category 2 H315
Skin sensitization, Category 1 H317
Hazardous to the aquatic environment - Chronic Hazard Category 2 H411

Full text of hazard classes and H-statements : see section 16

# Adverse physicochemical, human health and environmental effects

Harmful if swallowed. Causes skin irritation. Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

# 2.2. Label elements

# Labeling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :





GHS07 GHS09

Signal word (CLP) : Warnin

Hazardous ingredients : Geranyl acetate; Eugenol; Damascone Alpha; Helional; Cinnamaldehyde; Triplal (Vertocitral);

Citral pure; Nopyl acetate; Benzyl cinnamate; 2-Hydroxybenzoic acid, benzyl ester; Butylphenyl

methylpropional; Coumarin crystals; d-Limonene; Benzyl benzoate

Hazard statements (CLP) : H302 - Harmful if swallowed

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction H411 - Toxic to aquatic life with long lasting effects 5/16/2017 EN (English US) 1/14

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautionary statements (CLP)

- : P264 Wash hands thoroughly after handling

  - P270 Do not eat, drink or smoke when using this product
    P272 Contaminated work clothing should not be allowed out of the workplace
  - P273 Avoid release to the environment
  - P280 Wear eye protection, face protection, face shield, protective clothing, protective gloves

# Other hazards

No additional information available

# **SECTION 3: Composition/Information on ingredients**

### **Substances**

Not applicable

#### 3.2. **Mixtures**

| Name  | Product identifier   | %                   | Classification according to Regulation (EC) No. 1272/2008 [CLP]   |
|---|--|---------------------|---|
| Benzyl benzoate   | (CAS-No.) 120-51-4<br>(EC-No.) 204-402-9<br>(EC Index-No.) 607-085-00-9  | 10 - 40             | Acute Tox. 4 (Oral), H302<br>Aquatic Chronic 2, H411  |
| Linalool  | (CAS-No.) 78-70-6<br>(EC-No.) 201-134-4                                  | 4.347 - 7.9317      | Eye Irrit. 2, H319<br>Skin Irrit. 2, H315   |
| Aldehyde C-14   | (CAS-No.) 104-67-6<br>(EC-No.) 203-225-4                                 | 3.7605 -<br>6.86155 | Aquatic Chronic 3, H412   |
| d-Limonene  | (CAS-No.) 5989-27-5<br>(EC-No.) 227-813-5<br>(EC Index-No.) 601-029-00-7 | 3.657 - 6.6727      | Flam. Liq. 3, H226<br>Skin Irrit. 2, H315<br>Skin Sens. 1, H317<br>Aquatic Acute 1, H400<br>Aquatic Chronic 1, H410 |
| Coumarin crystals   | (CAS-No.) 91-64-5<br>(EC-No.) 202-086-7                                  | 2.691 - 4.9101      | Acute Tox. 4 (Oral), H302<br>Skin Sens. 1B, H317  |
| Benzyl acetate  | (CAS-No.) 140-11-4<br>(EC-No.) 205-399-7                                 | 2.415 - 4.4065      | Aquatic Chronic 3, H412   |
| Butylphenyl methylpropional   | (CAS-No.) 80-54-6<br>(EC-No.) 201-289-8                                  | 1.311 - 2.3921      | Acute Tox. 4 (Oral), H302<br>Skin Irrit. 2, H315<br>Skin Sens. 1B, H317<br>Repr. 2, H361<br>Aquatic Chronic 2, H411 |
| Dihydromyrcenol   | (CAS-No.) 18479-58-8<br>(EC-No.) 242-362-4                               | 1.311 - 2.3921      | Eye Irrit. 2, H319<br>Skin Irrit. 2, H315   |
| Dimethylbenzyl carbinyl butyrate(DMBCB)                             | (CAS-No.) 10094-34-5<br>(EC-No.) 233-221-8                               | 1.0005 -<br>1.82555 | Aquatic Chronic 2, H411   |
| 2-Hydroxybenzoic acid, benzyl ester                                 | (CAS-No.) 118-58-1<br>(EC-No.) 204-262-9                                 | 0.9315 -<br>1.69965 | Eye Irrit. 2, H319<br>Skin Sens. 1B, H317<br>Aquatic Chronic 3, H412  |
| Butylated hydroxytoluene (BHT) crystals                             | (CAS-No.) 128-37-0<br>(EC-No.) 204-881-4                                 | 0.897 - 1.6367      | Aquatic Acute 1, H400<br>Aquatic Chronic 1, H410  |
| Geranyl acetate   | (CAS-No.) 105-87-3<br>(EC-No.) 203-341-5                                 | 0.01 - 1            | Aquatic Chronic 3, H412<br>Skin Irrit. 2, H315<br>Skin Sens. 1B, H317   |
| Eugenol   | (CAS-No.) 97-53-0<br>(EC-No.) 202-589-1                                  | 0.01 - 1            | Eye Irrit. 2, H319<br>Skin Sens. 1B, H317   |
| Damascone Alpha   | (CAS-No.) 43052-87-5<br>(EC-No.) 245-845-8                               | 0.01 - 1            | Acute Tox. 4 (Oral), H302<br>Skin Sens. 1B, H317  |
| Helional  | (CAS-No.) 1205-17-0<br>(EC-No.) 214-881-6                                | 0.01 - 1            | Aquatic Chronic 2, H411<br>Skin Sens. 1B, H317  |
| Isoamyl acetate substance with a Community workplace exposure limit | (CAS-No.) 123-92-2<br>(EC-No.) 204-662-3<br>(EC Index-No.) 607-130-00-2  | 0.01 - 1            | Flam. Liq. 3, H226  |
| 2-Undecanone  | (CAS-No.) 112-12-9<br>(EC-No.) 203-937-5                                 | 0.01 - 1            | Aquatic Acute 1, H400   |
| Cinnamaldehyde  | (CAS-No.) 104-55-2<br>(EC-No.) 203-213-9                                 | 0.01 - 1            | Acute Tox. 4 (Dermal), H312<br>Skin Irrit. 2, H315<br>Eye Irrit. 2, H319<br>Skin Sens. 1A, H317                     |
| Triplal (Vertocitral)   | (CAS-No.) 68039-49-6<br>(EC-No.) 268-264-1                               | 0.01 - 1            | Aquatic Chronic 2, H411<br>Skin Irrit. 2, H315<br>Skin Sens. 1B, H317   |
| Citral pure   | (CAS-No.) 5392-40-5<br>(EC-No.) 226-394-6<br>(EC Index-No.) 605-019-00-3 | 0.01 - 1            | Skin Irrit. 2, H315<br>Skin Sens. 1, H317   |

5/16/2017 EN (English US) 2/14

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Nopyl acetate         | (CAS-No.) 128-51-8<br>(EC-No.) 204-891-9                                 | 0.01 - 1 | Eye Irrit. 2, H319<br>Aquatic Chronic 2, H411<br>Skin Sens. 1B, H317 |
|-----------------------|--|----------|--|
| Benzyl cinnamate      | (CAS-No.) 103-41-3<br>(EC-No.) 203-109-3                                 | 0.01 - 1 | Aquatic Chronic 2, H411<br>Skin Sens. 1B, H317                       |
| HEXAMETHYLINDANOPYRAN | (CAS-No.) 1222-05-5<br>(EC-No.) 214-946-9<br>(EC Index-No.) 603-212-00-7 | 0.01 - 1 | Aquatic Acute 1, H400<br>Aquatic Chronic 1, H410                     |

Allergen report available upon request. Full text of H-phrases: see section 16

| 0-0-1   | A REAL PROPERTY. |        |       |     |
|---------|------------------|--------|-------|-----|
| SECTION | )N 4: Firs       | ואוביי | maseu | rac |
|         |                  |        |       |     |

| <b>4.1.</b> | Descrip | tion of firs | t aid measures |
|-------------|---------|--------------|----------------|
|-------------|---------|--------------|----------------|

First-aid measures general

: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Call a poison center/doctor/physician if you feel unwell.

First-aid measures after inhalation

: Remove person to fresh air and keep comfortable for breathing. Allow victim to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact

Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash with plenty of soap and water. If skin irritation or rash occurs: Get immediate medical advice/attention. Get medical advice/attention. Specific treatment (see Wash skin with plenty of water, Call a physician immediately on this label). Wash contaminated clothing before reuse. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact

Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persists. Rinse eyes with water as a precaution.

First-aid measures after ingestion

Do NOT induce vomiting. Obtain emergency medical attention. Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth. Call a poison center/doctor/physician if you feel unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects

: Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after inhalation

: May cause an allergic skin reaction.

: Irritation. May cause an allergic skin reaction.

Symptoms/effects after skin contact Symptoms/effects after ingestion

: Swallowing a small quantity of this material will result in serious health hazard.

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

5.1. Extinguishing media

Suitable extinguishing media : Sand. Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard

: Combustible liquid.

Explosion hazard

 $: \ \ \text{May form flammable/explosive vapor-air mixture}.$ 

Hazardous decomposition products in case of

fire

: Toxic fumes may be released.

# 5.3. Advice for firefighters

Firefighting instructions

: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting

: Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

# **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

General measures

: Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.

## 6.1.1. For non-emergency personnel

**Emergency procedures** 

: Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.

5/16/2017 EN (English US) 3/14

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew with

proper protection. For further information refer to section 8: "Exposure controls/personal

protection".

**Emergency procedures** Ventilate area.

### **Environmental precautions**

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

### Methods and material for containment and cleaning up

: Collect spillage. For containment

Methods for cleaning up Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or

diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Other information Dispose of materials or solid residues at an authorized site.

### Reference to other sections

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

### SECTION 7: Handling and storage

### Precautions for safe handling

Additional hazards when processed

: Handle empty containers with care because residual vapors are flammable. Keep away from

Keep away from heat, sparks and flame. - No smoking.

Precautions for safe handling

Ensure good ventilation of the work station. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. No open flames. No smoking. Avoid contact with skin and eyes. Wear personal protective equipment. Avoid breathing

dust/fume/gas/mist/vapors/spray.

Hygiene measures

Wash hands thoroughly after handling. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Contaminated work clothing should not be allowed out of the workplace.

### Conditions for safe storage, including any incompatibilities

Technical measures

: Proper grounding procedures to avoid static electricity should be followed.

Storage conditions

Keep only in the original container in a cool, well ventilated place away from: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use. Keep in fireproof place. Store in a well-ventilated place. Keep

Incompatible products

Strong bases. Strong acids.

Incompatible materials

Sources of ignition. Direct sunlight. Heat sources.

Storage temperature

Storage area

Store in a well-ventilated place. Store away from heat.

Special rules on packaging

: Store in a closed container.

Packaging materials

: Do not store in corrodable metal

# Specific end use(s)

No additional information available

# **SECTION 8: Exposure controls/personal protection**

#### **Control parameters** 8.1.

| Isoamyl acetate (123-92-2) |                              |           |
|----------------------------|------------------------------|-----------|
| EU                         | IOELV TWA (mg/m³)            | 270 mg/m³ |
| EU                         | IOELV TWA (ppm)              | 50 ppm    |
| EU                         | IOELV STEL (mg/m³)           | 540 mg/m³ |
| EU                         | IOELV STEL (ppm)             | 100 ppm   |
| Austria                    | MAK (mg/m³)                  | 270 mg/m³ |
| Austria                    | MAK (ppm)                    | 50 ppm    |
| Austria                    | MAK Short time value (mg/m³) | 540 mg/m³ |
| Austria                    | MAK Short time value (ppm)   | 100 ppm   |
| Belgium                    | Limit value (mg/m³)          | 270 mg/m³ |
| Belgium                    | Limit value (ppm)            | 50 ppm    |
| Belgium                    | Short time value (mg/m³)     | 540 mg/m³ |
| Belgium                    | Short time value (ppm)       | 100 ppm   |
| Bulgaria                   | OEL TWA (mg/m³)              | 270 mg/m³ |
| Bulgaria                   | OEL TWA (ppm)                | 50 ppm    |
| Bulgaria                   | OEL STEL (mg/m³)             | 540 mg/m³ |

5/16/2017 EN (English US) 4/14

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Isoamyl acetate (123-92-2) | OFL OTEL (mm.)  | 400                           |
|----------------------------|---|-------------------------------|
| Bulgaria                   | OEL STEL (ppm)  | 100 ppm                       |
| Croatia                    | GVI (granična vrijednost izloženosti) (mg/m³)               | 270 mg/m³                     |
| Croatia                    | GVI (granična vrijednost izloženosti) (ppm)                 | 50 ppm                        |
| Croatia                    | KGVI (kratkotrajna granična vrijednost izloženosti) (mg/m³) | 540 mg/m³                     |
| Croatia                    | KGVI (kratkotrajna granična vrijednost izloženosti) (ppm)   | 100 ppm                       |
| Cyprus                     | OEL TWA (mg/m³)   | 270 mg/m³                     |
| Cyprus                     | OEL TWA (ppm)   | 50 ppm                        |
| Cyprus                     | OEL STEL (mg/m³)  | 540 mg/m³                     |
| Cyprus                     | OEL STEL (ppm)  | 100 ppm                       |
| Denmark                    | Limit (long-term) (mg/m³)                                   | 271 mg/m³                     |
| Denmark                    | Limit (long-term) (ppm)                                     | 50 ppm                        |
| Estonia                    | OEL TWA (mg/m³)   | 270 mg/m³                     |
| Estonia                    | OEL TWA (ppm)   | 50 ppm                        |
| Estonia                    | OEL STEL (mg/m³)  | 540 mg/m³                     |
| Estonia                    | OEL STEL (ppm)  | 100 ppm                       |
| Finland                    | HTP-arvo (8h) (mg/m³)                                       | 270 mg/m³                     |
| Finland                    | HTP-arvo (8h) (ppm)   | 50 ppm                        |
| Finland                    | HTP-arvo (15 min)   | 540 mg/m³                     |
| Finland                    | HTP-arvo (15 min) (ppm)                                     | 100 ppm                       |
| France                     | VME (mg/m³)   | 270 mg/m³ (restrictive limit) |
| France                     | VME (ppm)   | 50 ppm (restrictive limit)    |
| France                     | VLE (mg/m³)   | 540 mg/m³ (restrictive limit) |
| France                     | VLE (ppm)   | 100 ppm (restrictive limit)   |
| Germany                    | TRGS 900 Occupational exposure limit value (mg/m³)          | 270 mg/m³                     |
| Germany                    | TRGS 900 Occupational exposure limit value (ppm)            | 50 ppm                        |
| Gibraltar                  | Eight hours mg/m3   | 270 mg/m³                     |
| Gibraltar                  | Eight hours ppm   | 50 ppm                        |
| Gibraltar                  | Short-term mg/m3  | 540 mg/m³                     |
| Gibraltar                  | Short-term ppm  | 100 ppm                       |
| Greece                     | OEL TWA (mg/m³)   | 530 mg/m³                     |
| Greece                     | OEL TWA (ppm)   | 100 ppm                       |
| Greece                     | OEL STEL (mg/m³)  | 800 mg/m³                     |
| Greece                     | OEL STEL (ppm)  | 150 ppm                       |
| Hungary                    | Exposure Limit Value  | 270 mg/m³                     |
| Hungary                    | CK-érték  | 540 mg/m³                     |
| Ireland                    | OEL (8 hours ref) (mg/m³)                                   | 260 mg/m³                     |
| Ireland                    | OEL (8 hours ref) (ppm)                                     | 50 ppm                        |
| Ireland                    | OEL (15 min ref) (mg/m3)                                    | 520 mg/m³                     |
| Ireland                    | OEL (15 min ref) (ppm)                                      | 100 ppm                       |
| Italy                      | OEL TWA (mg/m³)   | 270 mg/m³                     |
| Italy                      | OEL TWA (ppm)   | 50 ppm                        |
| Italy                      | OEL STEL (mg/m³)  | 540 mg/m³                     |
| Italy                      | OEL STEL (ppm)  | 100 ppm                       |
| Latvia                     | OEL TWA (mg/m³)   | 270 mg/m³                     |
| Latvia                     | OEL TWA (ppm)   | 50 ppm                        |
| Lithuania                  | IPRV (mg/m³)  | 270 mg/m³                     |
| Lithuania                  | IPRV (ppm)  | 50 ppm                        |
|                            | " ' '   | * '                           |
| Lithuania                  | TPRV (mg/m³)  | 540 mg/m³                     |
| Lithuania                  | TPRV (ppm)  | 100 ppm                       |
| Luxembourg                 | OEL TWA (mg/m³)   | 270 mg/m³                     |

5/16/2017 EN (English US) 5/14

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Isoamyl acetate (123-92-2)     |   |   |
|--------------------------------|---|---|
| Luxembourg                     | OEL TWA (ppm)                                 | 50 ppm  |
| Luxembourg                     | OEL STEL (mg/m³)                              | 540 mg/m³   |
|                                | , ,   | ŭ   |
| Luxembourg                     | OEL STEL (ppm)                                | 100 ppm   |
| Malta                          | OEL TWA (mg/m³)                               | 270 mg/m³   |
| Malta                          | OEL TWA (ppm)                                 | 50 ppm  |
| Malta                          | OEL STEL (mg/m³)                              | 540 mg/m³   |
| Malta Netherlands              | OEL STEL (ppm)  Grenswaarde TGG 15MIN (mg/m³) | 100 ppm<br>530 mg/m <sup>3</sup>  |
| Poland                         | NDS (mg/m³)                                   | 250 mg/m³   |
| Poland                         | NDSCh (mg/m³)                                 | 500 mg/m³   |
|                                | ( )   | <u> </u>  |
| Portugal<br>Portugal           | OEL TWA (mg/m³) OEL TWA (ppm)                 | 270 mg/m³ (indicative limit value) 50 ppm (indicative limit value)            |
| Portugal                       | OEL TWA (ppm) OEL STEL (mg/m³)                | 540 mg/m³ (indicative limit value)  |
| Portugal                       | OEL STEL (mg/m²)                              | 100 ppm (indicative limit value, regulated under Pentyl acetate, all isomers) |
| Romania                        | OEL TWA (mg/m³)                               | 270 mg/m³   |
| Romania                        | OEL TWA (ppm)                                 | 50 ppm  |
| Romania                        | OEL STEL (mg/m³)                              | 540 mg/m³   |
| Romania                        | OEL STEL (ppm)                                | 100 ppm   |
| Slovakia                       | NPHV (priemerná) (mg/m³)                      | 270 mg/m³   |
| Slovakia                       | NPHV (priemerná) (ppm)                        | 50 ppm  |
| Slovakia                       | NPHV (Hraničná) (mg/m³)                       | 540 mg/m³   |
| Slovenia                       | OEL TWA (mg/m³)                               | 270 mg/m³   |
| Slovenia                       | OEL TWA (ppm)                                 | 50 ppm  |
| Slovenia                       | OEL STEL (mg/m³)                              | 540 mg/m³   |
| Slovenia                       | OEL STEL (ppm)                                | 100 ppm   |
| Spain                          | VLA-ED (mg/m³)                                | 270 mg/m³ (indicative limit value)  |
| Spain                          | VLA-ED (ppm)                                  | 50 ppm (indicative limit value)   |
| Spain                          | VLA-EC (mg/m³)                                | 540 mg/m³   |
| Spain                          | VLA-EC (ppm)                                  | 100 ppm   |
| Sweden                         | nivågränsvärde (NVG) (mg/m³)                  | 270 mg/m <sup>3</sup>   |
| Sweden                         | nivågränsvärde (NVG) (ppm)                    | 50 ppm  |
| Sweden                         | kortidsvärde (KTV) (mg/m³)                    | 540 mg/m³   |
| Sweden                         | kortidsvärde (KTV) (ppm)                      | 100 ppm   |
| Norway                         | TWA (AN) (mg/m³)                              | 260 mg/m³   |
| Norway                         | TWA (AN) (ppm)                                | 50 ppm  |
| Norway                         | TWA (Korttidsverdi) (mg/m3)                   | 325 mg/m³ (value calculated)  |
| Norway                         | TWA (Korttidsverdi) (ppm)                     | 75 ppm (value calculated)   |
| Australia                      | TWA (mg/m³)                                   | 270 mg/m³   |
| Australia                      | TWA (ppm)                                     | 50 ppm  |
| Australia                      | STEL (mg/m³)                                  | 541 mg/m³   |
| Australia                      | STEL (ppm)                                    | 100 ppm   |
| Canada (Quebec)                | VECD (mg/m³)                                  | 532 mg/m³   |
| Canada (Quebec)                | VECD (ppm)                                    | 100 ppm   |
| Canada (Quebec)                | VEMP (mg/m³)                                  | 266 mg/m³   |
| Canada (Quebec)<br>USA - ACGIH | VEMP (ppm) ACGIH TWA (ppm)                    | 50 ppm<br>50 ppm  |
| USA - ACGIH                    | ACGIH TWA (ppm)  ACGIH STEL (ppm)             | 100 ppm   |
| USA - IDLH                     | US IDLH (ppm)                                 | 1000 ppm  |
| USA - NIOSH                    | NIOSH REL (TWA) (mg/m³)                       | 525 mg/m³   |
| USA - NIOSH                    | NIOSH REL (TWA) (ppm)                         | 100 ppm   |
| USA - OSHA                     | OSHA PEL (TWA) (mg/m³)                        | 525 mg/m³   |
| 00A - 00I IA                   | OOTAT LE (TWA) (IIIg/III-)                    | 020 HIg/III   |

5/16/2017 EN (English US) 6/14

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Isoamyl acetate (123-92-2)  |  |  |
|-----------------------------|--|--|
| USA - OSHA                  | OSHA PEL (TWA) (ppm)                               | 100 nnm  |
|                             | OSHA FEE (TWA) (ppili)                             | 100 ppm  |
| Citral pure (5392-40-5)     | L NDO ( , ( , p)                                   | 1.55   |
| Poland                      | NDS (mg/m³)  | 27 mg/m³   |
| Poland                      | NDSCh (mg/m³)                                      | 54 mg/m³   |
| Spain                       | VLA-ED (ppm)                                       | 5 ppm (inhalable fraction and vapor)   |
| USA - ACGIH                 | ACGIH TWA (ppm)                                    | 5 ppm (inhalable fraction and vapor)   |
| Butylated hydroxytoluene (E | , , ,  |  |
| Austria                     | MAK (mg/m³)  | 10 mg/m <sup>3</sup>   |
| Belgium                     | Limit value (mg/m³)                                | 2 mg/m³ (aerosol and vapor)  |
| Bulgaria                    | OEL TWA (mg/m³)                                    | 10 mg/m³   |
| Bulgaria                    | OEL STEL (mg/m³)                                   | 50 mg/m³   |
| Croatia                     | GVI (granična vrijednost izloženosti) (mg/m³)      | 10 mg/m³   |
| Denmark                     | Limit (long-term) (mg/m³)                          | 10 mg/m <sup>3</sup>   |
| Finland                     | HTP-arvo (8h) (mg/m³)                              | 10 mg/m³   |
| Finland                     | HTP-arvo (15 min)                                  | 20 mg/m <sup>3</sup>   |
| France                      | VME (mg/m³)  | 10 mg/m³   |
| Germany                     | TRGS 900 Occupational exposure limit value (mg/m³) | 10 mg/m³ (The risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-inhalable fraction) |
| Greece                      | OEL TWA (mg/m³)                                    | 10 mg/m³   |
| Ireland                     | OEL (8 hours ref) (mg/m³)                          | 10 mg/m³   |
| Ireland                     | OEL (15 min ref) (mg/m3)                           | 30 mg/m³ (calculated)  |
| Portugal                    | OEL TWA (mg/m³)                                    | 2 mg/m³ (inhalable fraction, aerosol and vapor)  |
| Slovenia                    | OEL TWA (mg/m³)                                    | 10 mg/m³ (inhalable fraction)  |
| Spain                       | VLA-ED (mg/m³)                                     | 10 mg/m³   |
| United Kingdom              | WEL TWA (mg/m³)                                    | 10 mg/m³   |
| United Kingdom              | WEL STEL (mg/m³)                                   | 30 mg/m³ (calculated)  |
| Switzerland                 | VME (mg/m³)  | 10 mg/m³ (inhalable dust)  |
| Switzerland                 | VLE (mg/m³)  | 40 mg/m³ (inhalable dust)  |
| Australia                   | TWA (mg/m³)  | 10 mg/m³   |
| Canada (Quebec)             | VECD (mg/m³)                                       | 10 mg/m³   |
| USA - ACGIH                 | ACGIH TWA (mg/m³)                                  | 2 mg/m³ (inhalable fraction and vapor)   |
| USA - NIOSH                 | NIOSH REL (TWA) (mg/m³)                            | 10 mg/m³   |
| Benzyl acetate (140-11-4)   |  |  |
| Belgium                     | Limit value (mg/m³)                                | 62 mg/m³   |
| Belgium                     | Limit value (ppm)                                  | 10 ppm   |
| Denmark                     | Limit (long-term) (mg/m³)                          | 61 mg/m³   |
| Denmark                     | Limit (long-term) (ppm)                            | 10 ppm   |
| Latvia                      | OEL TWA (mg/m³)                                    | 5 mg/m³  |
| Lithuania                   | IPRV (mg/m³)                                       | 5 mg/m³  |
| Portugal                    | OEL TWA (ppm)                                      | 10 ppm   |
| Romania                     | OEL TWA (mg/m³)                                    | 50 mg/m³   |
| Romania                     | OEL TWA (ppm)                                      | 8 ppm  |
| Romania                     | OEL STEL (mg/m³)                                   | 80 mg/m³   |
| Romania                     | OEL STEL (ppm)                                     | 13 ppm   |
| Spain                       | VLA-ED (mg/m³)                                     | 62 mg/m³   |
| Spain                       | VLA-ED (ppm)                                       | 10 ppm   |
| USA - ACGIH                 | ACGIH TWA (ppm)                                    | 10 ppm   |
| d-Limonene (5989-27-5)      | LITD on a (Oh) (ma/c-2)                            | 140 mg/m3  |
| Finland                     | HTP-arvo (8h) (mg/m³)                              | 140 mg/m³  |
| Finland                     | HTP-arvo (8h) (ppm)                                | 25 ppm   |
| Finland                     | HTP-arvo (15 min)                                  | 280 mg/m³  |
| Finland                     | HTP-arvo (15 min) (ppm)                            | 50 ppm   |

5/16/2017 EN (English US) 7/14

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| d-Limonene (5989-27-5)     |  |  |
|----------------------------|--|--|
| Germany                    | TRGS 900 Occupational exposure limit value (mg/m³) | 28 mg/m³ (The risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)    |
| Germany                    | TRGS 900 Occupational exposure limit value (ppm)   | 5 ppm (The risk of damage to the embryo or fetus can<br>be excluded when AGW and BGW values are<br>observed) |
| Norway                     | TWA (AN) (mg/m³)                                   | 140 mg/m³  |
| Norway                     | TWA (AN) (ppm)                                     | 25 ppm   |
| Norway                     | TWA (Korttidsverdi) (mg/m3)                        | 175 mg/m³ (value calculated)   |
| Norway                     | TWA (Korttidsverdi) (ppm)                          | 37.5 ppm (value calculated)  |
| Switzerland                | VME (mg/m³)  | 40 mg/m <sup>3</sup>   |
| Switzerland                | VME (ppm)  | 7 ppm  |
| Switzerland                | VLE (mg/m³)  | 80 mg/m <sup>3</sup>   |
| Switzerland                | VLE (ppm)  | 14 ppm   |
| Benzyl benzoate (120-51-4) |  |  |
| USA - NIOSH                | NIOSH REL (TWA) (mg/m³)                            | <=   |

### 8.2. Exposure controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Personal protective equipment : Avoid all unnecessary exposure.

Hand protection : Wear protective gloves

Eye protection : Chemical goggles or safety glasses. Safety glasses

Skin and body protection : Wear suitable protective clothing

Respiratory protection : Wear appropriate mask

Environmental exposure controls : Avoid release to the environment.

Other information : Do not eat, drink or smoke during use.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Color : light yellow. amber.

Odor : coconut.

Odor threshold : No data available pH : No data available Relative evaporation rate (butyl acetate=1) : No data available Melting point : Not applicable Freezing point : No data available Boiling point : No data available

Flash point : 85.1 °C

Auto-ignition temperature : No data available Decomposition temperature : No data available

Flammability (solid, gas) : Combustible liquid,Non flammable

Vapor pressure : No data available Relative vapor density at 20 °C : No data available Relative density : No data available Solubility : No data available : No data available Log Pow Viscosity, kinematic : No data available Viscosity, dynamic : No data available Explosive properties : No data available Oxidizing properties : No data available Explosion limits : No data available

5/16/2017 EN (English US) 8/14

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 9.2. Other information

No additional information available

# **SECTION 10: Stability and reactivity**

### Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### **Chemical stability**

Combustible liquid. May form flammable/explosive vapor-air mixture. Not established.

### Possibility of hazardous reactions

Not established.

#### 10.4. **Conditions to avoid**

Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Heat. Sparks.

### Incompatible materials

Strong acids. Strong bases.

### **Hazardous decomposition products**

fume. Carbon monoxide. Carbon dioxide. May release flammable gases.

# **SECTION 11: Toxicological information**

| 11.1 Information on toxicological effects |      |             |                           |
|---|------|-------------|---------------------------|
|   | 11.1 | Information | an taxical arigal offects |

| ATE OLD (I)    | 1EOO COE marlia haduusia      |
|----------------|-------------------------------|
| Acute toxicity | . Oral. Harmiui ii Swallowed. |

| ATE CLP (oral) | 1580.605 mg/kg body weight |
|----------------|----------------------------|
| ` '            |                            |

Skin corrosion/irritation : Causes skin irritation.

Additional information : Based on available data, the classification criteria are not met

Serious eye damage/irritation : Not classified

Additional information : Based on available data, the classification criteria are not met

Respiratory or skin sensitization : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified

Based on available data, the classification criteria are not met

: Not classified Carcinogenicity

Additional information : Based on available data, the classification criteria are not met

Reproductive toxicity : Not classified

Additional information : Based on available data, the classification criteria are not met

STOT-single exposure : Not classified

Additional information : Based on available data, the classification criteria are not met

STOT-repeated exposure : Not classified

Additional information : Based on available data, the classification criteria are not met

Aspiration hazard : Not classified

Additional information : Based on available data, the classification criteria are not met

Potential Adverse human health effects and

symptoms

: Harmful if swallowed. Based on available data, the classification criteria are not met.

# **SECTION 12: Ecological information**

#### 12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects. Ecology - water : Toxic to aquatic life with long lasting effects.

#### Persistence and degradability 12.2.

| Tamarind and Coconut #25118F    |  |
|---------------------------------|--|
| Persistence and degradability   | May cause long-term adverse effects in the environment. Not established. |
| 12.3. Bioaccumulative potential |  |
| Tamarind and Coconut #25118F    |  |
| Bioaccumulative potential       | Not established.   |

## Mobility in soil

No additional information available

5/16/2017 EN (English US) 9/14

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Other adverse effects

Additional information : Avoid release to the environment

# **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of

contents/container in accordance with local/national laws and regulations.

Additional information : Handle empty containers with care because residual vapors are flammable.

Ecology - waste materials : Avoid release to the environment.

# **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

### 14.1. UN number

 UN-No. (ADR)
 : 3082

 UN-No. (IMDG)
 : 3082

 UN-No. (IATA)
 : 3082

 UN-No. (ADN)
 : 3082

 UN-No. (RID)
 : 3082

### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. Proper Shipping Name (IMDG) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Proper Shipping Name (IATA) : Environmentally hazardous substance, liquid, n.o.s.

Proper Shipping Name (ADN) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. Proper Shipping Name (RID) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Transport document description (ADR) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (d-Limonene), 9,

III, (E)

Transport document description (IMDG) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (d-Limonene), 9,

III, MARINE POLLUTANT

Transport document description (IATA) : UN 3082 Environmentally hazardous substance, liquid, n.o.s., 9, III

Transport document description (ADN) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III
Transport document description (RID) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III

# 14.3. Transport hazard class(es)

# ADR

Transport hazard class(es) (ADR) : 9
Hazard labels (ADR) : 9



## **IMDG**

Transport hazard class(es) (IMDG) : 9
Hazard labels (IMDG) : 9



# IATA

Transport hazard class(es) (IATA) : 9

5/16/2017 EN (English US) 10/14

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hazard labels (IATA) : 9



### ADN

Transport hazard class(es) (ADN) : 9
Hazard labels (ADN) : 9



## RID

Transport hazard class(es) (RID) : 9
Hazard labels (RID) : 9



# 14.4. Packing group

Packing group (ADR) : III
Packing group (IMDG) : III
Packing group (IATA) : III
Packing group (ADN) : III
Packing group (RID) : III

# 14.5. Environmental hazards

Dangerous for the environment : Yes

Marine pollutant : Yes

Other information : No supplementary information available

# 14.6. Special precautions for user

# - Overland transport

Classification code (ADR) : M6

Special provision (ADR) : 274, 335, 601, 375

Limited quantities (ADR) : 5l Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions : T4

(ADR)

Portable tank and bulk container special : TP1, TP29

provisions (ADR)

Tank code (ADR) : LGBV
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12

Special provisions for carriage - Loading,

unloading and handling (ADR)

: CV13

Hazard identification number (Kemler No.) : 90

5/16/2017 EN (English US) 11/14

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

: A

Orange plates : 90 3082

Tunnel restriction code (ADR) : E

# - Transport by sea

Special provision (IMDG) : 274, 335, 969

Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 Packing instructions (IMDG) : P001, LP01 Packing provisions (IMDG) : PP1 IBC packing instructions (IMDG) : IBC03 Tank instructions (IMDG) : T4 : TP2, TP29 Tank special provisions (IMDG) : F-A EmS-No. (Fire) EmS-No. (Spillage) : S-F

# - Air transport

Stowage category (IMDG)

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y964
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 964
PCA max net quantity (IATA) : 450L
CAO packing instructions (IATA) : 964
CAO max net quantity (IATA) : 450L

Special provision (IATA) : A97, A158, A197

ERG code (IATA) : 9L

# - Inland waterway transport

Classification code (ADN) : M6

Special provision (ADN) : 274, 335, 375, 601

Limited quantities (ADN) : 5 L

Excepted quantities (ADN) : E1

Carriage permitted (ADN) : T

Equipment required (ADN) : PP

Number of blue cones/lights (ADN) : 0

## - Rail transport

Classification code (RID) : M6

Special provision (RID) : 274, 335, 375, 601

Limited quantities (RID) : 5L Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Special packing provisions (RID) : PP1
Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions : T4

(RID)

Portable tank and bulk container special

provisions (RID)

: TP1, TP29

Tank codes for RID tanks (RID) : LGBV
Transport category (RID) : 3
Special provisions for carriage – Packages : W12

(RID)

Special provisions for carriage - Loading,

unloading and handling (RID)

: CW13, CW31

Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 90

5/16/2017 EN (English US) 12/14

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

# Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

# **SECTION 15: Regulatory information**

# Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. **EU-Regulations**

Contains no REACH substances with Annex XVII restrictions

Contains no REACH candidate substance

Contains no REACH Annex XIV substances.

#### 15.1.2. **National regulations**

### Germany

: Water hazard class (WGK) 3, strongly hazardous to water (Classification according to VwVwS, VwVwS Annex reference

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

### Netherlands

SZW-lijst van kankerverwekkende stoffen : Triplal (Vertocitral) is listed SZW-lijst van mutagene stoffen : Triplal (Vertocitral) is listed

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen - Borstvoeding

NIET-limitatieve lijst van voor de voortplanting giftige stoffen - Vruchtbaarheid

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen - Ontwikkeling

: None of the components are listed

: None of the components are listed

: None of the components are listed

### Denmark

Class for fire hazard : Class III-1 Store unit : 50 liter

Classification remarks : Flammable according to the Danish Ministry of Justice; Emergency management guidelines for

the storage of flammable liquids must be followed

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with the

product

The requirements from the Danish Working Environment Authorities regarding work with

carcinogens must be followed during use and disposal

# **Chemical safety assessment**

No chemical safety assessment has been carried out

# **SECTION 16: Other information**

Other information : None

### Full text of H- and EUH-phrases:

| Acute Tox. 4 (Dermal)                | Acute toxicity (dermal) Category 4                               |       |
|--------------------------------------|--|-------|
| Acute Tox. 4 (Oral)                  | Acute toxicity (oral) Category 4                                 |       |
| Aquatic Acute 1                      | Hazardous to the aquatic environment - Acute Hazard Category 1   |       |
| Aquatic Chronic 1                    | Hazardous to the aquatic environment - Chronic Hazard Category 1 |       |
| Aquatic Chronic 2                    | Hazardous to the aquatic environment - Chronic Hazard Category 2 |       |
| Aquatic Chronic 3                    | Hazardous to the aquatic environment - Chronic Hazard Category 3 |       |
| Eye Irrit. 2                         | Serious eye damage/eye irritation Category 2                     |       |
| Flam. Liq. 3                         | Flammable liquids Category 3                                     |       |
| Repr. 2                              | Reproductive toxicity Category 2                                 |       |
| Skin Irrit. 2                        | Skin corrosion/irritation Category 2                             |       |
| Skin Sens. 1                         | Skin sensitization, Category 1                                   |       |
| Skin Sens. 1A                        | Skin sensitization, category 1A                                  |       |
| Skin Sens. 1B                        | Skin sensitization, category 1B                                  |       |
| H226                                 | Flammable liquid and vapor                                       |       |
| H302                                 | Harmful if swallowed   |       |
| 5/H5/26/17 Harmful in contentions in |  | 13/14 |

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| H315 | Causes skin irritation                               |
|------|--|
| H317 | May cause an allergic skin reaction                  |
| H319 | Causes serious eye irritation                        |
| H361 | Suspected of damaging fertility or the unborn child  |
| H400 | Very toxic to aquatic life                           |
| H410 | Very toxic to aquatic life with long lasting effects |
| H411 | Toxic to aquatic life with long lasting effects      |
| H412 | Harmful to aquatic life with long lasting effects    |

# SDS EU CLP.

The data contained in this Safety Data Sheet is accurate to the best knowledge of Candle Supply Pty Ltd, applies to the product as supplied Candle Supply Pty Ltd, and does not relate to use in combination with any other material or in any process. Data and information is furnished without warranty expressed or implied, nor does Candle Supply Pty Ltd, assume responsibility for use or reliance upon this data.

This SDS is current to the date listed above. However, the GHS classifications may change due to hazard communication updates by the overseeing governing body. For the most current SDS information please contact customerservice@candlesupply.com.au

5/16/2017 EN (English US) 14/14