

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 2/20/2015 Revision date: 5/16/2017 Supersedes: Version:

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixtures

Trade name : Cucumber Melon

Product group : Finished Good

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Industrial use

Industrial/Professional use spec : For professional use only

Industrial

Use of the substance/mixture : Perfumes, Fragrances

Function or use category : Odour agents

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Candle Supply Pty Ltd Unit 3 8-9 Lagana Place Wetherill Park, NSW 2164 ABN: 70612899626

Phone Number: 02 8741 4000

e-mail: customerservice@candlesupply.com.au

### 1.4. Emergency telephone number

Emergency number : In an emergency call: 13 11 26

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation Category 2 H315
Serious eye damage/eye irritation Category 2 H319
Skin sensitization, Category 1 H317
Hazardous to the aquatic environment - Chronic Hazard Category 2 H411

Full text of hazard classes and H-statements : see section 16

### Adverse physicochemical, human health and environmental effects

May cause an allergic skin reaction. Toxic to aquatic life with long lasting effects. Causes skin irritation. Causes serious eye irritation.

### 2.2. Label elements

Precautionary statements (CLP)

### Labeling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :





GHS09

Signal word (CLP) : Warning
Hazardous ingredients : Lyral; Hydroxy

Hazard statements (CLP) : H315 - Causes skin irritation

H317 - May cause an allergic skin reaction H319 - Causes serious eye irritation

H411 - Toxic to aquatic life with long lasting effects : P264 - Wash hands thoroughly after handling

P272 - Contaminated work clothing should not be allowed out of the workplace

P273 - Avoid release to the environment

5/16/2017 EN (English US) 1/10

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

P280 - Wear face protection, eye protection, protective clothing, protective gloves P302+P352 - IF ON SKIN: Wash with plenty of water

#### 2.3. Other hazards

No additional information available

### **SECTION 3: Composition/Information on ingredients**

### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Benzyl benzoate	(CAS-No.) 120-51-4 (EC-No.) 204-402-9 (EC Index-No.) 607-085-00-9	10 - 40	Acute Tox. 4 (Oral), H302 Aquatic Chronic 2, H411
Linalool	(CAS-No.) 78-70-6 (EC-No.) 201-134-4	2.4056 - 10.1656	Eye Irrit. 2, H319 Skin Irrit. 2, H315
Lyral	(CAS-No.) 31906-04-4 (EC-No.) 250-863-4 (EC Index-No.) 605-040-00-8	0.6169 - 2.6069	Skin Sens. 1A, H317
HEXAMETHYLINDANOPYRAN	(CAS-No.) 1222-05-5 (EC-No.) 214-946-9 (EC Index-No.) 603-212-00-7	0.6014 - 2.5414	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Hexylene Glycol	(CAS-No.) 107-41-5 (EC-No.) 203-489-0 (EC Index-No.) 603-053-00-3	0.6014 - 2.5414	Eye Irrit. 2, H319 Skin Irrit. 2, H315
Methyl ionone (gamma)	(CAS-No.) 127-42-4 (EC-No.) 204-842-1	0.4805 - 2.0305	Eye Irrit. 2, H319 Aquatic Chronic 2, H411 Skin Irrit. 2, H315
Hydroxy	(CAS-No.) 107-75-5 (EC-No.) 203-518-7	0.1 - 1	Eye Irrit. 2, H319 Skin Sens. 1B, H317

Allergen report available upon request. Full text of H-phrases: see section 16

### **SECTION 4: First aid measures**

4.1.	Description	of first aid m	easures

First-aid measures general

- : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
- First-aid measures after inhalation
- : Remove person to fresh air and keep comfortable for breathing. Allow victim to breathe fresh air. Allow the victim to rest.
- First-aid measures after skin contact
- : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash with plenty of soap and water. If skin irritation or rash occurs: Get immediate medical advice/attention. Get medical advice/attention. Specific treatment (see Wash skin with plenty of water, Call a physician immediately on this label). Wash contaminated clothing before reuse. Wash skin with plenty of water. Take off contaminated clothing. If skin

First-aid measures after eye contact

: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion

Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison center/doctor/physician if you feel unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects

: Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after inhalation

: May cause an allergic skin reaction.

Symptoms/effects after skin contact

: May cause an allergic skin reaction. Irritation.

irritation or rash occurs: Get medical advice/attention.

Symptoms/effects after eye contact : Eye irritation.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5/16/2017 EN (English US) 2/10

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### **SECTION 5: Firefighting measures**

Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

Special hazards arising from the substance or mixture

Hazardous decomposition products in case of

: Toxic fumes may be released.

Advice for firefighters 5.3.

Use water spray or fog for cooling exposed containers. Exercise caution when fighting any Firefighting instructions

chemical fire. Prevent fire-fighting water from entering environment.

Do not enter fire area without proper protective equipment, including respiratory protection. Do Protection during firefighting

not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

#### **SECTION 6: Accidental release measures**

#### Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

: Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes. **Emergency procedures** 

Avoid breathing dust/fume/gas/mist/vapors/spray.

6.1.2. For emergency responders

: Do not attempt to take action without suitable protective equipment. Equip cleanup crew with Protective equipment

proper protection. For further information refer to section 8: "Exposure controls/personal

protection".

Ventilate area **Emergency procedures** 

#### **Environmental precautions**

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

#### Methods and material for containment and cleaning up

For containment : Collect spillage.

Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or Methods for cleaning up

diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Other information Dispose of materials or solid residues at an authorized site.

### Reference to other sections

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

#### **SECTION 7: Handling and storage**

### Precautions for safe handling

Precautions for safe handling Ensure good ventilation of the work station. Wash hands and other exposed areas with mild

soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Avoid breathing dust, fume, gas, mist, spray, vapors. Avoid contact with skin and eyes. Wear personal protective equipment.

Contaminated work clothing should not be allowed out of the workplace. Wash contaminated Hygiene measures

clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### Conditions for safe storage, including any incompatibilities

Storage conditions Keep only in the original container in a cool, well ventilated place away from : Keep away from

heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep

container closed when not in use. Store in a well-ventilated place. Keep cool.

Incompatible products Strong bases. Strong acids.

Incompatible materials Sources of ignition. Direct sunlight.

Storage temperature

Storage area Store in a well-ventilated place. Store away from heat.

Special rules on packaging Store in a closed container. Packaging materials : Do not store in corrodable metal.

#### Specific end use(s)

No additional information available

### **SECTION 8: Exposure controls/personal protection**

### **Control parameters**

5/16/2017 EN (English US) 3/10

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Benzyl benzoate (120-51-4)		
USA - NIOSH	NIOSH REL (TWA) (mg/m³)	<=
Hexylene Glycol (107-41-5)		
Austria	MAK (mg/m³)	49 mg/m³
Austria	MAK (ppm)	10 ppm
Austria	MAK Short time value (mg/m³)	49 mg/m³
Austria	MAK Short time value (ppm)	10 ppm
Austria	OEL - Ceilings (mg/m³)	49 mg/m³
Austria	OEL - Ceilings (ppm)	10 ppm
Croatia	GVI (granična vrijednost izloženosti) (mg/m³)	123 mg/m³
Croatia	GVI (granična vrijednost izloženosti) (ppm)	25 ppm
Croatia	KGVI (kratkotrajna granična vrijednost izloženosti) (mg/m³)	123 mg/m³
Croatia	KGVI (kratkotrajna granična vrijednost izloženosti) (ppm)	25 ppm
Denmark	Grænseværdie (ceiling) (ppm)	25 ppm
Denmark	Grænseværdie (ceiling) (mg/m³)	125 mg/m³
Finland	HTP-arvo (8h) (mg/m³)	120 mg/m³
Finland	HTP-arvo (8h) (ppm)	25 ppm
Finland	HTP-arvo (15 min)	200 mg/m³
Finland	HTP-arvo (15 min) (ppm)	40 ppm
France	VLE (mg/m³)	125 mg/m³
France	VLE (ppm)	25 ppm
Greece	OEL TWA (mg/m³)	125 mg/m³
Greece	OEL TWA (ppm)	25 ppm
Greece	OEL STEL (mg/m³)	125 mg/m³
Greece	OEL STEL (ppm)	25 ppm
Ireland	OEL (15 min ref) (mg/m3)	125 mg/m³
Ireland	OEL (15 min ref) (ppm)	25 ppm
Lithuania	NRV (mg/m³)	120 mg/m³
Lithuania	NRV (ppm)	25 ppm
Poland	NDSP (mg/m³)	120 mg/m³
Portugal	OEL - Ceilings (ppm)	25 ppm
Slovenia	OEL TWA (mg/m³)	49 mg/m³
Slovenia	OEL TWA (ppm)	10 ppm
Slovenia	OEL STEL (mg/m³)	49 mg/m³
Slovenia	OEL STEL (ppm)	10 ppm
Spain	VLA-EC (mg/m³)	123 mg/m³
Spain	VLA-EC (ppm)	25 ppm
Sweden	kortidsvärde (KTV) (mg/m³)	120 mg/m³
Sweden	kortidsvärde (KTV) (ppm)	25 ppm
United Kingdom	WEL TWA (mg/m³)	123 mg/m³
United Kingdom	1 2 1	
	WEL TWA (ppm)	25 ppm 123 mg/m³
United Kingdom United Kingdom	WEL STEL (mg/m³) WEL STEL (ppm)	25 ppm
Norway	TWA (Takverdi) (mg/m³)	25 ppm 100 mg/m³
Norway	TWA (Takverdi) (ppm)	20 ppm
Switzerland	VME (mg/m³)	49 mg/m³
Switzerland	VME (ppm)	10 ppm
Switzerland	VLE (mg/m³)	98 mg/m³
Switzerland	VLE (ppm)	20 ppm
	PLAFOND (mg/m³)	121 mg/m³
Canada (Quebec)		, .=g/
Canada (Quebec)	A STATE OF THE STA	25 nnm
Canada (Quebec) Canada (Quebec) USA - ACGIH	PLAFOND (ppm) ACGIH TWA (ppm)	25 ppm 25 ppm (vapor fraction)

5/16/2017 EN (English US) 4/10

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hexylene Glycol (107-41-5)				
USA - ACGIH	ACGIH STEL (ppm)	50 ppm (vapor fraction)		
USA - NIOSH	NIOSH REL (ceiling) (mg/m³)	125 mg/m³		
USA - NIOSH	NIOSH REL (ceiling) (ppm)	25 ppm		

### 8.2. Exposure controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Personal protective equipment : Avoid all unnecessary exposure.

Hand protection : Wear protective gloves

Eye protection : Chemical goggles or safety glasses. Safety glasses

Skin and body protection : Wear suitable protective clothing

Respiratory protection : Wear appropriate mask

Environmental exposure controls : Avoid release to the environment.

Other information : Do not eat, drink or smoke during use.

### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Color : amber. light yellow.

Odor : Fresh.

Odor threshold : No data available : No data available Relative evaporation rate (butyl acetate=1) : No data available Melting point : Not applicable Freezing point : No data available : No data available Boiling point : > 93.33 °C Flash point : No data available Auto-ignition temperature : No data available Decomposition temperature Flammability (solid, gas) : Non flammable : No data available Vapor pressure Relative vapor density at 20 °C : No data available Relative density : No data available Solubility : No data available : No data available Log Pow : No data available Viscosity, kinematic : No data available Viscosity, dynamic : No data available Explosive properties Oxidizing properties : No data available

### 9.2. Other information

No additional information available

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

: No data available

#### 10.2. Chemical stability

Not established.

**Explosion limits** 

### 10.3. Possibility of hazardous reactions

Not established.

### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

5/16/2017 EN (English US) 5/10

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 10.5. Incompatible materials

Strong acids. Strong bases.

#### 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

### **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Acute toxicity : Not classified

Skin corrosion/irritation : Causes skin irritation.

Additional information : Based on available data, the classification criteria are not met

Serious eye damage/irritation : Causes serious eye irritation.

Additional information : Based on available data, the classification criteria are not met

Respiratory or skin sensitization : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified

Based on available data, the classification criteria are not met

Carcinogenicity : Not classified

Additional information : Based on available data, the classification criteria are not met

Reproductive toxicity : Not classified

Additional information : Based on available data, the classification criteria are not met

STOT-single exposure : Not classified

Additional information : Based on available data, the classification criteria are not met

STOT-repeated exposure : Not classified

Additional information : Based on available data, the classification criteria are not met

Aspiration hazard : Not classified

Additional information : Based on available data, the classification criteria are not met

Potential Adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met.

### **SECTION 12: Ecological information**

#### 12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects.

Ecology - water : Toxic to aquatic life with long lasting effects.

#### 12.2. Persistence and degradability

Cucumber Melon				
	Persistence and degradability	May cause long-term adverse effects in the environment. Not established.		

### 12.3. Bioaccumulative potential

Cucumber Melon	
Bioaccumulative potential	Not established.

### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Other adverse effects

Additional information : Avoid release to the environment

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of

contents/container in accordance with local/national laws and regulations.

Ecology - waste materials : Avoid release to the environment.

### **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

5/16/2017 EN (English US) 6/10

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14	. 1	_	u	IN	ı	nı	П	n	h	er

 UN-No. (ADR)
 : 3082

 UN-No. (IMDG)
 : 3082

 UN-No. (IATA)
 : 3082

 UN-No. (ADN)
 : 3082

 UN-No. (RID)
 : 3082

### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Proper Shipping Name (IMDG) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Proper Shipping Name (IATA) : Environmentally hazardous substance, liquid, n.o.s.

Proper Shipping Name (ADN) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. Proper Shipping Name (RID) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Transport document description (ADR) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(Hexamethylindanopyran), 9, III, (E)

Transport document description (IMDG) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(Hexamethylindanopyran), 9, III, MARINE POLLUTANT

Transport document description (IATA) : UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Hexamethylindanopyran), 9, III

Transport document description (ADN) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III

Transport document description (RID) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III

### 14.3. Transport hazard class(es)

#### **ADR**

Transport hazard class(es) (ADR) : 9
Hazard labels (ADR) : 9



### **IMDG**

Transport hazard class(es) (IMDG) : 9
Hazard labels (IMDG) : 9



### IATA

Transport hazard class(es) (IATA) : 9
Hazard labels (IATA) : 9



#### ADN

Transport hazard class(es) (ADN) : 9
Hazard labels (ADN) : 9



5/16/2017 EN (English US) 7/10

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### RID

Transport hazard class(es) (RID) : 9
Hazard labels (RID) : 9



### 14.4. Packing group

Packing group (ADR) : III
Packing group (IMDG) : III
Packing group (IATA) : III
Packing group (ADN) : III
Packing group (RID) : III

### 14.5. Environmental hazards

Dangerous for the environment : Yes
Marine pollutant : Yes

Other information : No supplementary information available

#### 14.6. Special precautions for user

#### - Overland transport

Classification code (ADR) : M6

Special provision (ADR) : 274, 335, 601, 375

Limited quantities (ADR) : 5l Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions : T4

(ADR)

Portable tank and bulk container special

provisions (ADR)

Tank code (ADR) : LGBV
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages : V12

(ADR)

Special provisions for carriage - Loading,

unloading and handling (ADR)

Hazard identification number (Kemler No.) : 90

Orange plates



: TP1, TP29

: CV13

Tunnel restriction code (ADR) : E

- Transport by sea

Special provision (IMDG) : 274, 335, 969

Limited quantities (IMDG) : 5 L

Excepted quantities (IMDG) : E1

Packing instructions (IMDG) : P001, LP01

Packing provisions (IMDG) : PP1

IBC packing instructions (IMDG) : IBC03

Tank instructions (IMDG) : T4

Tank special provisions (IMDG) : TP2, TP29

 EmS-No. (Fire)
 : F-A

 EmS-No. (Spillage)
 : S-F

 Stowage category (IMDG)
 : A

5/16/2017 EN (English US) 8/10

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### - Air transport

PCA Excepted quantities (IATA) : E1 PCA Limited quantities (IATA) : Y964 PCA limited quantity max net quantity (IATA) : 30kgG PCA packing instructions (IATA) : 964 PCA max net quantity (IATA) : 450L CAO packing instructions (IATA) : 964 CAO max net quantity (IATA) : 450L

Special provision (IATA) : A97, A158, A197

ERG code (IATA) : 9L

#### - Inland waterway transport

Classification code (ADN) : M6

: 274, 335, 375, 601 Special provision (ADN)

Limited quantities (ADN) : 5 L : E1 Excepted quantities (ADN) Carriage permitted (ADN) : T Equipment required (ADN) : PP Number of blue cones/lights (ADN) : 0

#### - Rail transport

Classification code (RID) : M6

: 274, 335, 375, 601 Special provision (RID)

Limited quantities (RID) : 5L Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

: PP1 Special packing provisions (RID) Mixed packing provisions (RID) : MP19 Portable tank and bulk container instructions : T4

Portable tank and bulk container special

provisions (RID)

: TP1, TP29

Tank codes for RID tanks (RID) : LGBV Transport category (RID) Special provisions for carriage - Packages

: W12

Special provisions for carriage - Loading,

unloading and handling (RID)

: CW13, CW31

Colis express (express parcels) (RID) : CE8 Hazard identification number (RID) : 90

### Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

### **SECTION 15: Regulatory information**

#### Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1.

#### 15.1.1. **EU-Regulations**

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

3. Liquid substances or mixtures which are regarded as dangerous in accordance with Directive 1999/45/EC or are fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008	HEXAMETHYLINDANOPYRAN - Benzyl benzoate - Hexylene Glycol
3(b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	Cucumber Melon - Benzyl benzoate -Lyral - Hydroxy - Methyl ionone (gamma) - Linalool - Hexylene Glycol
3(c) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	Cucumber Melon - HEXAMETHYLINDANOPYRAN - Benzyl benzoate - Methyl ionone (gamma)

Contains no REACH candidate substance

Contains no REACH Annex XIV substances.

5/16/2017 EN (English US) 9/10

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### **National regulations** 15.1.2.

#### Germany

: Water hazard class (WGK) 2, hazardous to water (Classification according to VwVwS, Annex VwVwS Annex reference

12th Ordinance Implementing the Federal

Immission Control Act - 12.BImSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

#### **Netherlands**

SZW-lijst van kankerverwekkende stoffen : None of the components are listed SZW-lijst van mutagene stoffen : None of the components are listed NIET-limitatieve lijst van voor de voortplanting : None of the components are listed

giftige stoffen - Borstvoeding

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen - Vruchtbaarheid

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen - Ontwikkeling

: None of the components are listed

: None of the components are listed

#### Denmark

: Emergency management guidelines for the storage of flammable liquids must be followed Classification remarks

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

### **Chemical safety assessment**

No chemical safety assessment has been carried out

### **SECTION 16: Other information**

Other information : None.

#### Full text of H- and EUH-phrases:

Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
Eye Irrit. 2	Serious eye damage/eye irritation Category 2
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitization, Category 1
Skin Sens. 1A	Skin sensitization, category 1A
Skin Sens. 1B	Skin sensitization, category 1B
H302	Harmful if swallowed
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects

### SDS EU CLP.

The data contained in this Safety Data Sheet is accurate to the best knowledge of Candle Supply Pty Ltd, applies to the product as supplied Candle Supply Pty Ltd, and does not relate to use in combination with any other material or in any process. Data and information is furnished without warranty expressed or implied, nor does Candle Supply Pty Ltd, assume responsibility for use or reliance upon this data.

This SDS is current to the date listed above. However, the GHS classifications may change due to hazard communication updates by the overseeing governing body. For the most current SDS information please contact customerservice @candlesupply.com.au

5/16/2017 EN (English US) 10/10