

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 12/30/2014 Revision date: 6/15/2017

SECTION 1: Identification of the	e substance/mixture and of the company/undertaking
1.1. Product identifier	
Product form	: Mixture
Trade name	: FIG & MELON
Type of product	: Perfumes, Fragrances
Product group	: Finished Good
1.2. Relevant identified uses of the	e substance or mixture and uses advised against
1.2.1. Relevant identified uses	
Main use category	: Industrial use, Professional use
Industrial/Professional use spec	: For professional use only
Use of the substance/mixture	: Perfumes, Fragrances
Function or use category	: Odour agents
1.2.2. Uses advised against	
No additional information available	
1.3. Details of the supplier of the s	afety data sheet
Candle Supply Pty Ltd Unit 3 8-9 Lagana Place	
Wetherill Park, NSW 2164	
ABN: 70612899626	
Phone Number: 02 8741 4000 e-mail: customerservice@candlesupply.co	
1.4. Emergency telephone number	
Emergency number	: 13 11 26
SECTION 2: Hazards identificat	ion
elerion 2. nazar de la entineat	
2.1 Classification of the substance	e or mixture
2.1. Classification of the substanc	
Classification according to Regulation	
Classification according to Regulation Skin sensitization, Category H317 1 Hazardous to the aquatic H411	
Classification according to Regulation Skin sensitization, Category H317 1 Hazardous to the aquatic H411 environment - Chronic	
Classification according to Regulation Skin sensitization, Category H317 1 Hazardous to the aquatic H411	
Classification according to Regulation Skin sensitization, Category H317 1 Hazardous to the aquatic H411 environment - Chronic	
Classification according to Regulation Skin sensitization, Category H317 1 Hazardous to the aquatic H411 environment - Chronic	(EC) No. 1272/2008 [CLP]
Classification according to Regulation Skin sensitization, Category H317 1 Hazardous to the aquatic H411 environment - Chronic Hazard Category 2	(EC) No. 1272/2008 [CLP]
Classification according to Regulation Skin sensitization, Category H317 1 Hazardous to the aquatic H411 environment - Chronic Hazard Category 2 Full text of hazard classes and H-statemen	(EC) No. 1272/2008 [CLP] hts : see section 16
Classification according to Regulation Skin sensitization, Category H317 Hazardous to the aquatic H411 environment - Chronic Hazard Category 2 Full text of hazard classes and H-statement Adverse physicochemical, human healt	(EC) No. 1272/2008 [CLP] hts : see section 16 th and environmental effects
Classification according to Regulation Skin sensitization, Category H317 1 Hazardous to the aquatic H411 environment - Chronic Hazard Category 2 Full text of hazard classes and H-statemen	(EC) No. 1272/2008 [CLP] hts : see section 16 th and environmental effects
Classification according to Regulation Skin sensitization, Category H317 Hazardous to the aquatic H411 environment - Chronic Hazard Category 2 Full text of hazard classes and H-statement Adverse physicochemical, human healt	(EC) No. 1272/2008 [CLP] hts : see section 16 th and environmental effects
Classification according to Regulation Skin sensitization, Category H317 1 Hazardous to the aquatic H411 environment - Chronic Hazard Category 2 Full text of hazard classes and H-statement Adverse physicochemical, human healt Toxic to aquatic life with long lasting effect	(EC) No. 1272/2008 [CLP] hts : see section 16 th and environmental effects is. May cause an allergic skin reaction.
Classification according to Regulation Skin sensitization, Category Hazardous to the aquatic H411 environment - Chronic Hazard Category 2 Full text of hazard classes and H-statement Adverse physicochemical, human health Toxic to aquatic life with long lasting effect 2.2. Label elements	(EC) No. 1272/2008 [CLP] hts : see section 16 th and environmental effects is. May cause an allergic skin reaction.
Classification according to Regulation Skin sensitization, Category H317 Hazardous to the aquatic H411 environment - Chronic Hazard Category 2 Full text of hazard classes and H-statement Adverse physicochemical, human healt Toxic to aquatic life with long lasting effect 2.2. Label elements Labeling according to Regulation (EC)	(EC) No. 1272/2008 [CLP] hts : see section 16 th and environmental effects is. May cause an allergic skin reaction.
Classification according to Regulation Skin sensitization, Category H317 Hazardous to the aquatic H411 environment - Chronic Hazard Category 2 Full text of hazard classes and H-statement Adverse physicochemical, human healt Toxic to aquatic life with long lasting effect 2.2. Label elements Labeling according to Regulation (EC)	(EC) No. 1272/2008 [CLP] hts : see section 16 th and environmental effects is. May cause an allergic skin reaction.
Classification according to Regulation Skin sensitization, Category H317 Hazardous to the aquatic H411 environment - Chronic Hazard Category 2 Full text of hazard classes and H-statement Adverse physicochemical, human healt Toxic to aquatic life with long lasting effect 2.2. Label elements Labeling according to Regulation (EC)	(EC) No. 1272/2008 [CLP] hts : see section 16 th and environmental effects is. May cause an allergic skin reaction.
Classification according to Regulation Skin sensitization, Category H317 Hazardous to the aquatic H411 environment - Chronic Hazard Category 2 Full text of hazard classes and H-statement Adverse physicochemical, human healt Toxic to aquatic life with long lasting effect 2.2. Label elements Labeling according to Regulation (EC)	(EC) No. 1272/2008 [CLP] hts : see section 16 th and environmental effects s. May cause an allergic skin reaction. No. 1272/2008 [CLP] : : : : : : : : : : : : :
Classification according to Regulation Skin sensitization, Category H317 Hazardous to the aquatic H411 environment - Chronic Hazard Category 2 Full text of hazard classes and H-statement Adverse physicochemical, human healt Toxic to aquatic life with long lasting effect 2.2. Label elements Labeling according to Regulation (EC) H Hazard pictograms (CLP)	(EC) No. 1272/2008 [CLP] The second
Classification according to Regulation Skin sensitization, Category H317 Hazardous to the aquatic H411 environment - Chronic Hazard Category 2 Full text of hazard classes and H-statement Adverse physicochemical, human healt Toxic to aquatic life with long lasting effect 2.2. Label elements Labeling according to Regulation (EC) H Hazard pictograms (CLP) Signal word (CLP)	(EC) No. 1272/2008 [CLP] hts : see section 16 th and environmental effects s. May cause an allergic skin reaction. No. 1272/2008 [CLP] : : : : : : : : : : : : :
Classification according to Regulation Skin sensitization, Category H317 1 Hazardous to the aquatic H411 environment - Chronic Hazard Category 2 Full text of hazard classes and H-statement Adverse physicochemical, human healt Toxic to aquatic life with long lasting effect 2.2. Label elements Labeling according to Regulation (EC) I Hazard pictograms (CLP) Signal word (CLP) Hazardous ingredients	(EC) No. 1272/2008 [CLP] hts : see section 16 th and environmental effects s. May cause an allergic skin reaction. No. 1272/2008 [CLP] : : : : : : : : : : : : :
Classification according to Regulation Skin sensitization, Category H317 Hazardous to the aquatic H411 environment - Chronic Hazard Category 2 Full text of hazard classes and H-statement Adverse physicochemical, human healt Toxic to aquatic life with long lasting effect 2.2. Label elements Labeling according to Regulation (EC) H Hazard pictograms (CLP) Signal word (CLP)	(EC) No. 1272/2008 [CLP] hts : see section 16 th and environmental effects s. May cause an allergic skin reaction. No. 1272/2008 [CLP] : : : : : : : : : : : : :
Classification according to Regulation Skin sensitization, Category H317 Hazardous to the aquatic H411 environment - Chronic Hazard Category 2 Full text of hazard classes and H-statement Adverse physicochemical, human healt Toxic to aquatic life with long lasting effect 2.2. Label elements Labeling according to Regulation (EC) H Hazard pictograms (CLP) Signal word (CLP) Hazardous ingredients	(EC) No. 1272/2008 [CLP] hts : see section 16 th and environmental effects s. May cause an allergic skin reaction. No. 1272/2008 [CLP] : : : : : : : : : : : : :

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

2.3. Other hazards

No additional information available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Directive 67/548/EEC	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Aldehyde C-14	(CAS No) 104-67-6 (EC-No.) 203-225-4	3.5743 - 15.1043	Not classified	Aquatic Chronic 3, H412
Linalool	(CAS No) 78-70-6 (EC-No.) 201-134-4	0.8618 - 3.6418	Not classified	Eye Irrit. 2, H319 Skin Irrit. 2, H315
Benzyl benzoate	(CAS No) 120-51-4 (EC-No.) 204-402-9 (EC index no) 607-085-00-9	0.8029 - 3.3929	Xn; R22 N; R51/53	Acute Tox. 4 (Oral), H302 Aquatic Chronic 2, H411
Coumarin crystals	(CAS No) 91-64-5 (EC-No.) 202-086-7	0.62 - 2.62	Xn; R22 R43	Acute Tox. 4 (Oral), H302 Skin Sens. 1B, H317
Veltol plus crystals	(CAS No) 4940-11-8 (EC-No.) 225-582-5	0.62 - 2.62	Xn; R22	Acute Tox. 4 (Oral), H302
HEXAMETHYLINDANOPYRAN	(CAS No) 1222-05-5 (EC-No.) 214-946-9 (EC index no) 603-212-00-7	0.62 - 2.62	N; R50/53	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Isobutyric acid	(CAS No) 79-31-2 (EC-No.) 201-195-7 (EC index no) 607-063-00-9	0.4061 - 1.7161	Xn; R21/22	Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Oral), H302
Ethyl vanillin crystals	(CAS No) 121-32-4 (EC-No.) 204-464-7	0.31 - 1.31	Not classified	Eye Irrit. 2, H319
Cyclamal	(CAS No) 103-95-7 (EC-No.) 203-161-7	0.31 - 1.31	Not classified	Aquatic Chronic 3, H412 Skin Irrit. 2, H315 Skin Sens. 1B, H317
Hexyl acetate	(CAS No) 142-92-7 (EC-No.) 205-572-7	0.31 - 1.31	N; R51/53 R10	Flam. Liq. 3, H226

Allergen report available upon request.

Full text of R- and H- phrases: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Allow victim to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash with plenty of soap and water. If skin irritation or rash occurs: Get immediate medical advice/attention. Get medical advice/attention. Specific treatment (see Call a physician immediately on this label). Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison center/doctor/physician if you feel unwell.
4.2. Most important symptoms and effect	cts, both acute and delayed
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after inhalation	: May cause an allergic skin reaction.
Symptoms/effects after skin contact	: May cause an allergic skin reaction.
4.3. Indication of any immediate medica	I attention and special treatment needed

Treat symptomatically.

Safety Data Sheet

SECTION 5: Firefighting measures	
5.1. Extinguishing media	· Cond Water control Dr. noutles From Control districts
Suitable extinguishing media	: Sand. Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the sul	
Fire hazard	: Combustible liquid.
Explosion hazard	: May form flammable/explosive vapor-air mixture.
Hazardous decomposition products in case of fire	: Toxic fumes may be released.
5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
SECTION 6: Accidental release meas	sures
6.1. Personal precautions, protective eq	uipment and emergency procedures
General measures	: Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.
6.1.1. For non-emergency personnel	
Emergency procedures	: Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Ventilate area.
6.2. Environmental precautions	
	to sewers and public waters. Notify authorities if liquid enters sewers or public waters.
6.3. Methods and material for containme	ent and cleaning up
For containment	: Collect spillage.
Methods for cleaning up	: Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	
See Heading 8. Exposure controls and personal	protection. For further information refer to section 13.
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Handle empty containers with care because residual vapors are flammable. Keep away from Keep away from heat, sparks and flame No smoking.
Precautions for safe handling	: Ensure good ventilation of the work station. Wear personal protective equipment. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. No open flames. No smoking. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.
7.2. Conditions for safe storage, includir	ng any incompatibilities
Fechnical measures	: Proper grounding procedures to avoid static electricity should be followed.
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use. Keep in fireproof place. Store in a well-ventilated place. Kee cool.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight. Heat sources.
Storage temperature	: 25 °C
otorage temperature	
Storage area	: Store in a well-ventilated place. Store away from heat.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Special rules on packaging	: Store in a closed container.	
Packaging materials	: Do not store in corrodable metal	al.
7.3. Specific end use(s)		
No additional information available		
SECTION 8: Exposure controls/personal protection		
8.1. Control parameters		
Benzyl benzoate (120-51-4)		
USA - NIOSH	NIOSH REL (TWA) (mg/m ³)	<=

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station.
Personal protective equipment	: Avoid all unnecessary exposure.
Hand protection	: Wear protective gloves
Eye protection	: Chemical goggles or safety glasses. Safety glasses
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: Wear appropriate mask
Environmental exposure controls	: Avoid release to the environment.
Other information	: Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

SECTION 9: Physical and chemical properties			
9.1. Information on basic physical and chemical properties			
Physical state	: Liquid		
Color	: light yellow. amber.		
Odor	: Fruity.		
Odor threshold	: No data available		
рН	: No data available		
Relative evaporation rate (butyl acetate=1)	: No data available		
Melting point	: Not applicable		
Freezing point	: No data available		
Boiling point	: No data available		
Flash point	: 75 °C (closed cup) ASTM D7094		
Auto-ignition temperature	: No data available		
Decomposition temperature	: No data available		
Flammability (solid, gas)	: Combustible liquid,Non flammable		
Vapor pressure	: No data available		
Relative vapor density at 20 °C	: No data available		
Relative density	: ≈ 1.15		
Solubility	: No data available		
Log Pow	: No data available		
Viscosity, kinematic	: No data available		
Viscosity, dynamic	: No data available		
Explosive properties	: No data available		
Oxidizing properties	: No data available		
Explosion limits	: No data available		

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Combustible liquid. May form flammable/explosive vapor-air mixture. Not established.

Safety Data Sheet

10.3. Possibility of hazardous reactions		
Not established.		
10.4. Conditions to avoid		
Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Heat. Sparks.		
10.5. Incompatible materials		
Strong acids. Strong bases.		
10.6. Hazardous decomposition products		
fume. Carbon monoxide. Carbon dioxide. May re	elease flammable gases.	
SECTION 11: Toxicological information	tion	
11.1. Information on toxicological effects		
Acute toxicity	: Not classified	
Skin corrosion/irritation	: Not classified	
Additional information	: Based on available data, the classification criteria are not met	
Serious eye damage/irritation	: Not classified	
Additional information	: Based on available data, the classification criteria are not met	
Respiratory or skin sensitization	: May cause an allergic skin reaction.	
Germ cell mutagenicity	: Not classified	
	Based on available data, the classification criteria are not met	
Carcinogenicity	: Not classified	
Additional information	: Based on available data, the classification criteria are not met	
Reproductive toxicity	: Not classified	
Additional information	: Based on available data, the classification criteria are not met	
Specific target organ toxicity - single exposure	: Not classified	
Additional information	: Based on available data, the classification criteria are not met	
Specific target organ toxicity – repeated exposure	: Not classified	
Additional information	: Based on available data, the classification criteria are not met	
Aspiration hazard	: Not classified	
Additional information	: Based on available data, the classification criteria are not met	
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.	

SECTION 12: Ecological information	n
12.1. Toxicity	
Ecology - general	: Toxic to aquatic life with long lasting effects.
Ecology - water	: Toxic to aquatic life with long lasting effects.

12.2. Persistence and degradability			
Fig & Melon #6066F			
Persistence and degradability	May cause long-term adverse effects in the environment. Not established.		
12.3. Bioaccumulative potential			
Fig & Melon #6066F			
Bioaccumulative potential	Not established.		
12.4. Mobility in soil			
No additional information available			
12.5. Results of PBT and vPvB assessment			
No additional information available			
12.6. Other adverse effects			
Additional information :	Avoid release to the environment		
SECTION 13: Disposal considerations			
13.1. Waste treatment methods			
6/15/2017	EN (English US) 5/10		

FIG: t&tMELtON

Safety Data Sheet

Safety Data Sheet

Product/Packaging disposal recommendations	Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container in accordance with local/national laws and regulations.
Additional information	: Handle empty containers with care because residual vapors are flammable.
Ecology - waste materials	: Avoid release to the environment.
Ecology - waste matchais	
SECTION 14: Transport information	
In accordance with ADR / RID / IMDG / IATA / AI	ON
14.1. UN number	
UN-No. (ADR)	: 3082
UN-No. (IMDG)	: 3082
UN-No. (IATA)	: 3082
UN-No. (ADN)	: 3082
UN-No. (RID)	: 3082
14.2. UN proper shipping name	
Proper Shipping Name (ADR)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Proper Shipping Name (IMDG)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Proper Shipping Name (IATA)	: Environmentally hazardous substance, liquid, n.o.s.
Proper Shipping Name (ADN)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Proper Shipping Name (RID)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Transport document description (ADR)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HEXAMETHYLINDANOPYRAN), 9, III, (E)
Transport document description (IMDG)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HEXAMETHYLINDANOPYRAN), 9, III, MARINE POLLUTANT
Transport document description (IATA)	: UN 3082 Environmentally hazardous substance, liquid, n.o.s. (HEXAMETHYLINDANOPYRAN), 9, III
Transport document description (ADN)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III
Transport document description (RID)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III
14.3. Transport hazard class(es)	
ADR	
Transport hazard class(es) (ADR)	: 9
Hazard labels (ADR)	: 9
IMDG	
Transport hazard class(es) (IMDG)	: 9
Hazard labels (IMDG)	: 9



ΙΑΤΑ

Transport hazard class(es) (IATA) Hazard labels (IATA)

ADN Transport hazard class(es) (ADN) : 9

: 9

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

: 9

: 9

Hazard labels (ADN)



RID

Transport hazard class(es) (RID) Hazard labels (RID)



14.4. Packing group	
Packing group (ADR)	: 111
Packing group (IMDG)	: III
Packing group (IATA)	: 111
Packing group (ADN)	: III
Packing group (RID)	: 111
14.5. Environmental hazards	
Dangerous for the environment	: Yes
Marine pollutant	: Yes
Other information	: No supplementary information available

14.6. Special precautions for user	
- Overland transport	
Classification code (ADR)	: M6
Special provision (ADR)	: 274, 335, 601, 375
Limited quantities (ADR)	: 51
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P001, IBC03, LP01, R001
Special packing provisions (ADR)	: PP1
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T4
Portable tank and bulk container special provisions (ADR)	: TP1, TP29
Tank code (ADR)	: LGBV
Vehicle for tank carriage	: AT
Transport category (ADR)	: 3
Special provisions for carriage - Packages (ADR)	: V12
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV13
Hazard identification number (Kemler No.)	: 90
Orange plates	90 3082
Tunnel restriction code (ADR)	: E
EAC	: •3Z
- Transport by sea	
Special provision (IMDG)	: 274, 335, 969
6/15/2017	EN (English US)

FIG^d & MEMON

Safety Data Sheet

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

according to Regulation (EC) No. 1907/2006 (REACH) w	
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P001, LP01
Packing provisions (IMDG)	: PP1
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP2, TP29
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	S-F
Stowage category (IMDG)	: A
- Air transport	
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y964
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 964
PCA max net quantity (IATA)	: 450L
CAO packing instructions (IATA)	: 964
CAO max net quantity (IATA)	: 450L
Special provision (IATA)	: A97, A158, A197
ERG code (IATA)	: 9L
- Inland waterway transport	
Classification code (ADN)	: M6
Special provision (ADN)	: 274, 335, 375, 601
Limited quantities (ADN)	: 5L
Excepted quantities (ADN)	: E1
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP
Number of blue cones/lights (ADN)	: 0
- Rail transport	
Classification code (RID)	: M6
Special provision (RID)	: 274, 335, 375, 601
Limited quantities (RID)	: 5L
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P001, IBC03, LP01, R001
Special packing provisions (RID)	: PP1
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T4
Portable tank and bulk container special provisions (RID)	: TP1, TP29
Tank codes for RID tanks (RID)	: LGBV
Transport category (RID)	: 3
Special provisions for carriage – Packages	: W12
(RID)	
Special provisions for carriage - Loading, unloading and handling (RID)	: CW13, CW31
Colis express (express parcels) (RID)	: CE8
Hazard identification number (RID)	: 90
14.7. Transport in bulk according to Ann	ex II of Marpol and the IBC Code
Not applicable	

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

3. Liquid substances or mixtures which are regarded as dangerous in accordance with Directive 1999/45/EC or are fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008	Isobutyric acid - Benzyl benzoate - HEXAMETHYLINDANOPYRAN - Hexyl acetate
3(a) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F	Hexyl acetate
3(b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	Fig & Melon #6066F - Isobutyric acid - Linalool - Benzyl benzoate - Cyclamal
3(c) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	Fig & Melon #6066F - Aldehyde C-14 - Benzyl benzoate - HEXAMETHYLINDANOPYRAN - Cyclamal
40. Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.	Hexyl acetate

Contains no REACH candidate substance

Contains no REACH Annex XIV substances.

15.1.2. National regulations

Germany

VwVwS Annex reference	: Water hazard class (WGK) 2, hazardous to water (Classification according to VwVwS, Annex 4)
12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV	: Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)
Netherlands	
SZW-lijst van kankerverwekkende stoffen	: None of the components are listed
SZW-lijst van mutagene stoffen	: None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding	: None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid	: None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling	: None of the components are listed
Denmark	
Class for fire hazard	: Class III-1
Store unit	: 50 liter
Classification remarks	: Flammable according to the Danish Ministry of Justice; Emergency management guidelines for the storage of flammable liquids must be followed
Recommendations Danish Regulation	: Young people below the age of 18 years are not allowed to use the product
	Pregnant/breastfeeding women working with the product must not be in direct contact with the product
15.2. Chemical safety assessment	

No chemical safety assessment has been carried out

SECTION 16: Other information		
Other information	: None.	
Full text of R-, H- and EUH-phrases:		
Acute Tox. 4 (Dermal)	Acute toxicity (dermal) Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2	
6/15/2017	EN (English US)	11/10

Safety Data Sheet

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Eye Irrit. 2	Serious eye damage/eye irritation Category 2
Flam. Liq. 3	Flammable liquids Category 3
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitization, Category 1
Skin Sens. 1B	Skin sensitization, category 1B
H226	Flammable liquid and vapor
H302	Harmful if swallowed
H312	Harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

SDS EU CLP.

The data contained in this Safety Data Sheet is accurate to the best knowledge of Candle Supply Pty Ltd, applies to the product as supplied Candle Supply Pty Ltd, and does not relate to use in combination with any other material or in any process. Data and information is furnished without warranty expressed or implied, nor does Candle Supply Pty Ltd, assume responsibility for use or reliance upon this data

. This SDS is current to the date listed above. However, the GHS classifications may change due to hazard communication updates by the overseeing governing body. For the most current SDS information please contact customerservice@candlesupply.com.au