

Safety Data Sheet

according to the Model Work Health and Safety Regulations Issue date: 4/28/2021

SECTION 1: Product identifier

1.1. Product identifier

Product form : Mixture
Product name : Fresh Pear

1.2. Other means of identification

No additional information available

1.3. Recommended use of the chemical and restrictions on use

Recommended use : Perfumes, Fragrances

1.4. Supplier's details

Candle Supply Pty Ltd Unit 3 8-9 Lagana Place Wetherill Park, NSW 2164 ABN: 70612899626

Phone Number: 02 8741 4000

e-mail: customerservice@candlesupply.com.au

1.5. Emergency phone number

In an emergency call: 13 11 26

SECTION 2: Hazards identification

2.1. Classification of the hazardous chemical

Classification according to the model Work Health and Safety Regulations (WHS Regulations)

Flammable liquids, Category 4 H227
Skin corrosion/irritation, Category 2 H315
Serious eye damage/eye irritation, Category 2A H319
Skin sensitisation, Category 1 H317

2.2. Label elements

Hazard statements (GHS AU)

Hazard pictograms (GHS AU)



Exclamation

mark

Signal word (GHS AU) : Warning

Contains : Geranyl acetate (3.3 – 6.6 %); Eugenol (2.75 – 5.5 %); Cinnamic aldehyde (2.75 – 5.5 %);

d-Limonene (0.9 – 1.8 %); Heliotropine crystals (0.5 – 1 %); Butylphenyl methylpropional

(0.2 – 0.4 %); Triplal (Vertocitral) (0.2 – 0.4 %); Coumarin crystals (0.1 – 0.2 %)

: H227 - Combustible liquid

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction H319 - Causes serious eye irritation

Precautionary statements (GHS AU) : P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P264 - Wash hands thoroughly after handling

P272 - Contaminated work clothing should not be allowed out of the workplace.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P332+P313 - If skin irritation occurs: Get medical advice/attention.
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

4/28/2021 (Issue date) EN (English US) 1/10

Safety Data Sheet

according to the Model Work Health and Safety Regulations

P337+P313 - If eye irritation persists: Get medical advice/attention.

P370+P378 - In case of fire: Use appropriate media to extinguish

P403+P235 - Store in a well-ventilated place. Keep cool.

P501 - Dispose of contents/container in accordance with local/national laws and regulations

2.3. Other hazards

No additional information available

SECTION 3: Composition/Information on ingredients

Name	CAS-No.	%	Classification according to the model Work Health and Safety Regulations (WHS Regulations)
Geranyl acetate	105-87-3	3.3 – 6.6	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 3, H412
Eugenol	97-53-0	2.75 – 5.5	Acute Tox. 4 (Oral), H302 Eye Irrit. 2A, H319 Skin Sens. 1B, H317
Cinnamic aldehyde	104-55-2	2.75 – 5.5	Acute Tox. 5 (Oral), H303 Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317
d-Limonene	5989-27-5	0.9 – 1.8	Flam. Liq. 3, H226 Acute Tox. 5 (Oral), H303 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Heliotropine crystals	120-57-0	0.5 – 1	Acute Tox. 5 (Oral), H303 Skin Sens. 1B, H317
Butylphenyl methylpropional	80-54-6	0.2 – 0.4	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Repr. 2, H361 Aquatic Chronic 2, H411
Triplal (Vertocitral)	68039-49-6	0.2 – 0.4	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412
Coumarin crystals	91-64-5	0.1 – 0.2	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Other substances (not contributing to the classification of this product)	-	78.6 – 89.3	-

Safety Data Sheet

according to the Model Work Health and Safety Regulations

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). IF exposed or concerned: Get medical

advice/attention.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Allow affected person to

breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical

advice/attention. Specific treatment (see supplemental first aid instruction on this label). Wash contaminated clothing before reuse. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation occurs: Get medical advice/attention. Wash skin with plenty of water. Take off contaminated

clothing. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : If eye irritation persists: Get medical advice/attention. Rinse immediately with plenty of

water. Obtain medical attention if pain, blinking or redness persists. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing. If eye irritation persists: Get medical advice/attention.

: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison

center/doctor/physician if you feel unwell.

4.2. Symptoms caused by exposure

First-aid measures after ingestion

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after inhalation : May cause an allergic skin reaction.

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction. Symptoms/effects after eye contact : Causes serious eye irritation. Eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Other medical advice or treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Sand. Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Combustible liquid.

Explosion hazard : May form flammable/explosive vapor-air mixture.

General measures : Remove ignition sources. Use special care to avoid static electric charges. No open flames.

No smoking.

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No open flames.

No smoking.

4/28/2021 (Issue date) EN (English US) 3/10

Safety Data Sheet

according to the Model Work Health and Safety Regulations

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. No open flames, no sparks, and

no smoking. Avoid contact with skin and eyes. Avoid breathing

dust/fume/gas/mist/vapors/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew

with proper protection. For further information refer to section 8: "Exposure

controls/personal protection".

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or

diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Notify authorities if product enters sewers or public waters.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapors are flammable. Keep away

from heat/sparks/open flames/hot surfaces. - No smoking.

Precautions for safe handling : Ensure good ventilation of the work station. No open flame

: Ensure good ventilation of the work station. No open flames. No smoking. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protective equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid contact with skin and

eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.

Hygiene measures : Wash hands thoroughly after handling. Wash contaminated clothing before reuse.

Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or

smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed.

Storage conditions : Keep in fireproof place. Keep only in the original container in a cool, well ventilated place

away from : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use. Store in a well-ventilated

place. Keep cool. Store locked up.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Heat sources. Sources of ignition. Direct sunlight.

Storage temperature : 25 °C

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.

Packaging materials : Do not store in corrodable metal.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters - exposure standards

No additional information available

8.2. Monitoring

No additional information available

4/28/2021 (Issue date) EN (English US) 4/10

Safety Data Sheet

according to the Model Work Health and Safety Regulations

8.3. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

8.4. Personal protective equipment

Personal protective equipment : Avoid all unnecessary exposure.

Hand protection : Wear protective gloves.

Eye protection : Chemical goggles or safety glasses. Safety glasses

Skin and body protection : Wear suitable protective clothing

Respiratory protection : Wear appropriate mask. Wear respiratory protection.

Personal protective equipment symbol(s)



Environmental exposure controls : Avoid release to the environment.

Other information : Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

Physical state : Liquid

Appearance : No data available
Color : light yellow,amber
Odor : characteristic
Odor threshold : No data available
pH : No data available
Relative evaporation rate (butyl acetate=1) : No data available

Melting point / Freezing point : Melting point: Not applicable

Boiling point : No data available

Flash point : 65 °C (closed cup) ASTM D7094

Auto-ignition temperature : No data available Flammability (solid, gas) : No data available Vapor pressure : No data available Relative density : No data available Density : Relative density: ≈ 0.95 Solubility : No data available Partition coefficient n-octanol/water (Log Pow) : No data available : No data available Explosive properties : No data available Explosion limits Minimum ignition energy : No data available Fat solubility : No data available

SECTION 10: Stability and reactivity

Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

Chemical stability : Combustible liquid. May form flammable/explosive vapor-air mixture. Not established.

Possibility of hazardous reactions : Not established.

Conditions to avoid : Open flame. Overheating. Direct sunlight. Sparks. Extremely high or low temperatures.

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of

ignition.

Incompatible materials : Strong acids. Strong bases.

Hazardous decomposition products : May release flammable gases. fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Safety Data Sheet

according to the Model Work Health and Safety Regulations

Geranyl acetate (105-87-3)		
LD50 oral rat	6330 mg/kg	
Cinnamic aldehyde (104-55-2)		
LD50 oral rat	2220 mg/kg	
LD50 oral	2200 mg/kg body weight	
LD50 dermal rabbit	1260 mg/kg	
LD50 dermal	1100 mg/kg body weight	
Eugenol (97-53-0)		
LD50 oral rat	1930 mg/kg	
LD50 oral	2500 mg/kg body weight	
d-Limonene (5989-27-5)		
LD50 oral rat	4400 mg/kg	
LD50 dermal rabbit	> 5 g/kg	
Butylphenyl methylpropional (80-54-6)		
LD50 oral rat	1390 mg/kg	
LD50 oral	1390 mg/kg body weight	
LD50 dermal rabbit	> 5000 mg/kg	
LC50 Inhalation - Rat	> 1802 mg/m³ (Exposure time: 4 h)	
Coumarin crystals (91-64-5)		
LD50 oral rat	> 5000 mg/kg	
LD50 oral	500 mg/kg body weight	
LD50 dermal rat	293 mg/kg	
Heliotropine crystals (120-57-0)		
LD50 oral rat	2700 mg/kg	
LD50 oral	2700 mg/kg body weight	
LD50 dermal rat	> 5000 mg/kg	
Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity	Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. Not classified	
Carcinogenicity Reproductive toxicity STOT-single exposure STOT-repeated exposure	Not classifiedNot classifiedNot classifiedNot classified	
Aspiration hazard Potential Adverse human health effects and	Not classifiedBased on available data, the classification criteria are not met	

SECTION 12: Ecological information

According to the National Code of Practice for the Preparation of Material Safety Data Sheets, Environmental classification information is not mandatory. Information relevant for GHS classification is available on request

12.1. Ecotoxicity

symptoms

Ecology - general : Toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Ecology - water : Toxic to aquatic life with long lasting effects.

4/28/2021 (Issue date) EN (English US) 6/10

Safety Data Sheet

according to the Model Work Health and Safety Regulations

Hazardous to the aquatic environment, short-term

: Not classified

Hazardous to the aquatic environment, long-term

: Not classified

(chronic)

Other information : Avoid release to the environment.

Cinnamic aldehyde (104-55-2)		
Partition coefficient n-octanol/water (Log Pow)	2.22 (at 18 °C)	
Eugenol (97-53-0)		
LC50 - Fish [1]	13 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])	
d-Limonene (5989-27-5)		
LC50 - Fish [1]	0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])	
LC50 - Fish [2]	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)	
Butylphenyl methylpropional (80-54-6)		
LC50 - Fish [1]	2.2 – 4.6 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static])	
EC50 - Crustacea [1]	10.7 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
Partition coefficient n-octanol/water (Log Pow)	4.2 (at 24 °C)	
Heliotropine crystals (120-57-0)		
LC50 - Fish [1]	2.5 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [static])	

12.2. Persistence and degradability

Fresh Pear	
Persistence and degradability	May cause long-term adverse effects in the environment. Not established.

12.3. Bioaccumulative potential

Fresh Pear		
Bioaccumulative potential	Not established.	
Cinnamic aldehyde (104-55-2)		
Partition coefficient n-octanol/water (Log Pow)	2.22 (at 18 °C)	
Butylphenyl methylpropional (80-54-6)		
Partition coefficient n-octanol/water (Log Pow)	4.2 (at 24 °C)	

12.4. Mobility in soil

Cinnamic aldehyde (104-55-2)	
Partition coefficient n-octanol/water (Log Pow)	2.22 (at 18 °C)
Butylphenyl methylpropional (80-54-6)	
Partition coefficient n-octanol/water (Log Pow)	4.2 (at 24 °C)

12.5. Other adverse effects

Ozone : Not classified

Other adverse effects : No additional information available

Fresh Pear	
Fluorinated greenhouse gases	False
Geranyl acetate (105-87-3)	
Fluorinated greenhouse gases	False

Safety Data Sheet

according to the Model Work Health and Safety Regulations

Cinnamic aldehyde (104-55-2)		
Fluorinated greenhouse gases	False	
Eugenol (97-53-0)		
Fluorinated greenhouse gases	False	
d-Limonene (5989-27-5)		
Fluorinated greenhouse gases	False	
Triplal (Vertocitral) (68039-49-6)		
Fluorinated greenhouse gases	False	
Butylphenyl methylpropional (80-54-6)		
Fluorinated greenhouse gases	False	
Coumarin crystals (91-64-5)		
Fluorinated greenhouse gases	False	
Heliotropine crystals (120-57-0)		
Fluorinated greenhouse gases	False	

SECTION 13: Disposal considerations

Waste treatment methods

Ecology - waste materials

Additional information

Product/Packaging disposal recommendations

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

: Dispose of contents/container in accordance with local/national laws and regulations. $\label{eq:contents} % \begin{subarray}{ll} \end{subarray} \begin{subarray}{ll} \end{$

Dispose in a safe manner in accordance with local/national regulations.

: Handle empty containers with care because residual vapors are flammable.

: Avoid release to the environment.

SECTION 14: Transport information

14.1. UN number

UN-No. (ADG) : Not applicable UN-No. (IMDG) : Not applicable UN-No. (IATA) : Not applicable

14.2. Proper Shipping Name - Addition

Proper Shipping Name (ADG) : Not applicable
Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable

14.3. Transport hazard class(es)

ADG

Transport hazard class(es) (ADG) : Not applicable

IMDG

Transport hazard class(es) (IMDG) : Not applicable

IATA

Transport hazard class(es) (IATA) : Not applicable

14.4. Packing group

Packing group (ADG) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable

Safety Data Sheet

according to the Model Work Health and Safety Regulations

14.5. Environmental hazards

Marine pollutant : No Dangerous for the environment : No

Other information : No supplementary information available

14.6. Special precautions for user

Specific storage requirement : No data available Shock sensitivity : No data available

14.7. Additional information

Other information : No supplementary information available

Transport by road and rail

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

14.8. Hazchem or Emergency Action Code

Hazchem Code : Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

Australian Inventory of Chemical Substances : All the chemicals contained in this product are listed on the AICS

(AICS) status

15.2. International agreements

No additional information available

SECTION 16: Other information

Other information : None.

Classification	
Flam. Liq. 4	H227
Skin Irrit. 2	H315
Eye Irrit. 2A	H319
Skin Sens. 1	H317

Full text of H-phrases	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal) Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhalation) Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Acute Tox. 5 (Oral)	Acute toxicity (oral) Category 5

Safety Data Sheet

according to the Model Work Health and Safety Regulations

Full text of H-phrases	
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3
Asp. Tox. 1	Aspiration hazard Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Liq. 3	Flammable liquids Category 3
Flam. Liq. 4	Flammable liquids Category 4
Repr. 2	Reproductive toxicity Category 2
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitization, Category 1
Skin Sens. 1B	Skin sensitization, category 1B
H226	Flammable liquid and vapor
H227	Combustible liquid
H301	Toxic if swallowed
H302	Harmful if swallowed
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H311	Toxic in contact with skin
H312	Harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H331	Toxic if inhaled
H361	Suspected of damaging fertility or the unborn child
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

SDS EU CLP.

The data contained in this Safety Data Sheet is accurate to the best knowledge of Candle Supply Pty Ltd, applies to the product as supplied Candle Supply Pty Ltd, and does not relate to use in combination with any other material or in any process. Data and information is furnished without warranty expressed or implied, nor does Candle Supply Pty Ltd, assume responsibility for use or reliance upon this data.

This SDS is current to the date listed above. However, the GHS classifications may change due to hazard communication updates by the overseeing governing body. For the most current SDS information please contact customerservice@candlesupply.com.au