

#### Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations Issue date: 8/24/2022

### 1: Product identifier

### 1.1. GHS Product identifier

Product form : Mixture Trade name Green Mandarin

No additional information available

1.2. Other means of identification

#### 1.3. Recommended use of the chemical and restrictions on use

No additional information available

#### 1.4. Details of manufacturer or importer

Candle Supply Pty Ltd Unit 3 8-9 Lagana Place Wetherill Park, NSW 2164 ABN: 70612899626

Phone Number: 02 8741 4000

e-mail: customerservice@candlesupply.com.au

#### 1.5. Emergency phone number

: 131126 **Emergency number** 

#### **SECTION 2: Hazar identification**

#### 2.1. Classification of the hazardous chemical

#### Classification according to the model Work Health and Safety Regulations (WHS Regulations)

Flammable liquids, Category 4 H227 Skin corrosion/irritation, Category 2 H315 Skin sensitisation, Category 1 H317 Aspiration hazard, Category 1 H304

#### 2.2. GHS Label elements, including precautionary statements

Hazard pictograms (GHS AU)





Exclamation Health hazard

mark

Signal word (GHS AU) : Danger

: Tangerine oil (3.1 – 13.1 %); d-Limonene (1.55 – 6.55 %); Aldehyde C-16 (0.62 – 2.62 %); Contains

Citral (0.4185 – 1.7685 %); Hydratropic aldehyde (0.1 – 1 %); Triplal (Vertocitral) (0.1 – 1 %)

Hazard statements (GHS AU) : H227 - Combustible liquid

H304 - May be fatal if swallowed and enters airways

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

Precautionary statements (GHS AU) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P264 - Wash hands, forearms and face thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

## Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P331 - Do NOT induce vomiting.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P362+P364 - Take off contaminated clothing and wash it before reuse.

P370+P378 - In case of fire: Use media other than water to extinguish.

P403+P235 - Store in a well-ventilated place. Keep cool.

P405 - Store locked up.

P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

#### 2.3. Other hazards which do not result in classification

No additional information available

## **SECTION 3: Composition and information on ingredients**

Name	CAS-No.	%	Classification according to the model Work Health and Safety Regulations (WHS Regulations)
Isopropyl myristate	110-27-0	19.902 – 84.102	Acute Tox. 5 (Dermal), H313
Tangerine oil	8016-85-1	3.1 – 13.1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
d-Limonene	5989-27-5	1.55 – 6.55	Flam. Liq. 3, H226 Acute Tox. 5 (Oral), H303 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304
Aldehyde C-10	112-31-2	1.0385 – 4.3885	Flam. Liq. 4, H227 Acute Tox. 5 (Oral), H303
Aldehyde C-16	77-83-8	0.62 - 2.62	Skin Sens. 1B, H317
Oxypheylon (Raspberry ketone) crystals	5471-51-2	0.4805 – 2.0305	Acute Tox. 4 (Oral), H302
Citral	5392-40-5	0.4185 – 1.7685	Flam. Liq. 4, H227 Acute Tox. 5 (Oral), H303 Acute Tox. 5 (Dermal), H313 Skin Irrit. 2, H315 Skin Sens. 1, H317
Triplal (Vertocitral)	68039-49-6	0.1 – 1	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317
Hydratropic aldehyde	93-53-8	0.1 – 1	Flam. Liq. 4, H227 Acute Tox. 5 (Oral), H303 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Repr. 2, H361
alpha-Ionone	127-41-3	0.1 – 1	Flam. Liq. 4, H227
Aldehyde C-8	124-13-0	0.1 – 1	Flam. Liq. 3, H226 Acute Tox. 5 (Oral), H303 Skin Irrit. 2, H315

#### Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

Name	CAS-No.		Classification according to the model Work Health and Safety Regulations (WHS Regulations)
Benzyl acetate	140-11-4	0.1 – 1	Flam. Liq. 4, H227 Acute Tox. 5 (Oral), H303

#### **SECTION 4: First aid measures**

#### 4.1. Description of necessary first-aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Allow affected person to

breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Wash with plenty of water/.... Wash contaminated clothing before reuse. If skin irritation occurs: Get immediate medical advice/attention. Get medical advice/attention. Specific

treatment (see Wash skin with plenty of water, Call a physician immediately on this label). If skin irritation or rash occurs: Get immediate medical advice/attention. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water

rinse. Wash skin with plenty of water.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persists. Rinse eyes with water as a precaution.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison

center or a doctor if you feel unwell.

#### 4.2. Symptoms caused by exposure

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after inhalation : May cause an allergic skin reaction.

Symptoms/effects after skin contact : Causes skin irritation.

#### 4.3. Medical attention and special treatment

Other medical advice or treatment : Treat symptomatically.

### **SECTION 5: Fire-fighting measures**

### 5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Specific hazards arising from the chemical

Fire hazard : Combustible liquid.

Explosion hazard : May form flammable/explosive vapour-air mixture.

General measures : Remove ignition sources. Use special care to avoid static electric charges. No open flames.

No smoking.

Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

8/24/2022 (Issue date) EN (English) 3/12

#### Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No open flames.

No smoking.

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew

with proper protection. For further information refer to section 8: "Exposure

controls/personal protection".

Emergency procedures : Ventilate area.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

#### 6.3. Methods and materials for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or

diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapours are flammable. Keep away

from Keep away from heat, sparks and flame. No smoking.

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Wash

hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of

vapour. Avoid breathing fume, mist, spray. No open flames. No smoking.

Hygiene measures : Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke

when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed.

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep away

from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use. Keep in fireproof place. Store in a well-ventilated place.

Keep cool.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight. Heat sources.

Storage temperature : 25 °C

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.
Packaging materials : Do not store in corrodable metal.

#### **SECTION 8: Exposure controls and personal protection**

#### 8.1. Control parameters - exposure standards

#### Citral (5392-40-5)

#### **USA - ACGIH - Occupational Exposure Limits**

ACGIH OEL TWA [ppm] 5 ppm (inhalable fraction and vapor)

8/24/2022 (Issue date) EN (English) 4/12

#### Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

Citral (5392-40-5)		
ACGIH chemical category	Not Classifiable as a Human Carcinogen, Skin - potential significant contribution to overall exposure by the cutaneous route, dermal sensitizer	
Benzyl acetate (140-11-4)		
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA [ppm]	10 ppm	
ACGIH chemical category	Not Classifiable as a Human Carcinogen	
China - Occupational Exposure Limits		
Catalogue of Occupational Hazard Factors	Category 3 - Chemicals	

#### 8.2. Biological Monitoring

No additional information available

#### 8.3. Engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

#### 8.4. Individual protection measures, such as personal protective equipment (PPE)

Personal protective equipment : Avoid all unnecessary exposure.

Hand protection : Wear protective gloves.

Eye protection : Chemical goggles or safety glasses. Safety glasses

Skin and body protection : Wear suitable protective clothing

Respiratory protection : Wear appropriate mask

#### Personal protective equipment symbol(s)





Environmental exposure controls : Avoid release to the environment.

Other information : Do not eat, drink or smoke during use.

### SECTION 9: Physical and chemical properties

Physical state : Liquid

Appearance : No data available
Colour : light yellow amber
Odour : characteristic
Odour threshold : No data available
pH : No data available
Relative evaporation rate (butylacetate=1) : No data available

Melting point / Freezing point : Melting point: Not applicable

Boiling point : No data available

Flash point : 75 °C (closed cup) ASTM D7094

Auto-ignition temperature : No data available Flammability (solid, gas) : No data available Vapour pressure : No data available Relative density : No data available Density : No data available : No data available Solubility : No data available Partition coefficient n-octanol/water (Log Pow) Explosive properties : No data available : No data available Explosive limits : No data available Minimum ignition energy Fat solubility : No data available

## Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

## **SECTION 10: Stability and reactivity**

Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

Chemical stability : Combustible liquid. May form flammable/explosive vapour-air mixture. Not established.

Possibility of hazardous reactions : Not established.

Conditions to avoid : Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Heat.

Sparks.

Incompatible materials : Strong acids. Strong bases.

Hazardous decomposition products : fume. Carbon monoxide. Carbon dioxide. May release flammable gases.

## SECTION 11: Toxicological information

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Acute toxicity (inhalation)	: Not classified	
Aldehyde C-10 (112-31-2)		
LD50 oral rat	3730 mg/kg	
LD50 dermal rabbit	5040 mg/kg	
Isopropyl myristate (110-27-0)		
LD50 oral rat	> 10000 mg/kg	
LD50 dermal rabbit	5 g/kg	
LC50 Inhalation - Rat	> 41 mg/l (Exposure time: 1 h)	
Hedione (24851-98-7)		
LD50 oral rat	> 5 g/kg	
LD50 dermal rabbit	> 5000 mg/kg	
LC50 Inhalation - Rat	> 4.93 mg/l/4h	
Aldehyde C-16 (77-83-8)		
LD50 oral rat	5470 mg/kg	
LD50 dermal rat	> 2000 mg/kg	
Oxypheylon (Raspberry ketone) crystals (54	71-51-2)	
LD50 oral rat	1320 mg/kg	
LD50 dermal rat	> 2000 mg/kg	
Citral (5392-40-5)		
LD50 oral rat	4960 mg/kg	
LD50 dermal rabbit	2250 mg/kg	
LD50 dermal	2250 mg/kg bodyweight	
Hydratropic aldehyde (93-53-8)		
LD50 oral rat	2800 mg/kg	
LD50 oral	2800 mg/kg bodyweight	
LD50 dermal rabbit	> 5000 mg/kg	
Aldehyde C-8 (124-13-0)		
LD50 oral rat	4616 mg/kg	
LD50 dermal rabbit	5207 mg/kg	
LC50 Inhalation - Rat	> 4.7 mg/l/4h	

### Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

Benzyl acetate (140-11-4)		
LD50 oral rat	2490 mg/kg	
LD50 oral	2490 mg/kg bodyweight	
LD50 dermal rabbit	> 5000 mg/kg	
Terpinyl acetate (80-26-2)		
LD50 oral rat	5075 mg/kg	
d-Limonene (5989-27-5)		
LD50 oral rat	4400 mg/kg	
LD50 dermal rabbit	> 5 g/kg	

Skin corrosion/irritation : Causes skin irritation.

Serious eye damage/irritation : Not classified

Respiratory or skin sensitisation : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
STOT-single exposure : Not classified
STOT-repeated exposure : Not classified

Aspiration hazard : May be fatal if swallowed and enters airways.

Potential adverse human health effects and : Based on available data, the classification criteria are not met

symptoms

### **SECTION 12: Ecological information**

According to the National Code of Practice for the Preparation of Material Safety Data Sheets, Environmental classification information is not mandatory. Information relevant for GHS classification is available on request

#### 12.1. Ecotoxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse

effects in the environment.

Ecology - water : Toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term : Not classified

Hazardous to the aquatic environment, long-term

(acute)

cute)

(chronic)

: Not classified

Other information : Avoid release to the environment.

Aldehyde C-10 (112-31-2)		
LC50 - Fish [1]	1.45 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static])	
Isopropyl myristate (110-27-0)		
LC50 - Fish [1]	8400 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [semi-static])	
LC50 - Fish [2]	8400 mg/l (Exposure time: 96 h - Species: Brachydanio rerio)	
EC50 - Crustacea [1]	100 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
Hedione (24851-98-7)		
LC50 - Fish [1]	19 mg/l (Exposure time: 96 h - Species: Oryzias latipes [semi-static])	
Aldehyde C-16 (77-83-8)		
LC50 - Fish [1]	4.2 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static])	
Citral (5392-40-5)		
EC50 - Crustacea [1]	7 mg/l (Exposure time: 48 h - Species: Daphnia magna)	

## Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

Terpinyl acetate (80-26-2)	
LC50 - Fish [1]	> 11 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
d-Limonene (5989-27-5)	
LC50 - Fish [1]	0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LC50 - Fish [2]	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)

## 12.2. Persistence and degradability

Green Mandarin	
Persistence and degradability	May cause long-term adverse effects in the environment. Not established.

## 12.3. Bioaccumulative potential

Green Mandarin		
Bioaccumulative potential	Not established.	
Aldehyde C-10 (112-31-2)		
Partition coefficient n-octanol/water (Log Pow)	3.8 (at 35 °C)	
Isopropyl myristate (110-27-0)		
Partition coefficient n-octanol/water (Log Pow)	7.71	
Hedione (24851-98-7)		
Partition coefficient n-octanol/water (Log Pow)	2.93 (at 22 °C (at pH >=6-<=6.7)	
Aldehyde C-16 (77-83-8)		
Partition coefficient n-octanol/water (Log Pow)	2.4 (at 25 °C (cis isomer)	
Oxypheylon (Raspberry ketone) crystals (5471-51-2)		
Partition coefficient n-octanol/water (Log Pow)	1.33 (at 20 °C)	
Citral (5392-40-5)		
Partition coefficient n-octanol/water (Log Pow)	2.76 (at 25 °C)	
Hydratropic aldehyde (93-53-8)		
Partition coefficient n-octanol/water (Log Pow)	1.96 (2-Phenylpropionaldehyde)	
alpha-Ionone (127-41-3)		
Partition coefficient n-octanol/water (Log Pow)	3.896 (at 25 °C (at pH 7.2)	
Aldehyde C-8 (124-13-0)		
Partition coefficient n-octanol/water (Log Pow)	3.5 (at 25 °C)	
Benzyl acetate (140-11-4)		
Partition coefficient n-octanol/water (Log Pow)	1.96 (at 25 °C (at pH 7)	
Terpinyl acetate (80-26-2)		
Partition coefficient n-octanol/water (Log Pow)	4.4 (at 30 °C (at pH 7)	
d-Limonene (5989-27-5)		
Partition coefficient n-octanol/water (Log Pow)	4.38 (at 37 °C (at pH 7.2)	

## 12.4. Mobility in soil

No additional information available

## Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

### 12.5. Other adverse effects

Ozone : Not classified

	Not classified
	No additional information available
Green Mandarin	
Fluorinated greenhouse gases	False
Aldehyde C-10 (112-31-2)	
Fluorinated greenhouse gases	False
Isopropyl myristate (110-27-0)	
Fluorinated greenhouse gases	False
Tangerine oil (8016-85-1)	
Fluorinated greenhouse gases	False
Triplal (Vertocitral) (68039-49-6)	
Fluorinated greenhouse gases	False
Hedione (24851-98-7)	
Fluorinated greenhouse gases	False
Aldehyde C-16 (77-83-8)	
Fluorinated greenhouse gases	False
Oxypheylon (Raspberry ketone) crystals (547	1-51-2)
Fluorinated greenhouse gases	False
Citral (5392-40-5)	
Fluorinated greenhouse gases	False
Hydratropic aldehyde (93-53-8)	
Fluorinated greenhouse gases	False
alpha-lonone (127-41-3)	
Fluorinated greenhouse gases	False
Aldehyde C-8 (124-13-0)	
Fluorinated greenhouse gases	False
Benzyl acetate (140-11-4)	
Fluorinated greenhouse gases	False
Terpinyl acetate (80-26-2)	
Fluorinated greenhouse gases	False
d-Limonene (5989-27-5)	
Fluorinated greenhouse gases	False

## **SECTION 13: Disposal considerations**

Waste treatment methods

Product/Packaging disposal recommendations

Additional information Ecology - waste materials

- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container in accordance with local/national laws and regulations.
- : Handle empty containers with care because residual vapours are flammable.
- : Avoid release to the environment.

## Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

### **SECTION 14: Transport information**

ADG	IMDG	IATA
14.1. UN number		
Not applicable	Not applicable	Not applicable
14.2. UN Proper Shipping Name		
Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)		
Not applicable	Not applicable	Not applicable
14.4. Packing group		
Not applicable	Not applicable	Not applicable
14.5. Environmental hazards		
Not applicable	Not applicable	Not applicable

#### 14.6. Special precautions for user

Specific storage requirement : No data available Shock sensitivity : No data available

#### 14.7. Additional information

Other information : No supplementary information available

#### Transport by road and rail

Not applicable

#### Transport by sea

No data available

#### Air transport

No data available

#### 14.8. Hazchem or Emergency Action Code

Hazchem Code : Not applicable

## SECTION 15: Regulatory information

## 15.1. Safety, health and environmental regulations specific for the product in question

### Australian Industrial Chemicals Introduction Scheme (AICIS)

Australian Inventory of Industrial Chemicals (AICIS : All the chemicals contained in this product are listed introductions Inventory) status

#### 15.2. International agreements

No additional information available

8/24/2022 (Issue date) EN (English) 10/12

## Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

## **SECTION 16: Other information**

Classification	
Flam. Liq. 4	H227
Skin Irrit. 2	H315
Skin Sens. 1	H317
Asp. Tox. 1	H304

Full text of H-statements	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Acute Tox. 5 (Dermal)	Acute toxicity (dermal), Category 5
Acute Tox. 5 (Oral)	Acute toxicity (oral), Category 5
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation, Category 2A
Flam. Liq. 3	Flammable liquids, Category 3
Flam. Liq. 4	Flammable liquids, Category 4
Repr. 2	Reproductive toxicity, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B
H226	Flammable liquid and vapour
H227	Combustible liquid
H302	Harmful if swallowed
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H361	Suspected of damaging fertility or the unborn child
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

Safety Data Sheet (SDS), Australia

## Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

The data contained in this Safety Data Sheet is accurate to the best knowledge of Candle Supply Pty Ltd (Candle Supply) applies to the product as suppliedby Candle Supply. and does not relate to use in combination with any other material or in any process. Data and information is furnished without warranty expressed or implied, nor does Candle Supply assume responsibility for use or reliance upon this data.

This SDS is current to the date listed above. However, the GHS classifications may change due to hazard communication updates by the overseeing governing body. For the most current SDS information please contact <a href="mailto:customerservice@candlesupply.com.au">customerservice@candlesupply.com.au</a>