

HAWIIAN RUBY GUAVA

Version 6

Revision Date 23.12.2012

Print Date 06.03.2013

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Commercial Product Name : HAWIIAN RUBY GUAVA

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Fragrance mix

1.3 Details of the supplier of the safety data sheet

Candle Supply Pty Ltd
Unit 3 8-9 Lagana Place
Wetherill Park, NSW 2164
ABN: 70612899626

Phone Number: 02 8741 4000
e-mail: customerservice@candlesupply.com.au

1.4 Emergency telephone number

13 11 26

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2	H315
Eye irritation, Category 2	H319
Skin sensitization, Category 1	H317
Chronic aquatic toxicity, Category 2	H411

Classification (67/548/EEC, 1999/45/EC)

Xi; R43
N; R51/53

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HAWIIAN RUBY GUAVA

Version 6

Revision Date 23.12.2012

Print Date 06.03.2013

Hazard statements : H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
P273 Avoid release to the environment.
P280 Wear protective gloves/ eye protection/ face protection.
Response:
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P337 + P313 If eye irritation persists: Get medical advice/ attention.

Labelling (67/548/EEC, 1999/45/EC)

Symbol(s) : Xi Irritant
N Dangerous for the environment
R-phrase(s) : R43 May cause sensitization by skin contact.
R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
S-phrase(s) : S24 Avoid contact with skin.
S37 Wear suitable gloves.
S57 Use appropriate container to avoid environmental contamination.
S60 This material and its container must be disposed of as hazardous waste.

2.3 Other hazards

no data available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

no data available

3.2 Mixtures

Hazardous components

Chemical Name	CAS-No. EC-No. Registration number	Classification (67/548/EEC)	Classification (REGULATION (EC) No 1272/2008)	Concentration [%]
cis-2-tert-Butylcyclohexyl acetate	20298-69-5 243-718-1	N R51/53	Aquatic Chronic: 2; H411	>= 20 - < 25
2,6-Dimethyloct-7-en-2-ol	18479-58-8 242-362-4 01-2119457274-37	Xi R38	Eye Irrit.: 2; H319 Skin Irrit.: 2; H315	>= 5 - < 10

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HAWIIAN RUBY GUAVA

Version 6

Revision Date 23.12.2012

Print Date 06.03.2013

Allyl heptanoate ¹⁾	142-19-8 205-527-1 01-2119488961-23-000 0	Xn; N R21/22 R50/53 R48/22	Aquatic Acute: 1; H400 STOT RE: 2 (Oral); H373 Acute Tox.: 4 (Oral); H302 Acute Tox.: 3 (Dermal); H311 M-Factor: 1	>= 1 - < 5
Linalool	78-70-6 201-134-4 01-2119474016-42	Xi R38	Eye Irrit.: 2; H319 Skin Irrit.: 2; H315	>= 1 - < 5
2-Phenylethanol	60-12-8 200-456-2	Xi R36	Eye Irrit.: 2; H319	>= 1 - < 5
3a,4,5,6,7,7a-Hexahydro-4,7-methanoinden-6-yl acetate	5413-60-5 226-501-6 01-2119488219-26	R52/53	Aquatic Chronic: 3; H412	>= 1 - < 5
Nerol	106-25-2 203-378-7	Xi R38	Skin Irrit.: 2; H315 Eye Irrit.: 2; H319	>= 1 - < 5
Citronellol	106-22-9 203-375-0 01-2119453995-23	Xi; N R38 R43 R51/53	Skin Irrit.: 2; H315 Skin Sens.: 1; H317 Eye Irrit.: 2; H319	>= 1 - < 5
Undecan-4-olide	104-67-6 203-225-4	N R51/53	not hazardous	>= 1 - < 5
Geraniol	106-24-1 203-377-1	Xi R38 R41 R43	Skin Sens.: 1; H317 Eye Dam.: 1; H318 Skin Irrit.: 2; H315	>= 1 - < 5
Isopentyl acetate	123-92-2 204-662-3	R10 R66	Flam. Liq.: 3; H226	>= 1 - < 5
2,4-Dimethylcyclohex-3-ene-1-carbaldehyde	68039-49-6 268-264-1	Xi R36/38 R43 R52/53	Skin Irrit.: 2; H315 Eye Irrit.: 2; H319 Skin Sens.: 1; H317 Aquatic Chronic: 3; H412	>= 1 - < 5
2-(4-tert-Butylbenzyl)propionaldehyde	80-54-6 201-289-8 01-2119485965-18	Xn; N R22 R43 R51/53 R62 R38	Aquatic Chronic: 2; H411 Skin Irrit.: 2; H315 Repr.: 2; H361 Acute Tox.: 4 (Oral); H302 Skin Sens.: 1; H317	>= 0,1 - < 1
3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one	127-51-5 204-846-3	Xi; N R43 R51/53	Skin Sens.: 1; H317 Aquatic Chronic: 2; H411	>= 0,1 - < 1
(R)-p-Mentha-1,8-diene	5989-27-5 227-813-5	Xi; N R10 R38 R43 R50/53	Asp. Tox.: 1; H304 Aquatic Chronic: 1; H410 Aquatic Acute: 1; H400 Flam. Liq.: 3; H226 Skin Irrit.: 2; H315 Skin Sens.: 1; H317	>= 0,1 - < 1
Citral	5392-40-5 226-394-6	Xi R38 R43	Eye Irrit.: 2; H319 Skin Irrit.: 2; H315 Skin Sens.: 1; H317	>= 0,1 - < 1
[R-(E)]-1-(2,6,6-Tri-methyl-2-cyclohexen-1-yl)pent-1-en-3-one	127-42-4 204-842-1	Xi; N R43 R51/53	Aquatic Chronic: 2; H411 Skin Sens.: 1; H317 Aquatic Chronic: 2; H411	>= 0,1 - < 1
4-(2,6,6-Trimethylcyclohex-1-ene-1-yl)-but-3-ene-2-one	14901-07-6 238-969-9	N R51/53	Aquatic Chronic: 2; H411	>= 0,1 - < 1

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HAWIIAN RUBY GUAVA

Version 6

Revision Date 23.12.2012

Print Date 06.03.2013

(E)-1-(2,6,6-Trimethyl-2-cyclohexen-1-yl)-2-buten-1-one	24720-09-0 246-430-4	Xn R22 R43	Acute Tox.: 4 (Oral); H302 Skin Sens.: 1; H317	>= 0,1 - < 1
Pentyl salicylate	2050-08-0 218-080-2	N R50/53	Aquatic Acute: 1; H400 Aquatic Chronic: 1; H410	>= 0,1 - < 1
Coumarin	91-64-5 202-086-7	Xn R22 R43	STOT RE: 2; H373 Skin Sens.: 1; H317 Acute Tox.: 4 (Oral); H302	>= 0,1 - < 1

For the full text of the H-Statements mentioned in this Section, see Section 16.

For the full text of the R-phrases mentioned in this Section, see Section 16.

Acute aquatic toxicity: ¹⁾ 0,1 < L(E)C50 <= 1 mg/l

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

- General advice : Move out of dangerous area.
Never give anything by mouth to an unconscious person.
- Inhalation : Move to fresh air.
- Skin contact : Take off all contaminated clothing immediately.
If skin irritation persists, call a physician.
Wash off immediately with plenty of water for at least 15 minutes.
- Eye contact : Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.
Remove contact lenses.
- Ingestion : Clean mouth with water and drink afterwards plenty of water.
Prevent vomiting if possible.
If a person vomits when lying on his back, place him in the recovery position.
Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

no data available

4.3 Indication of any immediate medical attention and special treatment needed

no data available

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

- Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
- Extinguishing media which shall not be used for safety reasons : High volume water jet

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HAWIIAN RUBY GUAVA

Version 6

Revision Date 23.12.2012

Print Date 06.03.2013

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : Do not use a solid water stream as it may scatter and spread fire.
Do not allow run-off from fire fighting to enter drains or water courses.

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

Further information : In the event of fire and/or explosion do not breathe fumes.
Use water spray to cool unopened containers.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Ensure adequate ventilation.
Use personal protective equipment.

6.2 Environmental precautions

Environmental precautions : Should not be released into the environment.
Avoid subsoil penetration.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Wipe up with absorbent material (e.g. cloth, fleece).

Additional advice : Local authorities should be advised if significant spillages cannot be contained.
Suppress (knock down) gases/vapours/mists with a water spray jet.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling : Dispose of rinse water in accordance with local and national regulations.
For personal protection see section 8.

Advice on protection against fire and explosion : When using do not smoke.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HAWIIAN RUBY GUAVA

Version 6

Revision Date 23.12.2012

Print Date 06.03.2013

7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Store in original container.
Keep container tightly closed in a dry and well-ventilated place.
To maintain product quality, do not store in heat or direct sunlight.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
- Advice on common storage : No special restrictions on storage with other products.
- Other data : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Fragrance mix

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters, Germany:

Components	CAS-No.	Control parameters	Update	Basis
Isopentyl acetate	123-92-2	AGW 50 ppm	01 2006	TRGS 900
(R)-p-Mentha-1,8-diene	5989-27-5	AGW 20 ppm	07 2009	TRGS 900

Components with workplace control parameters, United Kingdom:

Components	CAS-No.	Control parameters	Update	Basis
Diethyl phthalate	84-66-2	STEL 10 mg/m ³ TWA 5 mg/m ³	2005 2005	EH40 WEL EH40 WEL
Isopentyl acetate	123-92-2	STEL 100 ppm TWA 50 ppm STEL 100 ppm TWA 50 ppm	2005 2005 2002 2002	EH40 WEL EH40 WEL EH40 OES EH40 OES

Components with workplace control parameters, France:

Components	CAS-No.	Control parameters	Update	Basis
Isopentyl acetate	123-92-2	VLE 100 ppm VME 50 ppm	01 2008 01 2008	INRS (FR) INRS (FR)

8.2 Exposure controls

Engineering measures

none

Personal protective equipment

- Respiratory protection : No personal respiratory protective equipment normally required.
- Hand protection : Wear chemicals-resistant gloves, e.g. safety gloves of chloroprene Level 2 or of butyl rubber Level 6.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HAWIIAN RUBY GUAVA

Version 6

Revision Date 23.12.2012

Print Date 06.03.2013

Eye protection	:	Safety glasses
Skin and body protection	:	Lightweight protective clothing
Hygiene measures	:	Wash hands before breaks and immediately after handling the product.
Protective measures	:	When using, do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance

Form	:	liquid
Colour	:	pale yellow to orange-brown
Odour	:	characteristic

Safety data

Flash point	:	74 °C
Water solubility	:	no data available
Relative density	:	0,9491 - 0,9691 at 20 °C (relation to density of water at 20°C)
Vapour pressure	:	1 kPa at 50 °C (calculated)
Boiling point	:	no data available
Melting point/freezing point	:	no data available
Partition coefficient: n-octanol/water	:	no data available
pH	:	no data available
Viscosity, dynamic	:	no data available
Viscosity, kinematic	:	no data available
Evaporation rate	:	no data available
Flammability (solid, gas)	:	no data available
Ignition temperature	:	no data available
Minimum ignition energy	:	no data available
Auto-ignition temperature	:	no data available
Oxidizing properties	:	no data available
Lower explosion limit	:	no data available
Upper explosion limit	:	no data available
Conductivity	:	no data available
Bulk density	:	no data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HAWIIAN RUBY GUAVA

Version 6

Revision Date 23.12.2012

Print Date 06.03.2013

Solubility/qualitative : no data available
Solubility in other solvents : no data available
Impact Sensitivity : no data available
Burning number : no data available
Relative vapor density : no data available

9.2 Other data

None.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity : no data available
10.2 Chemical stability : no data available
10.3 Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.
10.4 Conditions to avoid : no data available
10.5 Incompatible materials to avoid : no data available
10.6 Hazardous decomposition products : no data available

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute oral toxicity : Acute toxicity estimate : > 5000 mg/kg, Calculation method
Acute inhalation toxicity : no data available
Acute dermal toxicity : Acute toxicity estimate : > 5000 mg/kg, Calculation method
Repeated dose toxicity : no data available
Acute toxicity (other routes of administration) : no data available
Skin irritation : no data available
Eye irritation : no data available
Sensitisation : no data available
Mutagenicity : no data available
Carcinogenicity : no data available
Reproductive toxicity : no data available
Teratogenicity : no data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HAWIIAN RUBY GUAVA

Version 6

Revision Date 23.12.2012

Print Date 06.03.2013

Specific target organ toxicity : no data available
- single exposure

Specific target organ toxicity : no data available
- repeated exposure

Aspiration toxicity : no data available

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

no data available

12.2 Persistence and degradability

no data available

12.3 Bioaccumulative potential

no data available

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

no data available

12.6 Other adverse effects

Toxic to aquatic life with long lasting effects.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product : Where possible recycling is preferred to disposal or incineration.
If recycling is not practicable, dispose of in compliance with local regulations.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.

SECTION 14: TRANSPORT INFORMATION

14.1 UN number

ADR : 3082
RID : 3082
IMDG : 3082
IATA-DGR : 3082

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

894445 PEACH & GUAVE

Version 6

Revision Date 23.12.2012

Print Date 06.03.2013

14.2 Proper shipping name

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ALLYL HEPTANOATE)
RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ALLYL HEPTANOATE)
IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. MP (ALLYL HEPTANOATE, 2-tert-BUTYLCYCLOHEXYL ACETATE)
IATA-DGR : Environmentally hazardous substance, liquid, n.o.s. (ALLYL HEPTANOATE)

14.3 Transport hazard class

ADR : 9
RID : 9
IMDG : 9
IATA-DGR : 9

14.4 Packing group

ADR:
Packaging group : III
Classification Code : M6
Hazard identification No : 90
Labels : 9
Tunnel restriction code : (E)

RID:
Packaging group : III
Classification Code : M6
Hazard identification No : 90
Labels : 9

IMDG:
Packaging group : III
Labels : 9
EmS - EmS : F-A , S-F

IATA-DGR:
Packing instruction (cargo aircraft) : 964
Qty/Pkg (Cargo) : 450,00 L
Packing instruction (passenger aircraft) : 964
Qty/Pkg (Passenger) : 450,00 L
Packaging group : III
Labels : 9MI

14.5 Environmental hazards

ADR:
Environmentally hazardous : yes

RID:
Environmentally hazardous : yes

IMDG:
Marine Pollutant : yes

IATA-DGR:
Environmentally hazardous : yes

14.6 Special precautions for user

no data available

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not applicable

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HAWIIAN RUBY GUAVA

Version 6

Revision Date 23.12.2012

Print Date 06.03.2013

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National legislation

Risk classification according to BetrSichV (Germany) : Flash Point > 55 °C up to 100 °C, at 15 °C not miscible with water

Water contaminating class (Germany) : WGK 3 (highly water endangering)
Calculation acc. Annex 4 to VwVwS

15.2 Chemical Safety Assessment

no data available

SECTION 16: OTHER INFORMATION

Full text of R-phrases referred to under sections 2 and 3:

R10	Flammable.
R21/22	Harmful in contact with skin and if swallowed.
R22	Harmful if swallowed.
R36	Irritating to eyes.
R36/38	Irritating to eyes and skin.
R38	Irritating to skin.
R41	Risk of serious damage to eyes.
R43	May cause sensitization by skin contact.
R48/22	Harmful: danger of serious damage to health by prolonged exposure if swallowed.
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R62	Possible risk of impaired fertility.
R66	Repeated exposure may cause skin dryness or cracking.

Full text of H-Statements referred to under sections 2 and 3.:

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H361	Suspected of damaging fertility or the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

HAWIIAN RUBY GUAVA

Version 6

Revision Date 23.12.2012

Print Date 06.03.2013

Further Information

The data contained in this Safety Data Sheet is accurate to the best knowledge of Candle Supply Pty Ltd, applies to the product as supplied Candle Supply Pty Ltd, and does not relate to use in combination with any other material or in any process. Data and information is furnished without warranty expressed or implied, nor does Candle Supply Pty Ltd, assume responsibility for use or reliance upon this data.

This SDS is current to the date listed above. However, the GHS classifications may change due to hazard communication updates by the overseeing governing body. For the most current SDS information please contact customerservice@candlesupply.com.au