

PATCHOULI MUSK

Version 3

Revision Date 31.10.2011

Print Date 28.02.2013

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Commercial Product Name : PATCHOULI MUSK

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Fragrance

1.3 Details of the supplier of the safety data sheet

Candle Supply Pty Ltd
Unit 3 8-9 Lagana Place
Wetherill Park, NSW 2164
ABN: 70612899626

Phone Number: 02 8741 4000
e-mail: customerservice@candlesupply.com.au

1.4 Emergency telephone number

In an emergency call: 13 11 26

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Aspiration hazard, Category 1	H304
Acute aquatic toxicity, Category 1	H400
Chronic aquatic toxicity, Category 1	H410

Classification (67/548/EEC, 1999/45/EC)

Xn; R65
N; R50/53

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Danger

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

PATCHOULI MUSK

Version 3

Revision Date 31.10.2011

Print Date 28.02.2013

Hazard statements : H304
H410
May be fatal if swallowed and enters airways.
Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
P273
Response:
P301 + P310
P331
P391
Storage:
P405
Disposal:
P501
Avoid release to the environment.
IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician.
Do NOT induce vomiting.
Collect spillage.
Store locked up.
Dispose of contents/ container to an approved waste disposal plant.

Labelling (67/548/EEC, 1999/45/EC)

Symbol(s) : Xn
N
Harmful
Dangerous for the environment

R-phrases : R50/53
R65
Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Harmful: may cause lung damage if swallowed.

S-phrases : S57
S60
S62
Use appropriate container to avoid environmental contamination.
This material and its container must be disposed of as hazardous waste.
If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

2.3 Other hazards

no data available

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

no data available

3.2 Mixtures

Chemical Name	CAS-No. EC-No. Registration number	Classification (67/548/EEC)	Classification (REGULATION (EC) No 1272/2008)	Concentration [%]
Distillates (petroleum), hydrotreated light	64742-47-8 265-149-8	Xn R65	Asp. Tox.: 1; H304	>= 25 - < 50

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

PATCHOULI MUSK

Version 3

Revision Date 31.10.2011
28.02.2013

Print Date

Alkanes, C11-15-iso-	90622-58-5 68551-18-8 68551-20-2 292-460-6 271-367-4 271-370-0	Xn R65	Asp. Tox.: 1; H304	>= 10 - < 20
Benzyl benzoate	120-51-4 204-402-9	Xn; N R22 R51/53	Acute Tox.: 4 (Oral); H302 Aquatic Chronic: 2; H411	>= 10 - < 20
1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran ¹⁾	1222-05-5 214-946-9	N R50/53	Aquatic Acute: 1; H400 Aquatic Chronic: 1; H410	>= 1 - < 5
[3R-(3.alpha.,3a.beta.a.,7.beta.,8a.alpha.)]-2,3,4,7,8,8a-Hexahydro-3,6,8,8-tetramethyl-1H-3a,7-methanoazulene ²⁾	469-61-4 207-418-4	Xn; N R50/53 R65	Asp. Tox.: 1; H304 Aquatic Acute: 1; H400 Aquatic Chronic: 1; H410 M-Factor: 10	>= 1 - < 5
4-tert-Butylcyclohexyl acetate	32210-23-4 250-954-9	N R51/53	Aquatic Chronic: 2; H411	>= 1 - < 5
[3R-(3.alpha.,3a.beta.a.,6.alpha.,7.beta.,8a.alpha.)]-Octahydro-3,6,8,8-tetramethyl-1H-3a,7-methanoazulen-6-ol	77-53-2 201-035-6	N R51/53	Aquatic Chronic: 2; H411	>= 1 - < 5
Linalool	78-70-6 201-134-4	Xi R38	Skin Irrit.: 2; H315	>= 1 - < 5
cis-2-tert-Butylcyclohexyl acetate	20298-69-5 243-718-1	N R51/53	Aquatic Chronic: 2; H411	>= 0,1 - < 1
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl) ethanol-1-one	54464-57-2 915-730-3 01-2119489989-04	N; Xi R38 R43 R51/53	Skin Irrit.: 2; H315 Aquatic Chronic: 2; H411 Skin Sens.: 1; H317	>= 0,1 - < 1
[3R-(3.alpha.,3a.beta.a.,7.beta.,8a.alpha.)]-Octahydro-3,8,8-trimethyl-6-methylene-1H-3a,7-methanoazulene ³⁾	546-28-1 208-898-8	N; Xn R50/53 R65	Aquatic Acute: 1; H400 Aquatic Chronic: 1; H410 Asp. Tox.: 1; H304 M-Factor: 10	>= 0,1 - < 1
[3R-(3.alpha.,3a.beta.a.,7.beta.,8a.alpha.)]-1-(2,3,4,7,8,8a-Hexahydro-3,6,8,8-tetramethyl-1H-3a,7-methanoazulen-5-yl)ethanol-1-one ¹⁾	32388-55-9 251-020-3	Xi; N R43 R50/53	Aquatic Acute: 1; H400 Aquatic Chronic: 1; H410 Skin Sens.: 1; H317 M-Factor: 1	>= 0,1 - < 1
4-(2,6,6-Trimethylcyclohex-1-ene-1-yl)-but-3-ene-2-one	14901-07-6 238-969-9	N R51/53	Aquatic Chronic: 2; H411	>= 0,1 - < 1
1,4-Dioxacycloheptadecane-5,17-dione	105-95-3 203-347-8	N R51/53	Aquatic Chronic: 2; H411	>= 0,1 - < 1

For the full text of the H-Statements mentioned in this Section, see Section 16. For the full text of the R-phrases mentioned in this Section, see Section 16.

Acute aquatic toxicity:

¹⁾ 0,1 < L(E)C50 <= 1 mg/l

²⁾ 0,01 < L(E)C50 <= 0,1 mg/l

³⁾ 0,001 < L(E)C50 <= 0,01 mg/l

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

PATCHOULI MUSK

Version 3

Revision Date 31.10.2011

Print Date 28.02.2013

4. FIRST AID MEASURES

4.1 Description of first aid measures

- | | | |
|----------------|---|--|
| General advice | : | Move out of dangerous area.
Never give anything by mouth to an unconscious person. |
| Inhalation | : | Move to fresh air. |
| Skin contact | : | If symptoms persist, call a physician.
Wash off immediately with soap and plenty of water. |
| Eye contact | : | Immediately flush eye(s) with plenty of water. |
| Ingestion | : | Prevent vomiting if possible.
If a person vomits when lying on his back, place him in the recovery position.
Never give anything by mouth to an unconscious person.
If accidentally swallowed obtain immediate medical attention. |

4.2 Most important symptoms and effects, both acute and delayed

no data available

4.3 Indication of any immediate medical attention and special treatment needed

no data available

5. Firefighting measures

5.1 Extinguishing media

- | | | |
|--|---|--|
| Suitable extinguishing media | : | Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. |
| Extinguishing media which not be used for safety reasons | : | High volume water jet shall |

5.2 Special hazards arising from the substance or mixture

- | | | |
|--------------------------------------|---|---|
| Specific hazards during firefighting | : | Do not use a solid water stream as it may scatter and spread fire.
Do not allow run-off from fire fighting to enter drains or water courses. |
|--------------------------------------|---|---|

5.3 Advice for firefighters

- | | | |
|---|---|--|
| Special protective equipment for firefighters | : | In the event of fire, wear self-contained breathing apparatus. for |
| Further information | : | In the event of fire and/or explosion do not breathe fumes.
Use water spray to cool unopened containers.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains. |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

PATCHOULI MUSK

Version 3

Revision Date 31.10.2011

Print Date 28.02.2013

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Ensure adequate ventilation.
Use personal protective equipment.

6.2 Environmental precautions

Environmental precautions : Should not be released into the environment.
Avoid subsoil penetration.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Wipe up with absorbent material (e.g. cloth, fleece).

Additional advice : Local authorities should be advised if significant spillages cannot be contained.
Suppress (knock down) gases/vapours/mists with a water spray jet.

6.4 Reference to other sections

For personal protection see section 8.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling : Dispose of rinse water in accordance with local and national regulations.
For personal protection see section 8.

Advice on protection against fire and explosion : When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in original container.
Keep container tightly closed in a dry and well-ventilated place.
To maintain product quality, do not store in heat or direct sunlight.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Advice on common storage : No special restrictions on storage with other products.

Other data : No decomposition if stored and applied as directed.

7.3 Specific end uses

Fragrance

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

PATCHOULI MUSK

Version 3

Revision Date 31.10.2011

Print Date 28.02.2013

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters, Germany:

Components	CAS-No.	Control parameters	Update	Basis
Alkanes, C11-15-iso-	90622-58-5 68551-18-8 68551-20-2	AGW 600 mg/m ³	07 2009	TRGS 900

8.2 Exposure controls

Engineering measures

none

Personal protective equipment

- Respiratory protection : No personal respiratory protective equipment normally required.
- Hand protection : Wear chemicals-resistant gloves, e.g. safety gloves of chloroprene Level 2 or of butyl rubber Level 6.
- Eye protection : Safety glasses
- Skin and body protection : Lightweight protective clothing
- Hygiene measures : Wash hands before breaks and immediately after handling the product.
- Protective measures : When using, do not eat, drink or smoke.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance

- Form : liquid
- Colour : yellow to brown
- Odour : characteristic

Safety data

- Flash point : 91 °C
- Water solubility : no data available
- Relative density : 0,8576 - 0,8776 at 20 °C (relation to density of water at 20°C)
- Vapour pressure : < 1 kPa at 50 °C (calculated)
- Boiling point : no data available
- Melting point/freezing point : no data available
- Partition coefficient:
n-octanol/water : no data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

PATCHOULI MUSK

Version 3

Revision Date 31.10.2011

Print Date 28.02.2013

pH	:	no data available
Viscosity, dynamic	:	no data available
Viscosity, kinematic	:	no data available
Evaporation rate	:	no data available
Flammability (solid, gas)	:	no data available
Ignition temperature	:	no data available
Minimum ignition energy	:	no data available
Autoignition temperature	:	no data available
Oxidizing properties	:	no data available
Lower explosion limit	:	no data available
Upper explosion limit	:	no data available
Conductivity	:	no data available
Bulk density	:	no data available
Solubility/qualitative	:	no data available
Solubility in other solvents	:	no data available
Impact Sensitivity	:	no data available
Burning number	:	no data available
Relative vapour density	:	no data available

9.2 Other data

None.

10. STABILITY AND REACTIVITY

10.1 Reactivity	:	no data available
10.2 Chemical stability	:	no data available
10.3 Possibility of hazardous reactions	:	No dangerous reaction known under conditions of normal use.
10.4 Conditions to avoid	:	no data available
10.5 Incompatible materials to avoid	:	no data available
10.6 Hazardous decomposition products	:	no data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

PATCHOULI MUSK

Version 3

Revision Date 31.10.2011

Print Date
28.02.2013

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute oral toxicity	: Acute toxicity estimate : > 5000 mg/kg, Calculation method
Acute inhalation toxicity	: no data available
Acute dermal toxicity	: no data available
Repeated dose toxicity	: no data available
Acute toxicity (other routes of administration)	: no data available
Skin irritation	: no data available
Eye irritation	: no data available
Sensitisation	: no data available
Mutagenicity	: no data available
Carcinogenicity	: no data available
Reproductive toxicity	: no data available
Teratogenicity	: no data available
Specific target organ toxicity - single exposure	: no data available
Specific target organ toxicity - repeated exposure	: no data available
Aspiration toxicity	: no data available

12. ECOLOGICAL INFORMATION

12.1 Toxicity

no data available

12.2 Persistence and degradability

no data available

12.3 Bioaccumulative potential

no data available

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

no data available

12.6 Other adverse effects

Very toxic to aquatic life with long lasting effects.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

PATCHOULI MUSK

Version 3
28.02.2013

Revision Date 31.10.2011

Print Date

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

- Product : Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations.
- Contaminated packaging : Empty remaining contents. Dispose of as unused product.

14. TRANSPORT INFORMATION

14.1 UN number

- ADR : 3082
RID : 3082
IMDG : 3082
IATA-DGR : 3082

14.2 Proper shipping name

- ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HEXAHYDROHEXAMETHYL CYCLOPENTABENZOPYRAN)
RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HEXAHYDROHEXAMETHYL CYCLOPENTABENZOPYRAN)
IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. MP (HEXAHYDROHEXAMETHYL CYCLOPENTABENZOPYRAN, CEDRENE)
IATA-DGR : Environmentally hazardous substance, liquid, n.o.s. (HEXAHYDROHEXAMETHYL CYCLOPENTABENZOPYRAN)

14.3 Transport hazard class

- ADR : 9
RID : 9
IMDG : 9
IATA-DGR : 9

14.4 Packing group

- ADR:
Packaging group : III
Classification Code : M6
Hazard identification No : 90
Labels : 9
Tunnel restriction code : (E)
- RID:
Packaging group : III
Classification Code : M6
Hazard identification No : 90
Labels : 9
- IMDG:
Packaging group : III
Labels : 9
EmS - EmS : F-A, S-F

IATA-DGR:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

PATCHOULI MUSK

Version 3
28.02.2013

Revision Date 31.10.2011

Print Date

Packing instruction (cargo) : 964 aircraft)
Qty/Pkg (Cargo) : 450,00 L
Packing instruction : 964 (passenger aircraft)
Qty/Pkg (Passanger) : 450,00 L
Packaging group : III
Labels : 9MI

14.5 Environmental hazards

ADR:
Environmentally hazardous : yes

RID:
Environmentally hazardous : yes

IMDG:
Marine pollutant : yes

IATA-DGR:
Environmentally hazardous : yes

14.6 Special precautions for user

no data available

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not applicable

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture National legislation

Risk classification according : Flash Point > 55 °C up to 100 °C, at 15 °C not miscible with water to BetrSichV (Germany)

Water contaminating class : WGK 2 (water endangering)
(Germany) Calculation acc. Annex 4 to VwVwS

TA Luft List (Germany) : Type: Organic Substances
portion Class 1:
0,15 %

15.2 Chemical Safety Assessment

no data available

16. OTHER INFORMATION

Full text of R-phrases referred to under sections 2 and 3:

R22 Harmful if swallowed.
R38 Irritating to skin.
R43 May cause sensitization by skin contact.
R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R65 Harmful: may cause lung damage if swallowed.

Full text of H-Statements referred to under sections 2 and 3.:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

PATCHOULI MUSK

Version 3
28.02.2013

Revision Date 31.10.2011

Print Date

H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

Further information

The data contained in this Safety Data Sheet is accurate to the best knowledge of Candle Supply Pty Ltd, applies to the product as supplied Candle Supply Pty Ltd, and does not relate to use in combination with any other material or in any process. Data and information is furnished without warranty expressed or implied, nor does Candle Supply Pty Ltd, assume responsibility for use or reliance upon this data.

This SDS is current to the date listed above. However, the GHS classifications may change due to hazard communication updates by the overseeing governing body. For the most current SDS information please contact customerservice@candlesupply.com.au