

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 7/23/2015 Revision date: 7/6/2017 Supersedes: 7/23/2015 Version: 1.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. **Product identifier**

Product form : Mixture Trade name : Pear Blossom Type of product : Perfumes. Fragrances : Finished Good Product group

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

: Industrial use, Professional use Main use category Industrial/Professional use spec : For professional use only

Industrial

Use of the substance/mixture : Perfumes, Fragrances

Function or use category : Odour agents

#### 1.2.2. Uses advised against

No additional information available

#### Details of the supplier of the safety data sheet

Candle Supply Pty Ltd Unit 3 8-9 Lagana Place Wetherill Park, NSW 2164 ABN: 70612899626

Phone Number: 02 8741 4000

e-mail: customerservice@candlesupply.com.au

#### **Emergency telephone number**

In an emergency call: 13 11 26

#### **SECTION 2: Hazards identification**

#### Classification of the substance or mixture

## Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation H315

Category 2

Serious eye damage/eye

H319

irritation Category 2

Skin sensitization, Category

H317 H411

Hazardous to the aquatic

environment - Chronic Hazard Category 2

Full text of hazard classes and H-statements : see section 16

## Adverse physicochemical, human health and environmental effects

Causes skin irritation. Causes serious eye irritation. Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

#### 2.2. **Label elements**

#### Labeling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07



GHS09

Signal word (CLP) : Warning

Hazardous ingredients : Cinnamic aldehyde; Coumarin crystals; Eugenol; Geranyl acetate; Hexyl cinnamic aldehyde;

Heliotropine crystals; Butylphenyl methylpropional; d-Limonene; Triplal (Vertocitral)

Hazard statements (CLP) : H315 - Causes skin irritation

7/6/2017 EN (English US) 1/13

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

H411 - Toxic to aquatic life with long lasting effects

Precautionary statements (CLP)

: P264 - Wash hands thoroughly after handling

P272 - Contaminated work clothing should not be allowed out of the workplace

P273 - Avoid release to the environment

P280 - Wear eye protection, face protection, protective clothing, protective gloves

P302+P352 - IF ON SKIN: Wash with plenty of water

### 2.3. Other hazards

No additional information available

## **SECTION 3: Composition/Information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Verdox	(CAS No) 88-41-5 (EC-No.) 201-828-7	2.263 - 9.563	Aquatic Chronic 2, H411
Geranyl acetate	(CAS No) 105-87-3 (EC-No.) 203-341-5	2.046 - 8.646	Aquatic Chronic 3, H412 Skin Irrit. 2, H315 Skin Sens. 1B, H317
Cinnamic aldehyde	(CAS No) 104-55-2 (EC-No.) 203-213-9	1.705 - 7.205	Acute Tox. 4 (Dermal), H312 Eye Irrit. 2, H319 Skin Irrit. 2, H315 Skin Sens. 1A, H317
Eugenol	(CAS No) 97-53-0 (EC-No.) 202-589-1	1.705 - 7.205	Eye Irrit. 2, H319 Skin Sens. 1B, H317
Citronellyl acetate (mixed Isomers)	(CAS No) 150-84-5 (EC-No.) 205-775-0	0.744 - 3.144	Aquatic Chronic 2, H411 Skin Irrit. 2, H315
d-Limonene	(CAS No) 5989-27-5 (EC-No.) 227-813-5 (EC index no) 601-029-00-7	0.558 - 2.358	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Aldehyde C-14	(CAS No) 104-67-6 (EC-No.) 203-225-4	0.527 - 2.227	Aquatic Chronic 3, H412
Veltol plus crystals	(CAS No) 4940-11-8 (EC-No.) 225-582-5	0.5146 - 2.1746	Acute Tox. 4 (Oral), H302
Hexyl cinnamic aldehyde	(CAS No) 101-86-0 (EC-No.) 202-983-3	0.434 - 1.834	Skin Sens. 1B, H317 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Ethylene brassylate	(CAS No) 105-95-3 (EC-No.) 203-347-8	0.403 - 1.703	Aquatic Chronic 2, H411
Heliotropine crystals	(CAS No) 120-57-0 (EC-No.) 204-409-7	0.31 - 1.31	Skin Sens. 1B, H317
Butylated hydroxytoluene (BHT) crystals	(CAS No) 128-37-0 (EC-No.) 204-881-4	0.1 - 1	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Coumarin crystals	(CAS No) 91-64-5 (EC-No.) 202-086-7	0.1 - 1	Acute Tox. 4 (Oral), H302 Skin Sens. 1B, H317
Isoamyl acetate substance with a Community workplace exposure limit	(CAS No) 123-92-2 (EC-No.) 204-662-3 (EC index no) 607-130-00-2	0.1 - 1	Flam. Liq. 3, H226
Butylphenyl methylpropional	(CAS No) 80-54-6 (EC-No.) 201-289-8	0.1 - 1	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Repr. 2, H361 Aquatic Chronic 2, H411
Triplal (Vertocitral)	(CAS No) 68039-49-6 (EC-No.) 268-264-1	0.1 - 1	Aquatic Chronic 2, H411 Skin Irrit. 2, H315 Skin Sens. 1B, H317

Allergen report available upon request. Full text of H-phrases: see section 16

7/6/2017 EN (English US) 2/13

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### **SECTION 4: First aid measures**

### **Description of first aid measures**

First-aid measures general

: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation

: Remove person to fresh air and keep comfortable for breathing. Allow victim to breathe fresh

air. Allow the victim to rest.

First-aid measures after skin contact

: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash with plenty of soap and water. If skin irritation or rash occurs: Get immediate medical advice/attention. Get medical advice/attention. Specific treatment (see Wash skin with plenty of water, Call a physician immediately on this label). Wash contaminated clothing before reuse. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eve contact

: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Get medical advice/attention. Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion

: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison center/doctor/physician if you feel unwell.

#### Most important symptoms and effects, both acute and delayed

Symptoms/effects

: Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after inhalation

: May cause an allergic skin reaction.

Symptoms/effects after skin contact Symptoms/effects after eye contact

: Irritation. May cause an allergic skin reaction. : Causes serious eye irritation. Eye irritation.

: Foam. Dry powder. Carbon dioxide. Water spray. Sand.

#### Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5: Firefighting measures**

#### **Extinguishing media** Suitable extinguishing media

Unsuitable extinguishing media : Do not use a heavy water stream.

#### Special hazards arising from the substance or mixture 5.2.

Fire hazard : Combustible liquid.

Explosion hazard : May form flammable/explosive vapor-air mixture.

Hazardous decomposition products in case of

fire

: Toxic fumes may be released.

#### Advice for firefighters

Firefighting instructions

: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting

: Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

# **SECTION 6: Accidental release measures**

#### Personal precautions, protective equipment and emergency procedures

General measures

: Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.

#### 6.1.1. For non-emergency personnel

**Emergency procedures** 

: Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.

#### For emergency responders 6.1.2.

Protective equipment

: Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".

**Emergency procedures** : Ventilate area.

#### **Environmental precautions**

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

# Methods and material for containment and cleaning up

For containment

: Collect spillage.

Methods for cleaning up

: Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

7/6/2017 EN (English US) 3/13

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Other information

: Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Additional hazards when processed

: Handle empty containers with care because residual vapors are flammable. Keep away from Keep away from heat, sparks and flame. - No smoking.

Precautions for safe handling

: Ensure good ventilation of the work station. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Avoid breathing fume, mist, spray. No open flames. No smoking. Avoid contact with skin and eyes. Wear personal protective equipment.

Hygiene measures

: Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures

: Proper grounding procedures to avoid static electricity should be followed.

Storage conditions

: Keep only in the original container in a cool, well ventilated place away from : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use. Keep in fireproof place. Store in a well-ventilated place. Keep cool.

Incompatible products

: Strong bases. Strong acids.

Incompatible materials

: Sources of ignition. Direct sunlight. Heat sources.

Storage temperature

: 25 °C

Storage area

: Store in a well-ventilated place. Store away from heat.

Special rules on packaging Packaging materials Store in a closed container.Do not store in corrodable metal.

#### 7.3. Specific end use(s)

No additional information available

# SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

d-Limonene (5989-27-5)				
Finland	HTP-arvo (8h) (mg/m³)	140 mg/m³		
Finland	HTP-arvo (8h) (ppm)	25 ppm		
Finland	HTP-arvo (15 min)	280 mg/m³		
Finland	HTP-arvo (15 min) (ppm)	50 ppm		
Germany	TRGS 900 Occupational exposure limit value (mg/m³)	28 mg/m³ (The risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)		
Germany	TRGS 900 Occupational exposure limit value (ppm)	5 ppm (The risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)		
Norway	TWA (AN) (mg/m³)	140 mg/m³		
Norway	TWA (AN) (ppm)	25 ppm		
Norway	TWA (Korttidsverdi) (mg/m3)	175 mg/m³ (value calculated)		
Norway	TWA (Korttidsverdi) (ppm)	37.5 ppm (value calculated)		
Switzerland	MAK (mg/m³)	40 mg/m³		
Switzerland	MAK (ppm)	7 ppm		
Switzerland	KZGW (mg/m³)	80 mg/m³		
Switzerland	KZGW (ppm)	14 ppm		
Butylated hydroxytol	Butylated hydroxytoluene (BHT) crystals (128-37-0)			
Austria	MAK (mg/m³)	10 mg/m³		
Belgium	Limit value (mg/m³)	2 mg/m³ (aerosol and vapor)		
Bulgaria	OEL TWA (mg/m³)	10 mg/m³		
Bulgaria	OEL STEL (mg/m³)	50 mg/m³		
Croatia	GVI (granična vrijednost izloženosti) (mg/m³)	10 mg/m³		
Denmark	Limit (long-term) (mg/m³)	10 mg/m³		

7/6/2017 EN (English US) 4/13

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Butylated hydroxytoluene (B	BHT) crystals (128-37-0)	
Finland	HTP-arvo (8h) (mg/m³)	10 mg/m³
Finland	HTP-arvo (15 min)	20 mg/m³
France	VME (mg/m³)	10 mg/m³
Germany	TRGS 900 Occupational exposure limit value (mg/m³)	10 mg/m³ (The risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-inhalable fraction)
Greece	OEL TWA (mg/m³)	10 mg/m³
Ireland	OEL (8 hours ref) (mg/m³)	10 mg/m³
Ireland	OEL (15 min ref) (mg/m3)	30 mg/m³ (calculated)
Portugal	OEL TWA (mg/m³)	2 mg/m³ (inhalable fraction, aerosol and vapor)
Slovenia	OEL TWA (mg/m³)	10 mg/m³ (inhalable fraction)
Spain	VLA-ED (mg/m³)	10 mg/m³
United Kingdom	WEL TWA (mg/m³)	10 mg/m³
United Kingdom	WEL STEL (mg/m³)	30 mg/m³ (calculated)
Switzerland	MAK (mg/m³)	10 mg/m³ (inhalable dust)
Switzerland	KZGW (mg/m³)	40 mg/m³ (inhalable dust)
Australia	TWA (mg/m³)	10 mg/m³
Canada (Quebec)	VECD (mg/m³)	10 mg/m³
USA - ACGIH	ACGIH TWA (mg/m³)	2 mg/m³ (inhalable fraction and vapor)
USA - NIOSH	NIOSH REL (TWA) (mg/m³)	10 mg/m³
Isoamyl acetate (123-92-2)		
EU	IOELV TWA (mg/m³)	270 mg/m³
EU	IOELV TWA (ppm)	50 ppm
EU	IOELV STEL (mg/m³)	540 mg/m³
EU	IOELV STEL (ppm)	100 ppm
Austria	MAK (mg/m³)	270 mg/m³
Austria	MAK (ppm)	50 ppm
Austria	MAK Short time value (mg/m³)	540 mg/m³
Austria	MAK Short time value (ppm)	100 ppm
Belgium	Limit value (mg/m³)	270 mg/m <sup>3</sup>
Belgium	Limit value (ppm)	50 ppm
Belgium	Short time value (mg/m³)	540 mg/m³
Belgium	Short time value (ppm)	100 ppm
Bulgaria	OEL TWA (mg/m³)	270 mg/m³
Bulgaria	OEL TWA (ppm)	50 ppm
Bulgaria	OEL STEL (mg/m³)	540 mg/m³
Bulgaria	OEL STEL (ppm)	100 ppm
Croatia	GVI (granična vrijednost izloženosti) (mg/m³)	270 mg/m³
Croatia	GVI (granična vrijednost izloženosti) (ppm)	50 ppm
Croatia	KGVI (kratkotrajna granična vrijednost izloženosti)(mg/m³)	540 mg/m³
Croatia	KGVI (kratkotrajna granična vrijednost izloženosti) (ppm)	100 ppm
Cyprus	OEL TWA (mg/m³)	270 mg/m <sup>3</sup>
Cyprus	OEL TWA (ppm)	50 ppm
Cyprus	OEL STEL (mg/m³)	540 mg/m³
Cyprus	OEL STEL (ppm)	100 ppm
Denmark	Limit (long-term) (mg/m³)	271 mg/m³
Denmark	Limit (long-term) (ppm)	50 ppm
Estonia	OEL TWA (mg/m³)	270 mg/m³
Estonia	OEL TWA (ppm)	50 ppm
Estonia	OEL STEL (mg/m³)	540 mg/m³
Estonia	OEL STEL (ppm)	100 ppm
Finland	HTP-arvo (8h) (mg/m³)	270 mg/m³
Finland	HTP-arvo (8h) (ppm)	50 ppm

7/6/2017 EN (English US) 5/13

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Isoamyl acetate (123-92-2)		
Finland	HTP-arvo (15 min)	540 mg/m³
Finland	HTP-arvo (15 min) (ppm)	100 ppm
France	VME (mg/m³)	270 mg/m³ (restrictive limit)
France	VME (mg/m²) VME (ppm)	50 ppm (restrictive limit)
France	VLE (mg/m³)	540 mg/m³ (restrictive limit)
France	VLE (ppm)	100 ppm (restrictive limit)
Germany	TRGS 900 Occupational exposure limit value (mg/m³)	270 mg/m <sup>3</sup>
Germany	TRGS 900 Occupational exposure limit value (ppm)	50 ppm
Gibraltar	Eight hours mg/m3	270 mg/m³
Gibraltar	Eight hours ppm	50 ppm
Gibraltar	Short-term mg/m3	540 mg/m³
Gibraltar	Short-term ppm	100 ppm
Greece	OEL TWA (mg/m³)	530 mg/m³
Greece	OEL TWA (ppm)	100 ppm
Greece	OEL STEL (mg/m³)	800 mg/m³
Greece	OEL STEL (ppm)	150 ppm
Hungary	Exposure Limit Value	270 mg/m³
Hungary	CK-érték	540 mg/m³
Ireland	OEL (8 hours ref) (mg/m³)	260 mg/m³
Ireland	OEL (8 hours ref) (ppm)	50 ppm
Ireland	OEL (15 min ref) (mg/m3)	520 mg/m³
Ireland	OEL (15 min ref) (ppm)	100 ppm
Italy	OEL TWA (mg/m³)	270 mg/m³
Italy	OEL TWA (ppm)	50 ppm
Italy	OEL STEL (mg/m³)	540 mg/m³
Italy	OEL STEL (ppm)	100 ppm
Latvia	OEL TWA (mg/m³)	270 mg/m³
Latvia	OEL TWA (ppm)	50 ppm
Lithuania	IPRV (mg/m³)	270 mg/m³
Lithuania	IPRV (ppm)	50 ppm
Lithuania	TPRV (mg/m³)	540 mg/m³
Lithuania	TPRV (ppm)	100 ppm
Luxembourg	OEL TWA (mg/m³)	270 mg/m³
Luxembourg	OEL TWA (ppm)	50 ppm
Luxembourg	OEL STEL (mg/m³)	540 mg/m³
Luxembourg	OEL STEL (ppm)	100 ppm
Malta	OEL TWA (mg/m³)	270 mg/m³
Malta	OEL TWA (ppm)	50 ppm
Malta	OEL STEL (mg/m³)	540 mg/m³
Malta	OEL STEL (ppm)	100 ppm
Netherlands	Grenswaarde TGG 15MIN (mg/m³)	530 mg/m³
Poland Poland	NDS (mg/m³)  NDSCh (mg/m³)	250 mg/m <sup>3</sup> 500 mg/m <sup>3</sup>
	` "	•
Portugal Portugal	OEL TWA (mg/m³) OEL TWA (ppm)	270 mg/m³ (indicative limit value) 50 ppm (indicative limit value)
Portugal	OEL STEL (mg/m³)	540 mg/m³ (indicative limit value)
Portugal	OEL STEL (Ingmi)	100 ppm (indicative limit value, regulated under Pentyl acetate, all isomers)
Romania	OEL TWA (mg/m³)	270 mg/m³
Romania	OEL TWA (ppm)	50 ppm
Romania	OEL STEL (mg/m³)	540 mg/m³
Romania	OEL STEL (ppm)	100 ppm

7/6/2017 EN (English US) 6/13

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Isoamyl acetate (123-92	2-2)	
Slovakia	NPHV (priemerná) (mg/m³)	270 mg/m³
Slovakia	NPHV (priemerná) (ppm)	50 ppm
Slovakia	NPHV (Hraničná) (mg/m³)	540 mg/m³
Slovenia	OEL TWA (mg/m³)	270 mg/m³
Slovenia	OEL TWA (ppm)	50 ppm
Slovenia	OEL STEL (mg/m³)	540 mg/m³
Slovenia	OEL STEL (ppm)	100 ppm
Spain	VLA-ED (mg/m³)	270 mg/m³ (indicative limit value)
Spain	VLA-ED (ppm)	50 ppm (indicative limit value)
Spain	VLA-EC (mg/m³)	540 mg/m³
Spain	VLA-EC (ppm)	100 ppm
Sweden	nivågränsvärde (NVG) (mg/m³)	270 mg/m³
Sweden	nivågränsvärde (NVG) (ppm)	50 ppm
Sweden	kortidsvärde (KTV) (mg/m³)	540 mg/m³
Sweden	kortidsvärde (KTV) (ppm)	100 ppm
Norway	TWA (AN) (mg/m³)	260 mg/m³
Norway	TWA (AN) (ppm)	50 ppm
Norway	TWA (Korttidsverdi) (mg/m3)	325 mg/m³ (value calculated)
Norway	TWA (Korttidsverdi) (ppm)	75 ppm (value calculated)
Australia	TWA (mg/m³)	270 mg/m³
Australia	TWA (ppm)	50 ppm
Australia	STEL (mg/m³)	541 mg/m³
Australia	STEL (ppm)	100 ppm
Canada (Quebec)	VECD (mg/m³)	532 mg/m³
Canada (Quebec)	VECD (ppm)	100 ppm
Canada (Quebec)	VEMP (mg/m³)	266 mg/m³
Canada (Quebec)	VEMP (ppm)	50 ppm
USA - ACGIH	ACGIH TWA (ppm)	50 ppm
USA - ACGIH	ACGIH STEL (ppm)	100 ppm
USA - IDLH	US IDLH (ppm)	1000 ppm
USA - NIOSH	NIOSH REL (TWA) (mg/m³)	525 mg/m³
USA - NIOSH	NIOSH REL (TWA) (ppm)	100 ppm
USA - OSHA	OSHA PEL (TWA) (mg/m³)	525 mg/m³
USA - OSHA	OSHA PEL (TWA) (ppm)	100 ppm

#### 8.2. Exposure controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Personal protective equipment : Avoid all unnecessary exposure.

Hand protection : Wear protective gloves

Eye protection : Chemical goggles or safety glasses. Safety glasses

Skin and body protection : Wear suitable protective clothing

Respiratory protection : Wear appropriate mask

Environmental exposure controls : Avoid release to the environment.

Other information : Do not eat, drink or smoke during use.

# **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Color : light yellow. amber.

7/6/2017 EN (English US) 7/13

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Odor : floral-fruity.
Odor threshold : No data available
pH : No data available
Relative evaporation rate (butyl acetate=1) : No data available
Melting point : No data available
Freezing point : No data available
Boiling point : No data available

Flash point : 70 °C

Auto-ignition temperature : No data available Decomposition temperature : No data available

Flammability (solid, gas) : Combustible liquid, Non flammable

Vapor pressure : No data available Relative vapor density at 20 °C : No data available Relative density : No data available Solubility : No data available : No data available Log Pow Viscosity, kinematic : No data available Viscosity, dynamic : No data available Explosive properties : No data available Oxidizing properties : No data available **Explosion limits** : No data available

#### 9.2. Other information

No additional information available

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Combustible liquid. May form flammable/explosive vapor-air mixture. Not established.

# 10.3. Possibility of hazardous reactions

Not established.

# 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Heat. Sparks.

#### 10.5. Incompatible materials

Strong acids. Strong bases.

#### 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. May release flammable gases.

# **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Acute toxicity : Not classified

Skin corrosion/irritation : Causes skin irritation.

Additional information : Based on available data, the classification criteria are not met

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitization : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified

Based on available data, the classification criteria are not met

Carcinogenicity : Not classified

Additional information : Based on available data, the classification criteria are not met

Reproductive toxicity : Not classified

Additional information : Based on available data, the classification criteria are not met

Specific target organ toxicity – single exposure : Not classified

Additional information : Based on available data, the classification criteria are not met

7/6/2017 EN (English US) 8/13

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Specific target organ toxicity - repeated

exposure

: Not classified

Additional information : Based on available data, the classification criteria are not met

Aspiration hazard : Not classified

Additional information : Based on available data, the classification criteria are not met

Potential Adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects.

Ecology - water : Toxic to aquatic life with long lasting effects.

#### 12.2. Persistence and degradability

Pear Blossor	n	,,	
Persistence a	nd degradability		May cause long-term adverse effects in the environment. Not established.

#### 12.3. Bioaccumulative potential

Pear Blossom	
Bioaccumulative potential	Not established.

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Other adverse effects

Additional information : Avoid release to the environment

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of

contents/container in accordance with local/national laws and regulations.

: Handle empty containers with care because residual vapors are flammable.

Ecology - waste materials : Avoid release to the environment.

## **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

#### 14.1. UN number

Additional information

 UN-No. (ADR)
 : 3082

 UN-No. (IMDG)
 : 3082

 UN-No. (IATA)
 : 3082

 UN-No. (ADN)
 : 3082

 UN-No. (RID)
 : 3082

# 14.2. UN proper shipping name

Proper Shipping Name (ADR) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Proper Shipping Name (IMDG) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Proper Shipping Name (IATA) : Environmentally hazardous substance, liquid, n.o.s.

Proper Shipping Name (ADN) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Proper Shipping Name (RID) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Transport document description (ADR) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (d-Limonene), 9,

III, (E)

Transport document description (IMDG) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (d-Limonene), 9,

III, MARINE POLLUTANT

Transport document description (IATA) : UN 3082 Environmentally hazardous substance, liquid, n.o.s. (d-Limonene), 9, III

Transport document description (ADN) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III

Transport document description (RID) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III

7/6/2017 EN (English US) 9/13

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 14.3. Transport hazard class(es)

## ADR

Transport hazard class(es) (ADR) : 9
Hazard labels (ADR) : 9




#### **IMDG**

Transport hazard class(es) (IMDG) : 9
Hazard labels (IMDG) : 9



#### IATA

Transport hazard class(es) (IATA) : 9
Hazard labels (IATA) : 9



### ADN

Transport hazard class(es) (ADN) : 9
Hazard labels (ADN) : 9



### RID

Transport hazard class(es) (RID) : 9
Hazard labels (RID) : 9



# 14.4. Packing group

Packing group (ADR) : III
Packing group (IMDG) : III
Packing group (IATA) : III
Packing group (ADN) : III
Packing group (RID) : III

## 14.5. Environmental hazards

Dangerous for the environment : Yes
Marine pollutant : Yes

7/6/2017 EN (English US) 10/13

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Other information : No supplementary information available

### 14.6. Special precautions for user

#### - Overland transport

Classification code (ADR) : M6

Special provision (ADR) : 274, 335, 601, 375

Limited quantities (ADR) : 5I Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions : T4

(ADR)
Portable tank and bulk container special

provisions (ADR)

: TP1, TP29

Tank code (ADR) : LGBV
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages : V12

(ADR)

Special provisions for carriage - Loading,

unloading and handling (ADR)

: CV13

7/6/2017 EN (English US) 11/13

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hazard identification number (Kemler No.) : 90

Orange plates



: A

Tunnel restriction code (ADR) : E

#### - Transport by sea

: 274, 335, 969 Special provision (IMDG)

Limited quantities (IMDG) : 5 L : E1 Excepted quantities (IMDG) : P001, LP01 Packing instructions (IMDG) Packing provisions (IMDG) : PP1 : IBC03 IBC packing instructions (IMDG) Tank instructions (IMDG) : T4 Tank special provisions (IMDG) : TP2, TP29 : F-A EmS-No. (Fire) : S-F EmS-No. (Spillage)

#### - Air transport

Stowage category (IMDG)

PCA Excepted quantities (IATA) : E1 PCA Limited quantities (IATA) : Y964 PCA limited quantity max net quantity (IATA) : 30kgG PCA packing instructions (IATA) : 964 PCA max net quantity (IATA) : 450L CAO packing instructions (IATA) : 964 CAO max net quantity (IATA) : 450L

: A97, A158, A197 Special provision (IATA)

ERG code (IATA) : 9L

# - Inland waterway transport

Classification code (ADN) : M6

Special provision (ADN) : 274, 335, 375, 601

Limited quantities (ADN) : 5 L Excepted quantities (ADN) : E1 Carriage permitted (ADN) : T Equipment required (ADN) : PP Number of blue cones/lights (ADN) : 0

#### - Rail transport

Classification code (RID) : M6

: 274, 335, 375, 601 Special provision (RID)

Limited quantities (RID) : 5L Excepted quantities (RID) : E1

: P001, IBC03, LP01, R001 Packing instructions (RID)

Special packing provisions (RID) : PP1 Mixed packing provisions (RID) : MP19 Portable tank and bulk container instructions : T4

Portable tank and bulk container special

provisions (RID)

: TP1, TP29

Tank codes for RID tanks (RID) : LGBV Transport category (RID) : 3 Special provisions for carriage - Packages : W12

(RID) Special provisions for carriage - Loading,

: CW13, CW31

unloading and handling (RID)

Colis express (express parcels) (RID) : CE8

EN (English US) 7/6/2017 12/13

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hazard identification number (RID)

: 90

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

# **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

The following restrictions are applicable according to Allinex XVII of the RE	(O) 11 (O) (10 (O) (10 (O)
3. Liquid substances or mixtures which are regarded as dangerous in accordance with Directive 1999/45/EC or are fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008	Isoamyl acetate - d-Limonene
3(a) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F	Isoamyl acetate - d-Limonene
3(b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	Pear Blossom - Cinnamic aldehyde - Citronellyl acetate (mixed Isomers) - Eugenol - Geranyl acetate - Hexyl cinnamic aldehyde - Butylphenyl methylpropional - d-Limonene - Triplal (Vertocitral)
3(c) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	Pear Blossom - Aldehyde C-14 - Citronellyl acetate (mixed Isomers) - Ethylene brassylate - Geranyl acetate - Hexyl cinnamic aldehyde - Butylphenyl methylpropional - d-Limonene - Triplal (Vertocitral) - Verdox
40. Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.	Isoamyl acetate - d-Limonene

Contains no REACH candidate substance

Contains no REACH Annex XIV substances.

## 15.1.2. National regulations

#### Germany

VwVwS Annex reference

: Water hazard class (WGK) 2, hazardous to water (Classification according to VwVwS, Annex

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV

: Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

#### Netherlands

7/6/2017 EN (English US) 13/13

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SZW-lijst van kankerverwekkende stoffen

SZW-lijst van mutagene stoffen

: Triplal (Vertocitral) is listed : Triplal (Vertocitral) is listed

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen - Borstvoeding

: None of the components are listed

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen - Vruchtbaarheid

: None of the components are listed

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen - Ontwikkeling

: None of the components are listed

#### Denmark

Class for fire hazard : Class III-1 : 50 liter Store unit

Classification remarks : Flammable according to the Danish Ministry of Justice; Emergency management guidelines for

the storage of flammable liquids must be followed

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with the

product

The requirements from the Danish Working Environment Authorities regarding work with

carcinogens must be followed during use and disposal

#### **Chemical safety assessment**

No chemical safety assessment has been carried out

#### **SECTION 16: Other information**

Other information : None

#### Full text of H- and EUH-phrases:

Tall text of TT and EoTT philases	_
Acute Tox. 4 (Dermal)	Acute toxicity (dermal) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3
Eye Irrit. 2	Serious eye damage/eye irritation Category 2
Flam. Liq. 3	Flammable liquids Category 3
Repr. 2	Reproductive toxicity Category 2
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitization, Category 1
Skin Sens. 1A	Skin sensitization, category 1A
Skin Sens. 1B	Skin sensitization, category 1B
H226	Flammable liquid and vapor
H302	Harmful if swallowed
H312	Harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H361	Suspected of damaging fertility or the unborn child
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

#### SDS EU CLP.

The data contained in this Safety Data Sheet is accurate to the best knowledge of Candle Supply Pty Ltd, applies to the product as supplied Candle Supply Pty Ltd, and does not relate to use in combination with any other material or in any process. Data and information is furnished without warranty expressed or implied, nor does Candle Supply Pty Ltd, assume responsibility for use or reliance upon this data.

This SDS is current to the date listed above. However, the GHS classifications may change due to hazard communication updates by the overseeing governing body. For the most current SDS information please contact customers ervice @candlesupply.com.au

7/6/2017 EN (English US) 14/13