

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Revision date: 7/6/2017 Date of issue: 7/23/2015 Supersedes:

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier 1.1.

Product form : Mixture Trade name : Pink Ginger

Type of product : Perfumes, Fragrances : Finished Good Product group

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

: Industrial use, Professional use Main use category Industrial/Professional use spec : For professional use only

Industrial

Use of the substance/mixture : Perfumes, Fragrances

Function or use category : Odour agents

1.2.2. Uses advised against

No additional information available

Details of the supplier of the safety data sheet

Candle Supply Pty Ltd Unit 3 8-9 Lagana Place Wetherill Park, NSW 2164 ABN: 70612899626

Phone Number: 02 8741 4000

e-mail: customerservice@candlesupply.com.au

Emergency telephone number

In an emergency call: 13 11 26

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation H315

Category 2

Serious eye damage/eye

H318

irritation Category 1

Skin sensitization, Category

H317

H411

Hazardous to the aquatic environment - Chronic

Hazard Category 2

Full text of hazard classes and H-statements: see section 16

Adverse physicochemical, human health and environmental effects

Causes skin irritation. Causes serious eye damage. Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

Label elements

Labeling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS05





GHS07

GHS09

Signal word (CLP) : Danger

Hazardous ingredients : d-Limonene; beta-Pinene; Citral pure; Geraniol; Eugenol; Black pepper oil; Nerol; Lemongrass

oil (natural)

Hazard statements (CLP) : H315 - Causes skin irritation

7/6/2017 EN (English US) 1/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H411 - Toxic to aquatic life with long lasting effects

Precautionary statements (CLP) : P264 - Wash hands thoroughly after handling

P272 - Contaminated work clothing should not be allowed out of the workplace

P273 - Avoid release to the environment

P280 - Wear eye protection, face protection, protective clothing, protective gloves

P302+P352 - IF ON SKIN: Wash with plenty of water

2.3. Other hazards

No additional information available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Linalyl acetate	(CAS No) 115-95-7 (EC-No.) 204-116-4	1.2493 - 5.2793	Eye Irrit. 2, H319 Skin Irrit. 2, H315
Geraniol	(CAS No) 106-24-1 (EC-No.) 203-377-1	1.2401 - 5.241	Eye Dam. 1, H318 Skin Irrit. 2, H315 Skin Sens. 1, H317
Phenylethyl alcohol	(CAS No) 60-12-8 (EC-No.) 200-456-2	1.0199 - 4.3099	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319
Linalool	(CAS No) 78-70-6 (EC-No.) 201-134-4	0.9083 - 3.8383	Eye Irrit. 2, H319 Skin Irrit. 2, H315
Nerol	(CAS No) 106-25-2 (EC-No.) 203-378-7	0.9083 - 3.8383	Eye Irrit. 2, H319 Skin Irrit. 2, H315 Skin Sens. 1B, H317
HEXAMETHYLINDANOPYRAN	(CAS No) 1222-05-5 (EC-No.) 214-946-9 (EC index no) 603-212-00-7	0.62 - 2.62	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Black pepper oil	(CAS No) 8006-82-4	0.372 - 1.572	Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Eugenol	(CAS No) 97-53-0 (EC-No.) 202-589-1	0.341 - 1.441	Eye Irrit. 2, H319 Skin Sens. 1B, H317
Citral pure	(CAS No) 5392-40-5 (EC-No.) 226-394-6 (EC index no) 605-019-00-3	0.1021 - 1.021	Skin Irrit. 2, H315 Skin Sens. 1, H317
Lemongrass oil (natural)	(CAS No) 8007-02-1	0.1 - 1	Eye Dam. 1, H318 Aquatic Chronic 3, H412 Skin Irrit. 2, H315 Skin Sens. 1B, H317
d-Limonene	(CAS No) 5989-27-5 (EC-No.) 227-813-5 (EC index no) 601-029-00-7	0.068 - 0.68	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
beta-Pinene	(CAS No) 127-91-3 (EC-No.) 204-872-5	0.0114 - 0.114	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Allergen report available upon request. Full text of H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general

: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation

: Remove person to fresh air and keep comfortable for breathing. Allow victim to breathe fresh air. Allow the victim to rest.

7/6/2017 EN (English US) 2/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

First-aid measures after skin contact : Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation

occurs: Get immediate medical advice/attention. Get medical advice/attention. Specific treatment (see Wash skin with plenty of water, Call a physician immediately on this label). If

skin irritation or rash occurs: Get immediate medical advice/attention. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get

medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. Immediately call a poison center or doctor/physician. Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Call a

physician immediately.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison

center/doctor/physician if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after inhalation : May cause an allergic skin reaction.

Symptoms/effects after skin contact : Causes skin irritation. Irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Causes serious eye damage. Serious damage to eyes.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of :

fire

: Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Do

not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes.

Avoid breathing dust/fume/gas/mist/vapors/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew with

proper protection. For further information refer to section 8: "Exposure controls/personal

protection".

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or

diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

Ensure good ventilation of the work station. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Avoid breathing fume, mist, spray.

Avoid contact with skin and eyes. Wear personal protective equipment.

7/6/2017 EN (English US) 3/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hygiene measures

: Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Keep only in the original container in a cool, well ventilated place away from : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use. Store in a well-ventilated place. Keep cool.

Incompatible products : Strong bases. Strong acids.
Incompatible materials : Sources of ignition. Direct sunlight.

Storage temperature : 25 °

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.

Packaging materials : Do not store in corrodable metal.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Finland HTP-arvo (8h) (mg/m²) 140 mg/m² Finland HTP-arvo (8h) (ppm) 25 ppm Finland HTP-arvo (15 min) (ppm) 50 ppm Finland HTP-arvo (15 min) (ppm) 50 ppm Germany TRGS 900 Occupational exposure limit value (mg/m²) 28 mg/m² (The risk of damage to the embryo or fetus carboserved) Germany TRGS 900 Occupational exposure limit value (mg/m²) 25 ppm (The risk of damage to the embryo or fetus carboserved) Norway TWA (AN) (mg/m²) 140 mg/m² Norway TWA (AN) (ppm) 25 ppm Norway TWA (Kortidsverd) (mg/m3) 175 mg/m² (value calculated) Norway TWA (Kortidsverd) (mg/m3) 175 mg/m² (value calculated) Switzerland MAK (mg/m²) 40 mg/m² Switzerland MAK (pm) 7 ppm Switzerland MAK (pm) 90 mg/m² Switzerland MAK (pm) 10 mg/m² Switzerland Nate (pm) 20 ppm Estonia CEL TWA (mg/m²) 30 mg/m² Estonia OEL TWA (mg/m²) 150 mg/m² Estonia OEL TW	d-Limonene (5989-27-5)		
Finland HTP-arvo (15 min) 280 mg/m³ Finland HTP-arvo (15 min) (ppm) 50 ppm Germany TRGS 900 Occupational exposure limit value (mg/m³) 28 mg/m² (The risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Germany TRGS 900 Occupational exposure limit value (ppm) 5 ppm (The risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Norway TWA (AN) (mg/m²) 140 mg/m² Norway TWA (Kortidsverdi) (mg/m3) 175 mg/m² (value calculated) Norway TWA (Kortidsverdi) (mg/m3) 175 mg/m² (value calculated) Norway TWA (Kortidsverdi) (pm) 37.5 ppm (value calculated) Switzerland MAK (mg/m²) 40 mg/m² Switzerland MAK (ppm) 7 ppm Switzerland KZGW (mg/m²) 80 mg/m² Switzerland KZGW (mg/m²) 14 ppm Switzerland KZGW (mg/m²) 20 ppm Switzerland KZGW (mg/m²) 150 mg/m² Switzerland CEL TWA (mg/m²) 150 mg/m² Stonia OEL TWA (mg/m²) 150 mg/m² Estonia	Finland	HTP-arvo (8h) (mg/m³)	140 mg/m³
Finland HTP-arvo (15 min) (ppm) 50 ppm Germany TRGS 900 Occupational exposure limit value (mg/m²) 28 mg/m² (The risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Germany TRGS 900 Occupational exposure limit value (ppm) 5 ppm (The risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Norway TWA (AN) (mg/m²) 140 mg/m² Norway TWA (Kortidsverdi) (mg/m3) 175 mg/m² (value calculated) Norway TWA (Kortidsverdi) (ppm) 37.5 ppm (value calculated) Norway TWA (Kortidsverdi) (ppm) 37.5 ppm (value calculated) Switzerland MKK (mg/m²) 40 mg/m² Switzerland MKK (mg/m²) 40 mg/m² Switzerland KZGW (ppm) 7 ppm Switzerland KZGW (ppm) 14 ppm Deta-Pinene (127-91-3) 120 ppm Switzerland KZGW (ppm) 20 ppm Estonia OEL TWA (mg/m²) 150 mg/m² Estonia OEL TWA (mg/m²) 300 mg/m² Estonia OEL STEL (mg/m²) 300 mg/m² Estonia OEL TWA (ppm)	Finland	HTP-arvo (8h) (ppm)	25 ppm
Germany TRGS 900 Occupational exposure limit value (mg/m³) 28 mg/m³ (The risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Germany TRGS 900 Occupational exposure limit value (ppm) 5 ppm (The risk of damage to the embryo or fetus can be sexcluded when AGW and BGW values are observed) Norway TWA (AN) (mg/m³) 140 mg/m³ Norway TWA (KOrtidsverdi) (mg/m³) 175 mg/m³ (value calculated) Norway TWA (Kortidsverdi) (ppm) 37.5 ppm (value calculated) Norway TWA (Kortidsverdi) (ppm) 37.5 ppm (value calculated) Norway TWA (Kortidsverdi) (ppm) 37.5 ppm (value calculated) Switzerland MAK (mg/m³) 40 mg/m³ Switzerland KXGW (mg/m³) 80 mg/m³ Switzerland KZGW (ppm) 14 ppm Deta-Pinen (127-91-3) 150 mg/m³ Estonia OEL TWA (mg/m³) 150 mg/m³ Estonia OEL TWA (ppm) 25 ppm Estonia OEL TWA (ppm) 300 mg/m³ Lithuania IPRV (mg/m³) 150 mg/m³ Lithuania IPRV (ppm) 25 ppm Lithuania TPRV	Finland	HTP-arvo (15 min)	280 mg/m³
Germany TRGS 900 Occupational exposure limit value (ppm) 5 ppm (The risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Norway TWA (AN) (mg/m²) 140 mg/m² Norway TWA (NO (ppm) 25 ppm Norway TWA (Kortidsverdi) (mg/m3) 175 mg/m² (value calculated) Norway TWA (Kortidsverdi) (ppm) 37.5 pm (value calculated) Switzerland MAK (mg/m²) 40 mg/m³ Switzerland MAK (ppm) 7 ppm Switzerland KZGW (mg/m²) 80 mg/m³ Switzerland KZGW (mg/m²) 14 ppm Belgium Limit value (ppm) 20 ppm Estonia OEL TWA (ppm) 25 ppm Estonia OEL STEL (mg/m²) 300 mg/m³ Estonia OEL STEL (ppm) 50 ppm Lithuania IPRV (mg/m²) 150 mg/m³ Lithuania IPRV (mg/m²) 300 mg/m³ Lithuania TPRV (mg/m²) 300 mg/m³ Spain VLA-ED (mg/m²) 20 ppm Spain VLA-ED (mg/m²) 113 mg/m² (Turpentine, including monoterpenes) Sweden nivāgrānsvārde (NVG) (mg/m²) 25 p	Finland	HTP-arvo (15 min) (ppm)	50 ppm
Romany TWA (AN) (mg/m²) 140 mg/m³ Norway TWA (AN) (ppm) 25 ppm Norway TWA (Kortidsverdi) (mg/m3) 175 mg/m³ (value calculated) Norway TWA (Kortidsverdi) (ppm) 37.5 ppm (value calculated) Switzerland MAK (mg/m³) 40 mg/m³ Switzerland MAK (mg/m³) 80 mg/m³ Switzerland KZGW (mg/m³) 80 mg/m³ Switzerland KZGW (ppm) 14 ppm Beta-Pinne (127-91-3) 150 mg/m³ Switzerland KZGW (ppm) 20 ppm Betjum Limit value (ppm) 20 ppm Estonia OEL TWA (mg/m³) 150 mg/m³ Estonia OEL TWA (ppm) 25 ppm Estonia OEL STEL (mg/m³) 300 mg/m³ Estonia OEL STEL (ppm) 50 ppm Lithuania IPRV (mg/m³) 150 mg/m³ Lithuania TPRV (ppm) 25 ppm Lithuania TPRV (ppm) 50 ppm Portugal OEL TWA (ppm) 20 ppm Spain VLA-ED (mg/m³) <t< td=""><td>Germany</td><td>TRGS 900 Occupational exposure limit value (mg/m³)</td><td>can be excluded when AGW and BGW values are</td></t<>	Germany	TRGS 900 Occupational exposure limit value (mg/m³)	can be excluded when AGW and BGW values are
Norway TWA (AN) (ppm) 25 ppm Norway TWA (Kortidsverdi) (mg/m3) 175 mg/m³ (value calculated) Norway TWA (Kortidsverdi) (ppm) 37.5 ppm (value calculated) Switzerland MAK (mg/m³) 40 mg/m³ Switzerland MAK (ppm) 7 ppm Switzerland KZGW (mg/m³) 80 mg/m³ Switzerland KZGW (ppm) 14 ppm beta-Pinene (127-91-3) 150 mg/m³ Estonia DEL TWA (mg/m³) 150 mg/m³ Estonia OEL TWA (mg/m³) 150 mg/m³ Estonia OEL STEL (mg/m³) 300 mg/m³ Estonia OEL STEL (mg/m³) 50 ppm Lithuania IPRV (mg/m³) 150 mg/m³ Lithuania IPRV (mg/m³) 150 mg/m³ Lithuania IPRV (ppm) 25 ppm Lithuania TPRV (mg/m³) 300 mg/m³ Lithuania TPRV (ppm) 50 ppm Portugal OEL TWA (ppm) 20 ppm Spain VLA-ED (mg/m³) 113 mg/m³ (Turpentine, including monoterpenes) Spain	Germany	TRGS 900 Occupational exposure limit value (ppm)	be excluded when AGW and BGW values are
Norway TWA (Kortidsverdi) (mg/m3) 175 mg/m³ (value calculated) Norway TWA (Kortidsverdi) (ppm) 37.5 ppm (value calculated) Switzerland MAK (mg/m³) 40 mg/m³ Switzerland KZGW (mg/m³) 80 mg/m³ Switzerland KZGW (ppm) 10 mg/m³ Switzerland KZGW (ppm) 10 mg/m³ Switzerland KZGW (ppm) 20 ppm Belgium Limit value (ppm) 20 ppm Estonia OEL TWA (mg/m³) 150 mg/m³ Estonia OEL TWA (ppm) 25 ppm Estonia OEL STEL (mg/m³) 300 mg/m³ Estonia OEL STEL (ppm) 50 ppm Lithuania IPRV (mg/m³) 150 mg/m³ Lithuania IPRV (ppm) 25 ppm Lithuania TPRV (mg/m³) 300 mg/m³ Lithuania TPRV (ppm) 50 ppm Portugal DEL TWA (ppm) 20 ppm Portugal OEL TWA (ppm) 20 ppm Spain VLA-ED (mg/m³) 113 mg/m² (Turpentine, including monoterpenes) <t< td=""><td>Norway</td><td>TWA (AN) (mg/m³)</td><td>140 mg/m³</td></t<>	Norway	TWA (AN) (mg/m³)	140 mg/m³
Norway TWA (Korttidsverdi) (ppm) 37.5 ppm (value calculated) Switzerland MAK (mg/m³) 40 mg/m³ Switzerland MAK (ppm) 7 ppm Switzerland KZGW (mg/m³) 80 mg/m³ Switzerland KZGW (ppm) 14 ppm beta-Pinene (127-91-3) Elgium Limit value (ppm) 20 ppm Estonia OEL TWA (mg/m³) 150 mg/m³ Estonia OEL TWA (ppm) 25 ppm Estonia OEL STEL (mg/m³) 300 mg/m³ Estonia OEL STEL (ppm) 50 ppm Lithuania IPRV (mg/m³) 150 mg/m³ Lithuania IPRV (ppm) 25 ppm Lithuania TPRV (ppm) 300 mg/m³ Lithuania TPRV (ppm) 50 ppm Portugal OEL TWA (ppm) 20 ppm Portugal OEL TWA (ppm) 20 ppm Spain VLA-ED (mg/m³) 113 mg/m³ (Turpentine, including monoterpenes) Spain VLA-ED (ppm) 20 ppm (Turpentine, including monoterpenes) Sweden <th< td=""><td>Norway</td><td>TWA (AN) (ppm)</td><td>25 ppm</td></th<>	Norway	TWA (AN) (ppm)	25 ppm
Switzerland MAK (mg/m³) 40 mg/m³ Switzerland MAK (ppm) 7 ppm Switzerland KZGW (mg/m³) 80 mg/m³ Switzerland KZGW (ppm) 14 ppm beta-Pinene (127-91-3) beta (mg/m³) CP LTWA (ppm) 25 ppm Bithuania IPRV (mg/m³) 300 mg/m³ Lithuania TPRV (ppm) 50 ppm Portugal OEL TWA (ppm) 20 ppm Spain VLA-ED (mg/m³) 113 mg/m³ (Turpentine, including monoterpenes) Spain VLA-ED (ppm) 20 ppm (Turpentine, including monoterpenes) Sweden nivågrånsvä	Norway	TWA (Korttidsverdi) (mg/m3)	175 mg/m³ (value calculated)
Switzerland MAK (ppm) 7 ppm Switzerland KZGW (ng/m³) 80 mg/m³ Switzerland KZGW (ppm) 14 ppm beta-Pinene (127-91-3) beta-Pinene (127-91-3) Belgium Limit value (ppm) 20 ppm Estonia OEL TWA (mg/m³) 150 mg/m³ Estonia OEL TWA (ppm) 25 ppm Estonia OEL STEL (mg/m³) 300 mg/m³ Estonia OEL STEL (ppm) 50 ppm Lithuania IPRV (mg/m³) 150 mg/m³ Lithuania IPRV (ppm) 25 ppm Lithuania TPRV (mg/m³) 300 mg/m³ Lithuania TPRV (mg/m³) 300 mg/m³ Lithuania TPRV (ppm) 50 ppm Portugal OEL TWA (ppm) 20 ppm Spain VLA-ED (mg/m³) 113 mg/m³ (Turpentine, including monoterpenes) Spain VLA-ED (ppm) 20 ppm (Turpentine, including monoterpenes) Sweden nivågränsvärde (NVG) (mg/m³) 150 mg/m³ Sweden kortidsvärde (KTV) (mg/m³) 300 mg/m	Norway	TWA (Korttidsverdi) (ppm)	37.5 ppm (value calculated)
Switzerland KZGW (mg/m³) 80 mg/m³ Switzerland KZGW (ppm) 14 ppm beta-Pinene (127-91-3) 150 mg/m³ Estonia DEL TWA (mg/m³) 20 ppm Estonia OEL TWA (ppm) 25 ppm Estonia OEL STEL (mg/m³) 300 mg/m³ Estonia OEL STEL (ppm) 50 ppm Lithuania IPRV (mg/m³) 150 mg/m³ Lithuania IPRV (ppm) 25 ppm Lithuania IPRV (ppm) 25 ppm Lithuania TPRV (mg/m³) 300 mg/m³ Lithuania TPRV (ppm) 50 ppm Portugal OEL TWA (ppm) 50 ppm Spain VLA-ED (mg/m³) 113 mg/m³ (Turpentine, including monoterpenes) Spain VLA-ED (ppm) 20 ppm (Turpentine, including monoterpenes) Sweden nivågränsvärde (NVG) (mg/m³) 150 mg/m³ Sweden kortidsvärde (KTV) (mg/m³) 300 mg/m³ Sweden kortidsvärde (KTV) (mg/m³) 50 ppm	Switzerland	MAK (mg/m³)	40 mg/m³
Switzerland KZGW (ppm) 14 ppm beta-Pinene (127-91-3) Belgium Limit value (ppm) 20 ppm Estonia OEL TWA (mg/m³) 150 mg/m³ Estonia OEL TWA (ppm) 25 ppm Estonia OEL STEL (mg/m³) 300 mg/m³ Estonia OEL STEL (ppm) 50 ppm Lithuania IPRV (mg/m³) 150 mg/m³ Lithuania IPRV (ppm) 25 ppm Lithuania TPRV (mg/m³) 300 mg/m³ Lithuania TPRV (mg/m³) 300 mg/m³ Lithuania TPRV (ppm) 50 ppm Portugal OEL TWA (ppm) 20 ppm Spain VLA-ED (mg/m³) 113 mg/m³ (Turpentine, including monoterpenes) Spain VLA-ED (ppm) 20 ppm (Turpentine, including monoterpenes) Sweden nivågränsvärde (NVG) (mg/m³) 150 mg/m³ Sweden kortidsvärde (KTV) (mg/m³) 300 mg/m³ Sweden kortidsvärde (KTV) (ppm) 50 ppm	Switzerland	MAK (ppm)	7 ppm
Belgium Limit value (ppm) 20 ppm Estonia OEL TWA (mg/m³) 150 mg/m³ Estonia OEL TWA (ppm) 25 ppm Estonia OEL STEL (mg/m³) 300 mg/m³ Estonia OEL STEL (ppm) 50 ppm Lithuania IPRV (mg/m³) 150 mg/m³ Lithuania IPRV (ppm) 25 ppm Lithuania TPRV (mg/m³) 300 mg/m³ Lithuania TPRV (ppm) 25 ppm Lithuania TPRV (ppm) 50 ppm Portugal OEL TWA (ppm) 50 ppm Spain VLA-ED (mg/m³) 113 mg/m³ (Turpentine, including monoterpenes) Spain VLA-ED (ppm) 20 ppm (Turpentine, including monoterpenes) Sweden nivågränsvärde (NVG) (mg/m³) 150 mg/m³ Sweden nivågränsvärde (NVG) (ppm) 25 ppm Sweden kortidsvärde (KTV) (mg/m³) 300 mg/m³ Sweden kortidsvärde (KTV) (ppm) 50 ppm	Switzerland	KZGW (mg/m³)	80 mg/m³
BelgiumLimit value (ppm)20 ppmEstoniaOEL TWA (mg/m³)150 mg/m³EstoniaOEL TWA (ppm)25 ppmEstoniaOEL STEL (mg/m³)300 mg/m³EstoniaOEL STEL (ppm)50 ppmLithuaniaIPRV (mg/m³)150 mg/m³LithuaniaIPRV (ppm)25 ppmLithuaniaTPRV (mg/m³)300 mg/m³LithuaniaTPRV (ppm)50 ppmPortugalOEL TWA (ppm)20 ppmSpainVLA-ED (mg/m³)113 mg/m³ (Turpentine, including monoterpenes)SpainVLA-ED (ppm)20 ppm (Turpentine, including monoterpenes)Swedennivågränsvärde (NVG) (mg/m³)150 mg/m³Swedennivågränsvärde (NVG) (ppm)25 ppmSwedenkortidsvärde (KTV) (mg/m³)300 mg/m³Swedenkortidsvärde (KTV) (mg/m³)50 ppm	Switzerland	KZGW (ppm)	14 ppm
EstoniaOEL TWA (mg/m³)150 mg/m³EstoniaOEL TWA (ppm)25 ppmEstoniaOEL STEL (mg/m³)300 mg/m³EstoniaOEL STEL (ppm)50 ppmLithuaniaIPRV (mg/m³)150 mg/m³LithuaniaIPRV (ppm)25 ppmLithuaniaTPRV (mg/m³)300 mg/m³LithuaniaTPRV (ppm)50 ppmPortugalOEL TWA (ppm)20 ppmSpainVLA-ED (mg/m³)113 mg/m³ (Turpentine, including monoterpenes)SpainVLA-ED (ppm)20 ppm (Turpentine, including monoterpenes)Swedennivågränsvärde (NVG) (mg/m³)150 mg/m³Swedennivågränsvärde (NVG) (ppm)25 ppmSwedenkortidsvärde (KTV) (mg/m³)300 mg/m³Swedenkortidsvärde (KTV) (mg/m³)50 ppm	beta-Pinene (127-91-3)	·	
Estonia OEL TWA (ppm) 25 ppm Estonia OEL STEL (mg/m³) 300 mg/m³ Estonia OEL STEL (ppm) 50 ppm Lithuania IPRV (mg/m³) 150 mg/m³ Lithuania IPRV (ppm) 25 ppm Lithuania IPRV (mg/m³) 300 mg/m³ Lithuania TPRV (ppm) 50 ppm Portugal TPRV (ppm) 50 ppm Portugal OEL TWA (ppm) 20 ppm Spain VLA-ED (mg/m³) 113 mg/m³ (Turpentine, including monoterpenes) 113 mg/m³ (Turpentine, including monoterpenes) 150 mg/m³ Sweden nivågränsvärde (NVG) (mg/m³) 150 mg/m³ Sweden kortidsvärde (KTV) (mg/m³) 300 mg/m³ Sweden kortidsvärde (KTV) (mg/m³) 50 ppm	Belgium	Limit value (ppm)	20 ppm
Estonia OEL STEL (mg/m³) 300 mg/m³ Estonia OEL STEL (ppm) 50 ppm Lithuania IPRV (mg/m³) 150 mg/m³ Lithuania IPRV (ppm) 25 ppm Lithuania TPRV (mg/m³) 300 mg/m³ Lithuania TPRV (ppm) 50 ppm Portugal OEL TWA (ppm) 20 ppm Spain VLA-ED (mg/m³) 113 mg/m³ (Turpentine, including monoterpenes) 5pain VLA-ED (ppm) 20 ppm (Turpentine, including monoterpenes) 5pain VLA-ED (ppm) 20 ppm (Turpentine, including monoterpenes) 5weden nivågränsvärde (NVG) (mg/m³) 150 mg/m³ Sweden kortidsvärde (KTV) (mg/m³) 300 mg/m³ Sweden kortidsvärde (KTV) (mg/m³) 50 ppm	Estonia	OEL TWA (mg/m³)	150 mg/m³
Estonia OEL STEL (ppm) 50 ppm Lithuania IPRV (mg/m³) 150 mg/m³ Lithuania IPRV (ppm) 25 ppm Lithuania TPRV (mg/m³) 300 mg/m³ Lithuania TPRV (ppm) 50 ppm Portugal OEL TWA (ppm) 20 ppm Spain VLA-ED (mg/m³) 113 mg/m³ (Turpentine, including monoterpenes) 5pain VLA-ED (ppm) 20 ppm (Turpentine, including monoterpenes) 5pain VLA-ED (ppm) 20 ppm (Turpentine, including monoterpenes) 5weden nivågränsvärde (NVG) (mg/m³) 150 mg/m³ Sweden kortidsvärde (KTV) (mg/m³) 300 mg/m³ Sweden kortidsvärde (KTV) (mg/m³) 50 ppm	Estonia	OEL TWA (ppm)	25 ppm
Lithuania IPRV (mg/m³) 150 mg/m³ Lithuania IPRV (ppm) 25 ppm Lithuania TPRV (mg/m³) 300 mg/m³ Lithuania TPRV (ppm) 50 ppm Portugal OEL TWA (ppm) 20 ppm Spain VLA-ED (mg/m³) 113 mg/m³ (Turpentine, including monoterpenes) 5pain VLA-ED (ppm) 20 ppm (Turpentine, including monoterpenes) 5weden nivågränsvärde (NVG) (mg/m³) 150 mg/m³ Sweden nivågränsvärde (NVG) (ppm) 25 ppm Sweden kortidsvärde (KTV) (mg/m³) 300 mg/m³ Sweden kortidsvärde (KTV) (ppm) 50 ppm	Estonia	OEL STEL (mg/m³)	300 mg/m³
Lithuania IPRV (ppm) 25 ppm Lithuania TPRV (mg/m³) 300 mg/m³ Lithuania TPRV (ppm) 50 ppm Portugal OEL TWA (ppm) 20 ppm Spain VLA-ED (mg/m³) 113 mg/m³ (Turpentine, including monoterpenes) 5pain VLA-ED (ppm) 20 ppm (Turpentine, including monoterpenes) 150 mg/m³ Sweden nivågränsvärde (NVG) (mg/m³) 150 mg/m³ Sweden kortidsvärde (KTV) (mg/m³) 300 mg/m³ Sweden kortidsvärde (KTV) (ppm) 50 ppm	Estonia	OEL STEL (ppm)	50 ppm
Lithuania TPRV (mg/m³) 300 mg/m³ Lithuania TPRV (ppm) 50 ppm Portugal OEL TWA (ppm) 20 ppm Spain VLA-ED (mg/m³) 113 mg/m³ (Turpentine, including monoterpenes) Spain VLA-ED (ppm) 20 ppm (Turpentine, including monoterpenes) Sweden nivågränsvärde (NVG) (mg/m³) 150 mg/m³ Sweden nivågränsvärde (NVG) (ppm) 25 ppm Sweden kortidsvärde (KTV) (mg/m³) 300 mg/m³ Sweden kortidsvärde (KTV) (ppm) 50 ppm	Lithuania	IPRV (mg/m³)	150 mg/m³
Lithuania TPRV (ppm) 50 ppm Portugal OEL TWA (ppm) 20 ppm Spain VLA-ED (mg/m³) 113 mg/m³ (Turpentine, including monoterpenes) Spain VLA-ED (ppm) 20 ppm (Turpentine, including monoterpenes) Sweden nivågränsvärde (NVG) (mg/m³) 150 mg/m³ Sweden nivågränsvärde (NVG) (ppm) 25 ppm Sweden kortidsvärde (KTV) (mg/m³) 300 mg/m³ Sweden kortidsvärde (KTV) (ppm) 50 ppm	Lithuania	IPRV (ppm)	25 ppm
Portugal OEL TWA (ppm) 20 ppm Spain VLA-ED (mg/m³) 113 mg/m³ (Turpentine, including monoterpenes) Spain VLA-ED (ppm) 20 ppm (Turpentine, including monoterpenes) Sweden nivågränsvärde (NVG) (mg/m³) 150 mg/m³ Sweden nivågränsvärde (NVG) (ppm) 25 ppm Sweden kortidsvärde (KTV) (mg/m³) 300 mg/m³ Sweden kortidsvärde (KTV) (ppm) 50 ppm	Lithuania	TPRV (mg/m³)	300 mg/m³
SpainVLA-ED (mg/m³)113 mg/m³ (Turpentine, including monoterpenes)SpainVLA-ED (ppm)20 ppm (Turpentine, including monoterpenes)Swedennivågränsvärde (NVG) (mg/m³)150 mg/m³Swedennivågränsvärde (NVG) (ppm)25 ppmSwedenkortidsvärde (KTV) (mg/m³)300 mg/m³Swedenkortidsvärde (KTV) (ppm)50 ppm	Lithuania	TPRV (ppm)	50 ppm
Spain VLA-ED (ppm) 20 ppm (Turpentine, including monoterpenes) Sweden nivågränsvärde (NVG) (mg/m³) 150 mg/m³ Sweden nivågränsvärde (NVG) (ppm) 25 ppm Sweden kortidsvärde (KTV) (mg/m³) 300 mg/m³ Sweden kortidsvärde (KTV) (ppm) 50 ppm	Portugal	OEL TWA (ppm)	20 ppm
Swedennivågränsvärde (NVG) (mg/m³)150 mg/m³Swedennivågränsvärde (NVG) (ppm)25 ppmSwedenkortidsvärde (KTV) (mg/m³)300 mg/m³Swedenkortidsvärde (KTV) (ppm)50 ppm	Spain	VLA-ED (mg/m³)	113 mg/m³ (Turpentine, including monoterpenes)
Swedennivågränsvärde (NVG) (mg/m³)150 mg/m³Swedennivågränsvärde (NVG) (ppm)25 ppmSwedenkortidsvärde (KTV) (mg/m³)300 mg/m³Swedenkortidsvärde (KTV) (ppm)50 ppm	Spain	VLA-ED (ppm)	20 ppm (Turpentine, including monoterpenes)
Sweden kortidsvärde (KTV) (mg/m³) 300 mg/m³ Sweden kortidsvärde (KTV) (ppm) 50 ppm	Sweden	nivågränsvärde (NVG) (mg/m³)	
Sweden kortidsvärde (KTV) (ppm) 50 ppm	Sweden	nivågränsvärde (NVG) (ppm)	25 ppm
	Sweden	kortidsvärde (KTV) (mg/m³)	300 mg/m³
Norway TWA (AN) (mg/m³) 140 mg/m³	Sweden	kortidsvärde (KTV) (ppm)	50 ppm
	Norway	TWA (AN) (mg/m³)	140 mg/m³

7/6/2017 EN (English US) 4/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

beta-Pinene (127-91-3)	peta-Pinene (127-91-3)	
Norway	TWA (AN) (ppm)	25 ppm
Norway	TWA (Korttidsverdi) (mg/m3)	175 mg/m³ (value calculated)
Norway	TWA (Korttidsverdi) (ppm)	37.5 ppm (value calculated)
Canada (Quebec)	VEMP (mg/m³)	112 mg/m³
Canada (Quebec)	VEMP (ppm)	20 ppm
USA - ACGIH	ACGIH TWA (ppm)	20 ppm
Citral pure (5392-40-5)	Citral pure (5392-40-5)	
Poland	NDS (mg/m³)	27 mg/m ³
Poland	NDSCh (mg/m³)	54 mg/m ³
Spain	VLA-ED (ppm)	5 ppm (inhalable fraction and vapor)
USA - ACGIH	ACGIH TWA (ppm)	5 ppm (inhalable fraction and vapor)

8.2. Exposure controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Personal protective equipment : Avoid all unnecessary exposure.

Hand protection : Wear protective gloves

Eye protection : Chemical goggles or safety glasses. Safety glasses

Skin and body protection : Wear suitable protective clothing

Respiratory protection : Wear appropriate mask

Environmental exposure controls : Avoid release to the environment.

Other information : Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Color : light yellow. amber.

Odor : fragrant.

Odor threshold : No data available pH : No data available Relative evaporation rate (butyl acetate=1) : No data available Melting point : Not applicable Freezing point : No data available Boiling point : No data available Flash point : > 93.33 °C

Auto-ignition temperature : No data available : No data available Decomposition temperature Flammability (solid, gas) : Non flammable Vapor pressure : No data available Relative vapor density at 20 °C : No data available Relative density : No data available Solubility : No data available Log Pow : No data available Viscosity, kinematic : No data available : No data available Viscosity, dynamic Explosive properties : No data available Oxidizing properties : No data available **Explosion limits** : No data available

9.2. Other information

No additional information available

7/6/2017 EN (English US) 5/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Skin corrosion/irritation: Causes skin irritation.Additional information: Causes skin irritationSerious eye damage/irritation: Causes serious eye damage.

Respiratory or skin sensitization : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified

Based on available data, the classification criteria are not met

Carcinogenicity : Not classified

Additional information : Based on available data, the classification criteria are not met

Reproductive toxicity : Not classified

Additional information : Based on available data, the classification criteria are not met

Specific target organ toxicity – single exposure : Not classified

Additional information : Based on available data, the classification criteria are not met

Specific target organ toxicity – repeated

exposure

: Not classified

Additional information : Based on available data, the classification criteria are not met

Aspiration hazard : Not classified

Additional information : Based on available data, the classification criteria are not met

Potential Adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects.

Ecology - water : Toxic to aquatic life with long lasting effects.

12.2. Persistence and degradability

Pink Ginger	
Persistence and degradability	May cause long-term adverse effects in the environment. Not established.

12.3. Bioaccumulative potential

Pink Ginger	
Bioaccumulative potential	Not established.

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

7/6/2017 EN (English US) 6/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

12.6. Other adverse effects

Additional information : Avoid release to the environment

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of

contents/container in accordance with local/national laws and regulations.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

 UN-No. (ADR)
 : 3082

 UN-No. (IMDG)
 : 3082

 UN-No. (IATA)
 : 3082

 UN-No. (ADN)
 : 3082

 UN-No. (RID)
 : 3082

14.2. UN proper shipping name

Proper Shipping Name (ADR) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Proper Shipping Name (IMDG) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Proper Shipping Name (IATA) : Environmentally hazardous substance, liquid, n.o.s.

Proper Shipping Name (ADN) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. Proper Shipping Name (RID) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Transport document description (ADR) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(Hexamethylindanopyran), 9, III, (E)

Transport document description (IMDG) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(Hexamethylindanopyran), 9, III, MARINE POLLUTANT

Transport document description (IATA) : UN 3082 Environmentally hazardous substance, liquid, n.o.s., 9, III

Transport document description (ADN) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III

Transport document description (RID) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 9
Hazard labels (ADR) : 9



IMDG

Transport hazard class(es) (IMDG) : 9
Hazard labels (IMDG) : 9




IATA

Transport hazard class(es) (IATA) : 9
Hazard labels (IATA) : 9

7/6/2017 EN (English US) 7/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



ADN

Transport hazard class(es) (ADN) : 9 Hazard labels (ADN) : 9



RID

Transport hazard class(es) (RID) : 9 Hazard labels (RID) : 9



14.4. Packing group

Packing group (ADR) : 111 Packing group (IMDG) : 111 : 111 Packing group (IATA) Packing group (ADN) : 111 Packing group (RID) : 111

Environmental hazards

Dangerous for the environment : Yes Marine pollutant : Yes

Other information : No supplementary information available

Special precautions for user 14.6.

- Overland transport

Classification code (ADR) : M6

Special provision (ADR) : 274, 335, 601, 375

Limited quantities (ADR) : 51 Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Mixed packing provisions (ADR) : MP19 Portable tank and bulk container instructions : T4

(ADR)

Portable tank and bulk container special

provisions (ADR)

: TP1, TP29

Tank code (ADR) : LGBV Vehicle for tank carriage : AT Transport category (ADR) : 3 Special provisions for carriage - Packages : V12

(ADR)

Special provisions for carriage - Loading,

unloading and handling (ADR)

: CV13

Hazard identification number (Kemler No.) : 90

EN (English US) 7/6/2017 8/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Orange plates 90 3082

Tunnel restriction code (ADR) : E

- Transport by sea

Special provision (IMDG) : 274, 335, 969

Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 : P001, LP01 Packing instructions (IMDG)

: PP1 Packing provisions (IMDG) IBC packing instructions (IMDG) : IBC03 Tank instructions (IMDG) : T4

: TP2, TP29 Tank special provisions (IMDG) EmS-No. (Fire) : F-A EmS-No. (Spillage) : S-F Stowage category (IMDG) : A

- Air transport

PCA Excepted quantities (IATA) : E1 : Y964 PCA Limited quantities (IATA) PCA limited quantity max net quantity (IATA) : 30kgG PCA packing instructions (IATA) : 964 PCA max net quantity (IATA) : 450L CAO packing instructions (IATA) : 964 CAO max net quantity (IATA) : 450L

Special provision (IATA) : A97, A158, A197

ERG code (IATA) : 9L

- Inland waterway transport

Classification code (ADN) : M6

: 274, 335, 375, 601 Special provision (ADN)

: 5 L Limited quantities (ADN) Excepted quantities (ADN) : E1 Carriage permitted (ADN) : T Equipment required (ADN) : PP Number of blue cones/lights (ADN) : 0

- Rail transport

Classification code (RID) : M6

Special provision (RID) : 274, 335, 375, 601

: 5L Limited quantities (RID) Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

: PP1 Special packing provisions (RID) Mixed packing provisions (RID) : MP19 Portable tank and bulk container instructions : T4

(RID)

Portable tank and bulk container special

provisions (RID)

: TP1, TP29

Tank codes for RID tanks (RID) : LGBV : 3 Transport category (RID) Special provisions for carriage - Packages : W12

Special provisions for carriage - Loading,

unloading and handling (RID)

: CW13, CW31

Colis express (express parcels) (RID) : CE8 Hazard identification number (RID) : 90

7/6/2017 EN (English US) 9/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no REACH candidate substance

Contains no REACH Annex XIV substances.

15.1.2. National regulations

Germany

VwVwS Annex reference : Water hazard class (WGK) 2, hazardous to water (Classification according to VwVwS, Annex

4)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen

SZW-lijst van mutagene stoffen

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen – Vruchtbaarheid

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen – Ontwikkeling

: None of the components are listed

Denmark

7/6/2017 EN (English US) 10/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Other information : None.

Full text of H- and EUH-phrases:

Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3
Asp. Tox. 1	Aspiration hazard Category 1
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2	Serious eye damage/eye irritation Category 2
Flam. Liq. 3	Flammable liquids Category 3
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitization, Category 1
Skin Sens. 1B	Skin sensitization, category 1B
H226	Flammable liquid and vapor
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H400	Very toxic to aquatic life

7/6/2017 EN (English US) 11/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

SDS EU CLP.

The data contained in this Safety Data Sheet is accurate to the best knowledge of Candle Supply Pty Ltd, applies to the product as supplied Candle Supply Pty Ltd, and does not relate to use in combination with any other material or in any process. Data and information is furnished without warranty expressed or implied, nor does Candle Supply Pty Ltd, assume responsibility for use or reliance upon this data.

This SDS is current to the date listed above. However, the GHS classifications may change due to hazard communication updates by the overseeing governing body. For the most current SDS information please contact customerservice@candlesupply.com.au

7/6/2017 EN (English US) 12/11