

# SANDALWOOD & HONEYSUCKLE LEAF

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 7/13/2015 Revision date: 6/16/2017

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Trade name : SANDALWOOD & HONEYSUCKLE LEAF

Type of product : Perfumes, Fragrances
Product group : Finished Good

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Industrial use,Professional use Industrial/Professional use spec : For professional use only

Industrial

Use of the substance/mixture : Perfumes, Fragrances

Function or use category : Odour agents

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Candle Supply Pty Ltd Unit 3 8-9 Lagana Place Wetherill Park, NSW 2164 ABN: 70612899626

Phone Number: 02 8741 4000

e-mail: customerservice@candlesupply.com.au

#### 1.4. Emergency telephone number

Emergency number : 13 11 26

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin sensitization, Category H317

1

Hazardous to the aquatic H411

environment - Chronic Hazard Category 2

Full text of hazard classes and H-statements : see section 16

### Adverse physicochemical, human health and environmental effects

Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

#### 2.2. Label elements

### Labeling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :





GHS07

GHS09

Signal word (CLP) : Warning

Hazardous ingredients : Iso E Super; Bergamot oil; d-Limonene; beta-Pinene; Citronellol pure; Butylphenyl

methylpropional; Hexyl cinnamic aldehyde; Helional; Damascone Alpha; Eugenol; Geranyl

acetate

Hazard statements (CLP) : H317 - May cause an allergic skin reaction

H411 - Toxic to aquatic life with long lasting effects

Precautionary statements (CLP) : P272 - Contaminated work clothing should not be allowed out of the workplace

P273 - Avoid release to the environment

6/16/2017 EN (English US) 1/11

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

P280 - Wear eye protection, face protection, protective clothing, protective gloves P302+P352 - IF ON SKIN: Wash with plenty of water

### 2.3. Other hazards

No additional information available

# **SECTION 3: Composition/Information on ingredients**

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Iso E Super	(CAS No) 54464-57-2 (EC-No.) 259-174-3	1.275 - 2.55	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 1, H410
HEXAMETHYLINDANOPYRAN	(CAS No) 1222-05-5 (EC-No.) 214-946-9 (EC index no) 603-212-00-7	1.25 - 2.5	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Phenoxyethanol	(CAS No) 122-99-6 (EC-No.) 204-589-7 (EC index no) 603-098-00-9	0.8 - 1.6	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319
Hexyl cinnamic aldehyde	(CAS No) 101-86-0 (EC-No.) 202-983-3	0.75 - 1.5	Skin Sens. 1B, H317 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
d-Limonene	(CAS No) 5989-27-5 (EC-No.) 227-813-5 (EC index no) 601-029-00-7	0.743825 - 1.48765	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Ethylene brassylate	(CAS No) 105-95-3 (EC-No.) 203-347-8	0.7 - 1.4	Aquatic Chronic 2, H411
beta-lonone	(CAS No) 14901-07-6 (EC-No.) 238-969-9	0.575 - 1.15	Aquatic Chronic 2, H411
2-Methyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol	(CAS No) 28219-60-5 (EC-No.) 248-907-2	0.5 - 1	Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Bergamot oil	(CAS No) 8007-75-8	0.375 - 0.75	Flam. Liq. 3, H226 Asp. Tox. 1, H304 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 Eye Irrit. 2, H319
Butylphenyl methylpropional	(CAS No) 80-54-6 (EC-No.) 201-289-8	0.25 - 0.5	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Repr. 2, H361 Aquatic Chronic 2, H411
Helional	(CAS No) 1205-17-0 (EC-No.) 214-881-6	0.175 - 0.35	Aquatic Chronic 2, H411 Skin Sens. 1B, H317
Geranyl acetate	(CAS No) 105-87-3 (EC-No.) 203-341-5	0.125 - 0.25	Aquatic Chronic 3, H412 Skin Irrit. 2, H315 Skin Sens. 1B, H317
Citronellol pure	(CAS No) 106-22-9 (EC-No.) 203-375-0	0.12 - 0.24	Eye Irrit. 2, H319 Skin Irrit. 2, H315 Skin Sens. 1B, H317
beta-Pinene	(CAS No) 127-91-3 (EC-No.) 204-872-5	0.057 - 0.114	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Damascone Alpha	(CAS No) 43052-87-5 (EC-No.) 245-845-8	0.05 - 0.1	Acute Tox. 4 (Oral), H302 Skin Sens. 1B, H317
Eugenol	(CAS No) 97-53-0 (EC-No.) 202-589-1	0.05 - 0.1	Eye Irrit. 2, H319 Skin Sens. 1B, H317
alpha-Cedrene	(CAS No.) 469-61-4 (EC-No.) 207-418-4	0.0075 - 0.015	Asp. Tox. 1, H304 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10)

Allergen report available upon request.

6/16/2017 EN (English US) 2/11

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Full text of H-phrases: see section 16

### **SECTION 4: First aid measures**

#### **Description of first aid measures**

First-aid measures general

: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation

: Remove person to fresh air and keep comfortable for breathing. Allow victim to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact

: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash with plenty of soap and water. If skin irritation or rash occurs: Get immediate medical advice/attention. Get medical advice/attention. Specific treatment (see Wash skin with plenty of water, Call a physician immediately on this label). Wash contaminated clothing before reuse. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact

: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse eyes with water as a precaution.

First-aid measures after ingestion

: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison center/doctor/physician if you feel unwell.

#### Most important symptoms and effects, both acute and delayed

Symptoms/effects

: Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after inhalation Symptoms/effects after skin contact : May cause an allergic skin reaction. : May cause an allergic skin reaction.

#### 43 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

#### Extinguishing media

Suitable extinguishing media

: Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

### Special hazards arising from the substance or mixture

Hazardous decomposition products in case of

fire

: Toxic fumes may be released.

#### 5.3. Advice for firefighters

Firefighting instructions

: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting

: Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

### **SECTION 6: Accidental release measures**

#### Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

**Emergency procedures** 

: Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.

#### 6.1.2. For emergency responders

Protective equipment

: Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".

**Emergency procedures** : Ventilate area.

### **Environmental precautions**

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

#### Methods and material for containment and cleaning up

For containment

: Collect spillage.

Methods for cleaning up

: Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

6/16/2017 EN (English US) 3/11

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Precautions for safe handling

: Ensure good ventilation of the work station. Wear personal protective equipment. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Avoid breathing fume, mist, spray. Avoid contact with skin and eyes.

Hygiene measures

: Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Keep only in the original container in a cool, well ventilated place away from : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use. Store in a well-ventilated place. Keep cool.

Incompatible products : Strong bases. Strong acids.
Incompatible materials : Sources of ignition. Direct sunlight.

Storage temperature : 25 °C

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.

Packaging materials : Do not store in corrodable metal.

### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

Phenoxyethanol (122-99-6)			
Austria	MAK (mg/m³)	110 mg/m³	
Austria	MAK (ppm)	20 ppm	
Austria	MAK Short time value (mg/m³)	110 mg/m³	
Austria	MAK Short time value (ppm)	20 ppm	
Austria	OEL - Ceilings (mg/m³)	110 mg/m³	
Austria	OEL - Ceilings (ppm)	20 ppm	
Finland	HTP-arvo (8h) (mg/m³)	110 mg/m <sup>3</sup>	
Finland	HTP-arvo (8h) (ppm)	20 ppm	
Finland	HTP-arvo (15 min)	290 mg/m³	
Finland	HTP-arvo (15 min) (ppm)	50 ppm	
Germany	TRGS 900 Occupational exposure limit value (mg/m³)	110 mg/m³ (The risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Germany	TRGS 900 Occupational exposure limit value (ppm)	20 ppm (The risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Poland	NDS (mg/m³)	230 mg/m³	
Slovenia	OEL TWA (mg/m³)	110 mg/m³	
Slovenia	OEL TWA (ppm)	20 ppm	
Slovenia	OEL STEL (mg/m³)	110 mg/m <sup>3</sup>	
Slovenia	OEL STEL (ppm)	20 ppm	
Switzerland	MAK (mg/m³)	110 mg/m³	
Switzerland	MAK (ppm)	20 ppm	
Switzerland	KZGW (mg/m³)	220 mg/m³	
Switzerland	KZGW (ppm)	40 ppm	
d-Limonene (5989-27-5)			
Finland	HTP-arvo (8h) (mg/m³)	140 mg/m³	
Finland	HTP-arvo (8h) (ppm)	25 ppm	
Finland	HTP-arvo (15 min)	280 mg/m³	
Finland	HTP-arvo (15 min) (ppm)	50 ppm	
Germany	TRGS 900 Occupational exposure limit value (mg/m³)	28 mg/m³ (The risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	

6/16/2017 EN (English US) 4/11

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

d-Limonene (5989-27-5)		
Germany	TRGS 900 Occupational exposure limit value (ppm)	5 ppm (The risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Norway	TWA (AN) (mg/m³)	140 mg/m³
Norway	TWA (AN) (ppm)	25 ppm
Norway	TWA (Korttidsverdi) (mg/m3)	175 mg/m³ (value calculated)
Norway	TWA (Korttidsverdi) (ppm)	37.5 ppm (value calculated)
Switzerland	MAK (mg/m³)	40 mg/m³
Switzerland	MAK (ppm)	7 ppm
Switzerland	KZGW (mg/m³)	80 mg/m <sup>3</sup>
Switzerland	KZGW (ppm)	14 ppm
beta-Pinene (127-91-3)		
Belgium	Limit value (ppm)	20 ppm
Estonia	OEL TWA (mg/m³)	150 mg/m³
Estonia	OEL TWA (ppm)	25 ppm
Estonia	OEL STEL (mg/m³)	300 mg/m³
Estonia	OEL STEL (ppm)	50 ppm
Lithuania	IPRV (mg/m³)	150 mg/m³
Lithuania	IPRV (ppm)	25 ppm
Lithuania	TPRV (mg/m³)	300 mg/m³
Lithuania	TPRV (ppm)	50 ppm
Portugal	OEL TWA (ppm)	20 ppm
Spain	VLA-ED (mg/m³)	113 mg/m³ (Turpentine, including monoterpenes)
Spain	VLA-ED (ppm)	20 ppm (Turpentine, including monoterpenes)
Sweden	nivågränsvärde (NVG) (mg/m³)	150 mg/m³
Sweden	nivågränsvärde (NVG) (ppm)	25 ppm
Sweden	kortidsvärde (KTV) (mg/m³)	300 mg/m³
Sweden	kortidsvärde (KTV) (ppm)	50 ppm
Norway	TWA (AN) (mg/m³)	140 mg/m³
Norway	TWA (AN) (ppm)	25 ppm
Norway	TWA (Korttidsverdi) (mg/m3)	175 mg/m³ (value calculated)
Norway	TWA (Korttidsverdi) (ppm)	37.5 ppm (value calculated)
Canada (Quebec)	VEMP (mg/m³)	112 mg/m³
Canada (Quebec)	VEMP (ppm)	20 ppm
USA - ACGIH	ACGIH TWA (ppm)	20 ppm

# 8.2. Exposure controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Personal protective equipment : Avoid all unnecessary exposure.

Hand protection : Wear protective gloves

Eye protection : Chemical goggles or safety glasses. Safety glasses

Skin and body protection : Wear suitable protective clothing

Respiratory protection : Wear appropriate mask

Environmental exposure controls : Avoid release to the environment.

Other information : Do not eat, drink or smoke during use.

## **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Color : light yellow. amber.

6/16/2017 EN (English US) 5/11

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Odor : Floral.

Odor threshold : No data available рН : No data available : No data available Relative evaporation rate (butyl acetate=1) Melting point : Not applicable Freezing point : No data available **Boiling** point : No data available : > 93.33 °C Flash point Auto-ignition temperature : No data available : No data available Decomposition temperature Flammability (solid, gas) : Non flammable Vapor pressure : No data available Relative vapor density at 20 °C : No data available Relative density : No data available Solubility : No data available

Log Pow : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidizing properties : No data available
Explosion limits : No data available

#### 9.2. Other information

No additional information available

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Not established.

## 10.3. Possibility of hazardous reactions

Not established.

### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

### 10.5. Incompatible materials

Strong acids. Strong bases.

### 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

### **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

Acute toxicity : Not classified
Skin corrosion/irritation : Not classified

Additional information : Based on available data, the classification criteria are not met

Serious eye damage/irritation : Not classified

Additional information : Based on available data, the classification criteria are not met

Respiratory or skin sensitization : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified

Based on available data, the classification criteria are not met

Carcinogenicity : Not classified

Additional information : Based on available data, the classification criteria are not met

Reproductive toxicity : Not classified

Additional information : Based on available data, the classification criteria are not met

Specific target organ toxicity – single exposure : Not classified

Additional information : Based on available data, the classification criteria are not met

6/16/2017 EN (English US) 6/11

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Specific target organ toxicity - repeated

exposure

: Not classified

Additional information : Based on available data, the classification criteria are not met

Aspiration hazard : Not classified

Additional information : Based on available data, the classification criteria are not met

Potential Adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met.

### **SECTION 12: Ecological information**

#### 12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects.

Ecology - water : Toxic to aquatic life with long lasting effects.

#### 12.2. Persistence and degradability

SANDALWOOD & HONEYSUCKLE LEAF	
Persistence and degradability	May cause long-term adverse effects in the environment. Not established.

### 12.3. Bioaccumulative potential

SANDALWOOD & HONEYSUCKLE LEAF	
Bioaccumulative potential	Not established.

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Other adverse effects

Additional information : Avoid release to the environment

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of

contents/container in accordance with local/national laws and regulations.

Ecology - waste materials : Avoid release to the environment.

### **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

#### 14.1. UN number

UN-No. (ADR) : 3082 UN-No. (IMDG) : 3082 UN-No. (IATA) : 3082 UN-No. (ADN) : 3082 UN-No. (RID) : 3082

### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Proper Shipping Name (IMDG) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Proper Shipping Name (IATA) : Environmentally hazardous substance, liquid, n.o.s.

Proper Shipping Name (ADN) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. Proper Shipping Name (RID) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Transport document description (ADR) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(Hexamethylindanopyran), 9, III, (E)

Transport document description (IMDG) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(Hexamethylindanopyran), 9, III, MARINE POLLUTANT

Transport document description (IATA) : UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Hexamethylindanopyran), 9, III

Transport document description (ADN) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III

Transport document description (RID) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III

## 14.3. Transport hazard class(es)

#### ADR

6/16/2017 EN (English US) 7/11

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Transport hazard class(es) (ADR) : 9
Hazard labels (ADR) : 9



### **IMDG**

Transport hazard class(es) (IMDG) : 9
Hazard labels (IMDG) : 9



#### IATA

Transport hazard class(es) (IATA) : 9
Hazard labels (IATA) : 9



### ADN

Transport hazard class(es) (ADN) : 9
Hazard labels (ADN) : 9



### RID

Transport hazard class(es) (RID) : 9
Hazard labels (RID) : 9



### 14.4. Packing group

Packing group (ADR) : III
Packing group (IMDG) : III
Packing group (IATA) : III
Packing group (ADN) : III
Packing group (RID) : III

### 14.5. Environmental hazards

Dangerous for the environment : Yes
Marine pollutant : Yes

Other information : No supplementary information available

6/16/2017 EN (English US) 8/11

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 14.6. Special precautions for user

#### - Overland transport

Classification code (ADR) : M6

Special provision (ADR) : 274, 335, 601, 375

Limited quantities (ADR) : 5I Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions : T4

(ADR)

Portable tank and bulk container special

provisions (ADR)

: TP1, TP29

Tank code (ADR) : LGBV
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages : V12

(ADR)

Special provisions for carriage - Loading, : CV13

unloading and handling (ADR)

Hazard identification number (Kemler No.) : 90

Orange plates

90 3082

Tunnel restriction code (ADR) : E

- Transport by sea

Special provision (IMDG) : 274, 335, 969

Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1

Packing instructions (IMDG) : P001, LP01

Packing provisions (IMDG) : PP1
IBC packing instructions (IMDG) : IBC03
Tank instructions (IMDG) : T4

Tank special provisions (IMDG) : TP2, TP29
EmS-No. (Fire) : F-A
EmS-No. (Spillage) : S-F
Stowage category (IMDG) : A

- Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y964
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 964
PCA max net quantity (IATA) : 450L
CAO packing instructions (IATA) : 964
CAO max net quantity (IATA) : 450L

Special provision (IATA) : A97, A158, A197

ERG code (IATA) : 9L

- Inland waterway transport

Classification code (ADN) : M6

Special provision (ADN) : 274, 335, 375, 601

Limited quantities (ADN) : 5 L

Excepted quantities (ADN) : E1

Carriage permitted (ADN) : T

Equipment required (ADN) : PP

Number of blue cones/lights (ADN) : 0

6/16/2017 EN (English US) 9/11

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### - Rail transport

Classification code (RID) : M6

Special provision (RID) : 274, 335, 375, 601

Limited quantities (RID) : 5L Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Special packing provisions (RID) : PP1 Mixed packing provisions (RID) : MP19 Portable tank and bulk container instructions : T4

(RID)

Portable tank and bulk container special

provisions (RID)

: TP1, TP29

Tank codes for RID tanks (RID) : LGBV Transport category (RID) : 3 Special provisions for carriage - Packages : W12

Special provisions for carriage - Loading,

unloading and handling (RID)

: CW13, CW31

Colis express (express parcels) (RID) : CE8 Hazard identification number (RID) : 90

### Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

### **SECTION 15: Regulatory information**

Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. **EU-Regulations**

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

3. Liquid substances or mixtures which are regarded as dangerous in accordance with Directive 1999/45/EC or are fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008	HEXAMETHYLINDANOPYRAN - d-Limonene - Phenoxyethanol
3(a) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F	Bergamot oil - d-Limonene - beta-Pinene
3(b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	SANDALWOOD & HONEYSUCKLE LEAF - Iso E Super - alpha-Cedrene - 2-Methyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol - Bergamot oil - d-Limonene - beta-Pinene - Citronellol pure - Butylphenyl methylpropional - Hexyl cinnamic aldehyde - Helional - Phenoxyethanol - Damascone Alpha - Eugenol - Geranyl acetate
3(c) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	SANDALWOOD & HONEYSUCKLE LEAF - Ethylene brassylate - HEXAMETHYLINDANOPYRAN - Iso E Super - alpha-Cedrene - 2-Methyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol - Bergamot oil - d-Limonene - beta-Pinene - beta-Ionone - Butylphenyl methylpropional - Hexyl cinnamic aldehyde - Helional - Geranyl acetate
40. Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.	d-Limonene

Contains no REACH candidate substance

Contains no REACH Annex XIV substances.

#### 15.1.2. **National regulations**

### Germany

VwVwS Annex reference : Water hazard class (WGK) 2, hazardous to water (Classification according to VwVwS, Annex

12th Ordinance Implementing the Federal Netherlands Immission Control Act - 12.BImSchV

EN (English US) 10/11 according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

6/16/2017 EN (English US) 11/11

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SZW-lijst van kankerverwekkende stoffen

SZW-lijst van mutagene stoffen

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen – Borstvoeding

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen – Vruchtbaarheid

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling

: None of the components are listed

: None of the components are listed: None of the components are listed

: None of the components are listed

: None of the components are listed

#### Denmark

Classification remarks

: Emergency management guidelines for the storage of flammable liquids must be followed

Recommendations Danish Regulation

: Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with the

product

The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

### **SECTION 16: Other information**

Other information : None.

Full text of H- and EUH-phrases:

Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3
Asp. Tox. 1	Aspiration hazard Category 1
Eye Irrit. 2	Serious eye damage/eye irritation Category 2
Flam. Liq. 3	Flammable liquids Category 3
Repr. 2	Reproductive toxicity Category 2
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitization, Category 1
Skin Sens. 1B	Skin sensitization, category 1B
H226	Flammable liquid and vapor
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H361	Suspected of damaging fertility or the unborn child
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

### SDS EU CLP.

The data contained in this Safety Data Sheet is accurate to the best knowledge of Candle Supply Pty Ltd, applies to the product as supplied Candle Supply Pty Ltd, and does not relate to use in combination with any other material or in any process. Data and information is furnished without warranty expressed or implied, nor does Candle Supply Pty Ltd, assume responsibility for use or reliance upon this data.

This SDS is current to the date listed above. However, the GHS classifications may change due to hazard communication updates by the overseeing governing body. For the most current SDS information please contact <u>customerservice@candlesupply.com.au</u>

6/16/2017 EN (English US) 12/11