

WATERMINT & BAMBOO

Version 6

Revision Date 19.06.2018

Print Date 07.09.2018

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Commercial Product Name : WATERMINT & BAMBOO

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Fragrance mix

1.3 Details of the supplier of the safety data sheet

Candle Supply Pty Ltd
Unit 3 8-9 Lagana Place
Wetherill Park, NSW 2164
ABN: 70612899626

Phone Number: 02 8741 4000
e-mail: customerservice@candlesupply.com.au

1.4 Emergency telephone number

13 11 26

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

| | |
|--------------------------------------|------|
| Acute toxicity, Category 4, Oral | H302 |
| Skin irritation, Category 2 | H315 |
| Serious eye damage, Category 1 | H318 |
| Skin sensitisation, Category 1 | H317 |
| Acute aquatic toxicity, Category 1 | H400 |
| Chronic aquatic toxicity, Category 2 | H411 |

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

WATERMINT & BAMBOO

Version 6

Revision Date 19.06.2018

Print Date 07.09.2018

Signal word : Danger

Hazard statements : H302 Harmful if swallowed.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
P273 Avoid release to the environment.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response:
P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.
P302 + P352 IF ON SKIN: Wash with plenty of water.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

Contains : BENZYL BENZOATE, 2-(4-TERT-BUTYLBENZYL)PROPIONALDEHYDE, alpha-Hexyl cinnamic aldehyde, LINALOOL.

2.3 Other hazards

No data available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

No data available

3.2 Mixtures

Hazardous components

| Chemical name | CAS-No. EC-No. Registration number | Classification (REGULATION (EC) No 1272/2008) | Concentration [%] |
|--|--|--|----------------------|
| Benzyl benzoate ¹⁾ | 120-51-4 204-402-9 01-2119976371-33-0006 | Acute Tox.: 4 (Oral); H302 Aquatic Acute: 1; H400 Aquatic Chronic: 2; H411 | >= 25 - < 50 |
| α-Hexylcinnamaldehyde ¹⁾ | 101-86-0 202-983-3 | Skin Sens.: 1B; H317 Aquatic Chronic: 2; H411 Aquatic Acute: 1; H400 | >= 5 - < 10 |
| Linalool | 78-70-6 201-134-4 | Skin Irrit.: 2; H315 Eye Irrit.: 2; H319 Skin Sens.: 1B; H317 | >= 5 - < 10 |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

WATERMINT & BAMBOO

Version 6

Revision Date 19.06.2018

Print Date 07.09.2018

| | | | |
|--|---|--|--------------|
| l-p-Mentha-1(6),8-dien-2-one | 6485-40-1 229-352-5 01-2119962458-25 | Skin Sens.: 1B; H317 | >= 1 - < 5 |
| 2,6-Dimethyloct-7-en-2-ol | 18479-58-8 242-362-4 01-2119457274-37 01-2119457274-37 | Skin Irrit.: 2; H315 Eye Irrit.: 2; H319 | >= 1 - < 5 |
| Geraniol | 106-24-1 203-377-1 | Skin Irrit.: 2; H315 Eye Dam.: 1; H318 Skin Sens.: 1B; H317 | >= 1 - < 5 |
| 2-(4-tert-Butylbenzyl)propionaldehyde | 80-54-6 201-289-8 | Repr.: 2; H361 Skin Irrit.: 2; H315 Acute Tox.: 4 (Oral); H302 Aquatic Chronic: 3; H412 Skin Sens.: 1B; H317 | >= 1 - < 5 |
| Isocyclocitral | 1335-66-6 215-638-7 | Skin Irrit.: 2; H315 Eye Irrit.: 2; H319 Skin Sens.: 1B; H317 Aquatic Chronic: 3; H412 | >= 1 - < 5 |
| Nerol | 106-25-2 203-378-7 | Skin Sens.: 1B; H317 Skin Irrit.: 2; H315 Eye Dam.: 1; H318 | >= 1 - < 5 |
| cis-2-tert-Butylcyclohexyl acetate | 20298-69-5 88-41-5 243-718-1 201-828-7 01-2119970713-33 01-2119970713-33 01-2119970713-33 | Aquatic Chronic: 2; H411 | >= 1 - < 5 |
| 2-Phenylethanol | 60-12-8 200-456-2 01-2119963921-31 | Acute Tox.: 4 (Oral); H302 Eye Irrit.: 2; H319 | >= 1 - < 5 |
| Allyl heptanoate ¹⁾ | 142-19-8 205-527-1 01-2119488961-23-0000 | Acute Tox.: 3 (Oral); H301 Acute Tox.: 3 (Dermal); H311 Aquatic Acute: 1; H400 Aquatic Chronic: 3; H412 | >= 0,1 - < 1 |
| 1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran ²⁾ | 1222-05-5 214-946-9 | Aquatic Acute: 1; H400 Aquatic Chronic: 1; H410 | >= 0,1 - < 1 |
| Undecan-4-olide | 104-67-6 203-225-4 01-2119959333-34 01-2119959333-34 01-2119959333-34 | Aquatic Chronic: 3; H412 | >= 0,1 - < 1 |
| 2,4-Dimethylcyclohex-3-ene-1-carbaldehyde | 68039-49-6 268-264-1 | Skin Irrit.: 2; H315 Aquatic Chronic: 2; H411 Skin Sens.: 1B; H317 | >= 0,1 - < 1 |
| 2,6-di-tert-Butyl-p-cresol ¹⁾ | 128-37-0 204-881-4 01-2119555270-46 01-2119565113-46 01-2119480433-40 | Aquatic Acute: 1; H400 Aquatic Chronic: 1; H410 | >= 0,1 - < 1 |
| GLOBALIDE® ¹⁾ | 34902-57-3 111879-80-2 422-320-3 01-0000016883-62-0000 | Aquatic Acute: 1; H400 Aquatic Chronic: 1; H410 | >= 0,1 - < 1 |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

WATERMINT & BAMBOO

Version 6

Revision Date 19.06.2018

Print Date 07.09.2018

| | | | |
|---|--|--|--------------------|
| 3-p-Cumenyl-2-methylpropionaldehyde | 103-95-7 203-161-7 | Skin Irrit.: 2; H315 Skin Sens.: 1B; H317 Aquatic Chronic: 3; H412 | >= 0,1 - < 1 |
| (E)-4-(2,6,6-Trimethyl-1-cyclohexen-1-yl)-3-buten-2-one | 79-77-6 201-224-3 | Aquatic Chronic: 2; H411 | >= 0,1 - < 1 |
| Pentadecan-15-olide ¹⁾ | 106-02-5 203-354-6 01-2119987323-31-0000 | Skin Sens.: 1; H317 Aquatic Chronic: 2; H411 | >= 0,1 - < 1 |
| (S)-p-Mentha-1,8-diene ¹⁾ | 5989-54-8 227-815-6 | Flam. Liq.: 3; H226 Skin Irrit.: 2; H315 Skin Sens.: 1; H317 Aquatic Acute: 1; H400 Aquatic Chronic: 1; H410 Asp. Tox.: 1; H304 | >= 0,1 - < 1 |
| 3-(p-Methoxyphenyl)-2-methylpropionaldehyde | 5462-06-6 226-749-5 | Skin Sens.: 1B; H317 | >= 0,1 - < 1 |
| Citronellol | 106-22-9 203-375-0 01-2119453995-23 | Skin Irrit.: 2; H315 Eye Irrit.: 2; H319 Skin Sens.: 1B; H317 | >= 0,1 - < 1 |
| (E)-1-(2,6,6-Trimethyl-2-cyclohexen-1-yl)-2-buten-1-one | 24720-09-0 246-430-4 01-2120105799-47 | Acute Tox.: 4 (Oral); H302 Skin Sens.: 1B; H317 Aquatic Chronic: 2; H411 | >= 0,1 - < 1 |
| 2,6,10-Trimethylundec-9-enal ¹⁾ | 141-13-9 205-460-8 | Aquatic Acute: 1; H400 Aquatic Chronic: 1; H410 Skin Sens.: 1B; H317 M-Factor: 1 | >= 0,1 - < 1 |
| Methyl non-2-ynoate ¹⁾ | 111-80-8 203-909-2 | Acute Tox.: 4 (Oral); H302 Skin Irrit.: 2; H315 Skin Sens.: 1A; H317 Aquatic Acute: 1; H400 Aquatic Chronic: 3; H412 | >= 0,025 - < 0,1 |
| Dodecanenitrile ¹⁾ | 2437-25-4 219-440-1 | Skin Irrit.: 2; H315 Aquatic Acute: 1; H400 Aquatic Chronic: 1; H410 M-Factor: 10 | >= 0,001 - < 0,025 |

For the full text of the H-Statements mentioned in this Section, see Section 16.

Acute aquatic toxicity:

¹⁾ 0,1 < L(E)C50 <= 1 mg/l

²⁾ 0,01 < L(E)C50 <= 0,1 mg/l

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

- General advice : Move out of dangerous area.
Never give anything by mouth to an unconscious person.
- Inhalation : Move to fresh air.
- Skin contact : Take off all contaminated clothing immediately.
If symptoms persist, call a physician.
- Eye contact : Immediately flush eye(s) with plenty of water.

WATERMINT & BAMBOO

Version 6

Revision Date 19.06.2018

Print Date 07.09.2018

Ingestion : Clean mouth with water and drink afterwards plenty of water.
Prevent vomiting if possible.
If a person vomits when lying on his back, place him in the recovery position.
Never give anything by mouth to an unconscious person.
If accidentally swallowed obtain immediate medical attention.

4.2 Most important symptoms and effects, both acute and delayed

No data available

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Extinguishing media which shall not be used for safety reasons : High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : Do not use a solid water stream as it may scatter and spread fire.
Do not allow run-off from fire fighting to enter drains or water courses.

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

Further information : In the event of fire and/or explosion do not breathe fumes.
Use water spray to cool unopened containers.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Ensure adequate ventilation.
Use personal protective equipment.

6.2 Environmental precautions

Environmental precautions : Should not be released into the environment.
Avoid subsoil penetration.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

WATERMINT & BAMBOO

Version 6

Revision Date 19.06.2018

Print Date 07.09.2018

6.3 Methods and materials for containment and cleaning up

- | | | |
|-------------------------|---|--|
| Methods for cleaning up | : | Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Dam up. Wipe up with absorbent material (e.g. cloth, fleece). |
| Additional advice | : | Local authorities should be advised if significant spillages cannot be contained. Suppress (knock down) gases/vapours/mists with a water spray jet. |

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

- | | | |
|---|---|---|
| Advice on safe handling | : | Dispose of rinse water in accordance with local and national regulations. For personal protection see section 8. |
| Advice on protection against fire and explosion | : | When using do not smoke. |

7.2 Conditions for safe storage, including any incompatibilities

- | | | |
|---|---|---|
| Requirements for storage areas and containers | : | Store in original container. Keep container tightly closed in a dry and well-ventilated place. To maintain product quality, do not store in heat or direct sunlight. Containers which are opened must be carefully resealed and kept upright to prevent leakage. |
| Advice on common storage | : | No special restrictions on storage with other products. |
| Other data | : | No decomposition if stored and applied as directed. |

7.3 Specific end use(s)

Fragrance mix

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

WATERMINT & BAMBOO

Version 6

Revision Date 19.06.2018

Print Date 07.09.2018

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters, Germany:

| Components | CAS-No. | Control parameters | Update | Basis |
|----------------------------|----------|--------------------------|---------|----------|
| 2,6-di-tert-Butyl-p-cresol | 128-37-0 | AGW 10 mg/m ³ | 09 2012 | TRGS 900 |

Components with workplace control parameters, United Kingdom:

| Components | CAS-No. | Control parameters | Update | Basis |
|----------------------------|----------|--------------------------|---------|----------|
| 2,6-di-tert-Butyl-p-cresol | 128-37-0 | TWA 10 mg/m ³ | 12 2011 | EH40 WEL |

Components with workplace control parameters, Spain:

| Components | CAS-No. | Control parameters | Update | Basis |
|----------------------------|----------|-----------------------------|--------|----------|
| 2,6-di-tert-Butyl-p-cresol | 128-37-0 | VLA-ED 10 mg/m ³ | 2014 | VLA (ES) |

Components with workplace control parameters, France:

| Components | CAS-No. | Control parameters | Update | Basis |
|----------------------------|----------|--------------------------|---------|-----------|
| 2,6-di-tert-Butyl-p-cresol | 128-37-0 | VME 10 mg/m ³ | 07 2012 | INRS (FR) |

8.2 Exposure controls

Engineering measures

none

Personal protective equipment

- Respiratory protection : No personal respiratory protective equipment normally required.
- Hand protection : Barrier creams may help to protect the exposed areas of skin, they should however not be applied once exposure has occurred.
Wear chemicals-resistant gloves, e.g. safety gloves of chloroprene Level 2 or of butyl rubber Level 6.
- Eye protection : Safety glasses
- Skin and body protection : Lightweight protective clothing
Remove and wash contaminated clothing before re-use.
- Hygiene measures : Wash hands before breaks and immediately after handling the product.
- Protective measures : Avoid contact with skin.
When using, do not eat, drink or smoke.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

WATERMINT & BAMBOO CANDLE

Version 6

Revision Date 19.06.2018

Print Date 07.09.2018

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance

Form : clear liquid

Colour : colorless to yellow

Odour : characteristic

Odour Threshold : No data available

Safety data

Flash point : 96 °C

Water solubility : immiscible

Relative density : 1,0100 - 1,0300 at
20 °C relation to density of water at 4°C

Bulk density :

Relative vapour density : not determined

Vapour pressure : < 1 kPa at 50 °C
calculated

Melting point/freezing point :
not determined

Boiling point : not determined

Partition coefficient: n-
octanol/water : log Pow:
Not applicable

pH : not determined

Evaporation rate : Not applicable

Flammability (solid, gas) : Not applicable

Auto-ignition temperature : The substance or mixture is not classified as self heating.

Decomposition temperature : No data available

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Explosive properties : Due to its structural properties, the product is not classified as explosive

Lower explosion limit : Vapours may form explosive mixtures with air.

Upper explosion limit : Vapours may form explosive mixtures with air.

A final assessment of potential explosion hazards can only be made on a case-by-case basis when precise information is available on product handling, production setup and the circumstances surrounding the use of the product.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

WATERMINT & BAMBOO

Version 6

Revision Date 19.06.2018

Print Date 07.09.2018

9.2 Other data

None.

SECTION 10: STABILITY AND REACTIVITY

- 10.1 Reactivity** : No data available
- 10.2 Chemical stability** : No data available
- 10.3 Possibility of hazardous reactions** : No dangerous reaction known under conditions of normal use.
- 10.4 Conditions to avoid** : No data available
- 10.5 Incompatible materials to avoid** : No data available
- 10.6 Hazardous decomposition products** : No data available

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

- Acute oral toxicity : Acute toxicity estimate : 982,73 mg/kg, Calculation method
- Acute inhalation toxicity : No data available
- Acute dermal toxicity : Acute toxicity estimate : > 2.000 mg/kg, Calculation method
- Repeated dose toxicity : No data available
- Acute toxicity (other routes of administration) : No data available
- Skin irritation : No data available
- Eye irritation : No data available
- Sensitisation : No data available
- Mutagenicity : No data available
- Carcinogenicity : No data available
- Reproductive toxicity : No data available
- Teratogenicity : No data available
- Specific target organ toxicity - single exposure : No data available
- Specific target organ toxicity - repeated exposure : No data available
- Aspiration toxicity : No data available

WATERMINT & BAMBOO

Version 6

Revision Date 19.06.2018

Print Date 07.09.2018

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Very toxic to aquatic life with long lasting effects.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product : Where possible recycling is preferred to disposal or incineration.
If recycling is not practicable, dispose of in compliance with local regulations.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.

SECTION 14: TRANSPORT INFORMATION

14.1 UN number

ADR : 3082
RID : 3082
IMDG : 3082
IATA-DGR : 3082

14.2 Proper shipping name

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BENZYL BENZOATE)
RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BENZYL BENZOATE)
IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BENZYL BENZOATE, HEXYL CINNAM-ALDEHYDE) MP
IATA-DGR : Environmentally hazardous substance, liquid, n.o.s. (BENZYL BENZOATE)

14.3 Transport hazard class

ADR : 9
RID : 9

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

WATERMINT & BAMBOO

Version 6

Revision Date 19.06.2018

Print Date 07.09.2018

IMDG : 9
IATA-DGR : 9

14.4 Packing group

ADR:

Packaging group : III
Classification Code : M6
Hazard Identification : 90
Number
Labels : 9
Tunnel restriction code : (-)

RID:

Packaging group : III
Classification Code : M6
Hazard Identification : 90
Number
Labels : 9

IMDG:

Packaging group : III
Labels : 9
EmS - EmS : F-A, S-F

IATA-DGR:

Packing instruction (cargo aircraft) : 964
Qty/Pkg (Cargo) : 450,00 L
Packing instruction (passenger aircraft) : 964
Qty/Pkg (Passenger) : 450,00 L
Packaging group : III
Labels : 9MI

14.5 Environmental hazards

ADR:

Environmentally hazardous : yes

RID:

Environmentally hazardous : yes

IMDG:

Marine pollutant : yes

IATA-DGR:

Environmentally hazardous : yes

14.6 Special precautions for user

No data available

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National legislation

Risk classification according to BetrSichV (Germany) : Flash Point > 55 °C up to 100 °C, at 15 °C not miscible with water

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

WATERMINT & BAMBOO

Version 6

Revision Date 19.06.2018

Print Date 07.09.2018

Water contaminating class : WGK 3 (highly water endangering)
(Germany) Calculation acc. Annex 4 to VwVwS

15.2 Chemical safety assessment

No data available

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.:

| | |
|------|---|
| H226 | Flammable liquid and vapour. |
| H301 | Toxic if swallowed. |
| H302 | Harmful if swallowed. |
| H304 | May be fatal if swallowed and enters airways. |
| H311 | Toxic in contact with skin. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H361 | Suspected of damaging fertility or the unborn child. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |

Further information

The data contained in this Safety Data Sheet is accurate to the best knowledge of Candle Supply Pty Ltd, applies to the product as supplied Candle Supply Pty Ltd, and does not relate to use in combination with any other material or in any process. Data and information is furnished without warranty expressed or implied, nor does Candle Supply Pty Ltd, assume responsibility for use or reliance upon this data.

This SDS is current to the date listed above. However, the GHS classifications may change due to hazard communication updates by the overseeing governing body. For the most current SDS information please contact customerservice@candlesupply.com.au