according to Regulation (EC) No. 1907/2006



# **YUZU FRUIT**

Version 9 Revision Date 05.11.2019 Print Date 05.11.2019

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 Product identifier

Commercial Product Name : YUZU FRUIT

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Fragrance

Fragrance mix

#### 1.3 Details of the supplier of the safety data sheet

Candle Supply Pty Ltd Unit 3 8-9 Lagana Place Wetherill Park, NSW 2164 ABN: 70612899626

Phone Number: 02 8741 4000

e-mail: <a href="mailto:customerservice@candlesupply.com.au">customerservice@candlesupply.com.au</a>

#### 1.4 Emergency telephone number

In an emergency call: 13 11 26

# **SECTION 2: HAZARDS IDENTIFICATION**

# 2.1 Classification of the substance or mixture

# Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 3	H226
Skin irritation, Category 2	H315
Skin sensitisation, Category 1	H317
Aspiration hazard, Category 1	H304
Short-term (acute) aquatic hazard, Category 1	H400
Long-term (chronic) aquatic hazard, Category 1	H410

#### 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006

# **YUZU FRUIT**

Version 9 Revision Date 05.11.2019 Print Date 05.11.2019

Hazard pictograms









Signal word : Danger

Hazard statements : H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H410 Very toxic to aquatic life with long lasting

effects.

Precautionary statements : **Prevention:** 

P210 Keep away from heat, hot surfaces, sparks,

open flames and other ignition sources. No

smoking.

P280 Wear protective gloves/protective

clothing/eye protection/face protection.

Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON

CENTER/doctor.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately

all contaminated clothing. Rinse skin with

water/shower.

P331 Do NOT induce vomiting.

P333 + P313 If skin irritation or rash occurs: Get medical

advice/ attention.

Contains : CYCLOHEXENE, 1-METHYL-4-(1-METHYLETHENYL)-, (R)-, alpha-

Hexyl cinnamic aldehyde.

# 2.3 Other hazards

No data available

# **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.1 Substances

No data available

#### 3.2 Mixtures

#### **Hazardous components**

Chemical name	CAS-No. EC-No. Registration number	Classification (REGULATION (EC) No 1272/2008)	Concentration [%]

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

VI	17	П	FR	П	TT
		•		•	

Version 9	Revision	Date 05.11.2019	Print Date 05.11.201
(R)-p-Mentha-1,8-diene	5989-27-5 227-813-5	Asp. Tox.: 1; H304 Aquatic Chronic: 1; H410 Aquatic Acute: 1; H400 Skin Sens.: 1B; H317 Skin Irrit.: 2; H315 Flam. Liq.: 3; H226	>= 25 - < 50
Benzyl benzoate 1)	120-51-4 204-402-9	Acute Tox.: 4 (Oral); H302 Aquatic Acute: 1; H400 Aquatic Chronic: 2; H411	>= 1 - < 5
Undecan-4-olide	104-67-6 203-225-4 01-2119959333-34 01-2119959333-34 01-2119959333-34	Aquatic Chronic: 3; H412	>= 1 - < 5
2,6-Dimethyloct-7-en-2- ol	18479-58-8 242-362-4 01-2119457274-37 01-2119457274-37	Skin Irrit.: 2; H315 Eye Irrit.: 2; H319	>= 1 - < 5
a-Hexylcinnamaldehyde <sup>2)</sup>	165184-98-5 101-86-0 202-983-3	Skin Sens.: 1; H317 Aquatic Acute: 1; H400 Aquatic Chronic: 2; H411	>= 1 - < 5
7-Methyl-3- methyleneocta-1,6-diene	123-35-3 204-622-5	Asp. Tox.: 1; H304 Flam. Liq.: 3; H226 Eye Irrit.: 2; H319 Skin Irrit.: 2; H315	>= 1 - < 5
2,4-Dimethylcyclohex-3- ene-1-carbaldehyde	68039-49-6 268-264-1 01-2119982384-28 01-2119982384-28 01-2119982384-28 01-2119982384-28	Skin Irrit.: 2; H315 Aquatic Chronic: 2; H411 Skin Sens.: 1B; H317 Eye Irrit.: 2; H319	>= 0,1 - < 1
Linalyl acetate	115-95-7 204-116-4	Skin Irrit.: 2; H315 Eye Irrit.: 2; H319 Skin Sens.: 1B; H317	>= 0,1 - < 1
1,3,4,6,7,8-Hexahydro- 4,6,6,7,8,8- hexamethylindeno[5,6- c]pyran <sup>2)</sup>	1222-05-5 214-946-9 01-2119488227-29 01-2119488227-29	Aquatic Acute: 1; H400 Aquatic Chronic: 1; H410	>= 0,1 - < 1
Linalool	78-70-6 201-134-4	Skin Irrit.: 2; H315 Eye Irrit.: 2; H319 Skin Sens.: 1B; H317	>= 0,1 - < 1
Pin-2(3)-ene	80-56-8 201-291-9	Flam. Liq.: 3; H226 Acute Tox.: 4 (Oral); H302 Skin Irrit.: 2; H315 Skin Sens.: 1B; H317 Asp. Tox.: 1; H304 Aquatic Acute: 1; H400 Aquatic Chronic: 1; H410 M-Factor: 1	>= 0,1 - < 1
2-(4-tert- Butylbenzyl)propionalde hyde	80-54-6 201-289-8	Repr.: 2; H361 Skin Irrit.: 2; H315 Acute Tox.: 4 (Oral); H302 Aquatic Chronic: 3; H412 Skin Sens.: 1B; H317	>= 0,1 - < 1

according to Regulation (EC) No. 1907/2006

ΥI	171	FK!	

Version 9		sion Date 05.11.2019	Print Date 05.11.2019
Octanal	124-13-0 204-683-8	Eye Irrit.: 2; H319 Skin Irrit.: 2; H315 Flam. Liq.: 3; H226 Aquatic Chronic: 2; H411	>= 0,1 - < 1
Decanal	112-31-2 203-957-4	Eye Irrit.: 2; H319 Aquatic Chronic: 3; H412	>= 0,1 - < 1
1-(2,6,6-Trimethyl-3- cyclohexen-1-yl)-2- buten-1-one 1)	57378-68-4 260-709-8	Acute Tox.: 4 (Oral); H302 Skin Sens.: 1A; H317 Skin Irrit.: 2; H315 Aquatic Acute: 1; H400	>= 0,025 - < 0,1

Aquatic Chronic: 1; H410

For the full text of the H-Staten nts mentioned in this Section, see S

ection 16.

Short-term (acute) aquatic

1) 0,1 < L(E)C50 <= 1 mg/l

hazard:

 $^{2)}$  0,01 < L(E)C50 <= 0,1 mg/l

#### **SECTION 4: FIRST AID MEASURES**

#### 4.1 Description of first aid measures

General advice : Move out of dangerous area.

Never give anything by mouth to an unconscious person.

Inhalation : Move to fresh air.

Skin contact : Take off all contaminated clothing immediately.

If symptoms persist, call a physician.

Wash off immediately with soap and plenty of water.

Eye contact : Immediately flush eye(s) with plenty of water.

Ingestion : Prevent vomiting if possible.

If a person vomits when lying on his back, place him in the recovery

position.

Never give anything by mouth to an unconscious person. If accidentally swallowed obtain immediate medical attention.

#### 4.2 Most important symptoms and effects, both acute and delayed

No data available

#### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: FIREFIGHTING MEASURES**

# 5.1 Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Extinguishing media which shall not be used for safety

reasons

: High volume water jet

according to Regulation (EC) No. 1907/2006

# **YUZU FRUIT**

Version 9 Revision Date 05.11.2019 Print Date 05.11.2019

# 5.2 Special hazards arising from the substance or mixture

Specific hazards during

firefighting

: Flash back possible over considerable distance.

Do not use a solid water stream as it may scatter and spread fire. Do not allow run-off from fire fighting to enter drains or water courses.

#### 5.3 Advice for firefighters

Special protective equipment

for firefighters

: In the event of fire, wear self-contained breathing apparatus.

Further information : In the event of fire and/or explosion do not breathe fumes.

Use water spray to cool unopened containers.

Fire residues and contaminated fire extinguishing water must be

disposed of in accordance with local regulations.

Collect contaminated fire extinguishing water separately. This must not

be discharged into drains.

# **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Ensure adequate ventilation.

Use personal protective equipment. Remove all sources of ignition.

#### 6.2 Environmental precautions

Environmental precautions : Should not be released into the environment.

Avoid subsoil penetration.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform respective

authorities.

# 6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Wipe up with absorbent material (e.g. cloth, fleece).

Additional advice : Local authorities should be advised if significant spillages cannot be

contained.

Suppress (knock down) gases/vapours/mists with a water spray jet.

#### 6.4 Reference to other sections

For personal protection see section 8.

# **SECTION 7: HANDLING AND STORAGE**

# 7.1 Precautions for safe handling

Advice on safe handling : Dispose of rinse water in accordance with local and national regulations.

For personal protection see section 8.

according to Regulation (EC) No. 1907/2006

# **YUZU FRUIT**

Version 9 Revision Date 05.11.2019 Print Date 05.11.2019

Advice on protection against

fire and explosion

: Take necessary action to avoid static electricity discharge (which might  $% \left( 1\right) =\left( 1\right) +\left( 1\right)$ 

cause ignition of organic vapours). Use explosion-proof equipment. Avoid formation of aerosol.

Do not spray on a naked flame or any incandescent material.

When using do not smoke.

Keep away from open flames, hot surfaces and sources of ignition.

# 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage

areas and containers

: Store in original container.

Keep container tightly closed in a dry and well-ventilated place. To maintain product quality, do not store in heat or direct sunlight.

No smoking.

Containers which are opened must be carefully resealed and kept

upright to prevent leakage.

Advice on common storage : No special restrictions on storage with other products.

Other data : No decomposition if stored and applied as directed.

#### 7.3 Specific end use(s)

Fragrance

Fragrance mix

according to Regulation (EC) No. 1907/2006

# **YUZU FRUIT**

Version 9 Revision Date 05.11.2019 Print Date 05.11.2019

# **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### 8.1 Control parameters

# Components with workplace control parameters, Germany:

Components	CAS-No.	Control parameters	Update	Basis
(R)-p-Mentha-1,8-diene	5989-27-5	AGW 5 ppm	04 2013	TRGS 900

# Components with workplace control parameters, United Kingdom:

Components	CAS-No.	Control parameters	Update	Basis
Diethyl phthalate	84-66-2	TWA 5 mg/m3 STEL 10 mg/m3	12 2011 12 2011	EH40 WEL EH40 WEL

#### Components with workplace control parameters, Spain:

Components	CAS-No.	Control parameters	Update	Basis
Diethyl phthalate	84-66-2	VLA-ED 5 mg/m3	2012	VLA (ES)
Pin-2(3)-ene	80-56-8	VLA-ED 20 ppm	2012	VLA (ES)

# Components with workplace control parameters, France:

Components	CAS-No.	Control parameters	Update	Basis
Diethyl phthalate	84-66-2	VME 5 mg/m3	07 2012	INRS (FR)

#### 8.2 Exposure controls

# **Engineering measures**

none

#### Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.

Hand protection : Barrier creams may help to protect the exposed areas of skin, they

should however not be applied once exposure has occurred.

Wear chemicals-resistant gloves, e.g. safety gloves of chloroprene Level

2 or of butyl rubber Level 6.

Eye protection : Safety glasses

Skin and body protection : Lightweight protective clothing

Remove and wash contaminated clothing before re-use.

Hygiene measures : Wash hands before breaks and immediately after handling the product.

Protective measures : Avoid contact with skin.

When using, do not eat, drink or smoke.

according to Regulation (EC) No. 1907/2006

# **YUZU FRUIT**

Version 9 Revision Date 05.11.2019 Print Date 05.11.2019

#### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

#### 9.1 Information on basic physical and chemical properties

## **Appearance**

Form : liquid

Colour : light yellow to yellow

Odour : characteristic

Odour Threshold : No data available

Safety data

Flash point : 54 °C

Water solubility

Relative density : 0,9542 - 0,9742 at

20 °C relation to density of water at 20°C

Bulk density : Not applicable

Relative vapour density : not determined

Vapour pressure : 4 kPa at 50 °C

calculated

Melting point/freezing point

not determined

Boiling point : not determined

Partition coefficient: n-

octanol/water

: log Pow:

Not applicable

pH : not determined

Evaporation rate : Not applicable

Flammability (solid, gas) : Not applicable

Auto-ignition temperature : The substance or mixture is not classified as self heating.

Decomposition temperature : No data available

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Explosive properties : Due to its structural properties, the product is not classified as explosive

Lower explosion limit : Vapours may form explosive mixtures with air.

Upper explosion limit : Vapours may form explosive mixtures with air.

A final assessment of potential explosion hazards can only be made on a case-by-case basis when precise information is available on product handling, production setup and the circumstances surrounding the use

of the product.

according to Regulation (EC) No. 1907/2006

# **YUZU FRUIT**

Version 9 Revision Date 05.11.2019 Print Date 05.11.2019

#### 9.2 Other data

None.

#### SECTION 10: STABILIT AND REACTIVITY

10.1 Reactivity : No data available

10.2 Chemical stability : No data available

10.3 Possibility of hazardous : No dangerous reaction known under conditions of normal use.

reactions

10.4 Conditions to avoid : No data available

10.5 Incompatible materials : No data available

to avoid

10.6 Hazardous decomposition : No data available

products

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

# 11.1 Information on toxicological effects

Acute oral toxicity : Acute toxicity estimate : > 2.000 mg/kg, Calculation method

Acute inhalation toxicity : No data available Acute dermal toxicity : No data available Repeated dose toxicity : No data available

Acute toxicity (other routes

of administration)

: No data available

Skin irritation : No data available

Eye irritation No data available

Sensitisation : No data available

Mutagenicity No data available

Carcinogenicity : No data available

Reproductive toxicity : No data available

Teratogenicity : No data available

Specific target organ toxicity : No data available

- single exposure

Specific target organ toxicity : No data available

repeated exposure

: No data available Aspiration toxicity

9/12

according to Regulation (EC) No. 1907/2006

# **YUZU FRUIT**

Version 9 Revision Date 05.11.2019 Print Date 05.11.2019

#### **SECTION 12: ECOLOGICAL INFORMATION**

#### 12.1 Toxicity

No data available

# 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### 12.6 Other adverse effects

Very toxic to aquatic life with long lasting effects.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

# 13.1 Waste treatment methods

Product : Where possible recycling is preferred to disposal or incineration.

If recycling is not practicable, dispose of in compliance with local

regulations.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product.

# **SECTION 14: TRANSPORT INFORMATION**

#### 14.1 UN number

ADR : 1266 RID : 1266 IMDG : 1266 IATA-DGR : 1266

# 14.2 Proper shipping name

ADR : PERFUMERY PRODUCTS RID : PERFUMERY PRODUCTS

IMDG : PERFUMERY PRODUCTS (LIMONENE, BENZYL BENZOATE) MP

IATA-DGR : Perfumery products

# 14.3 Transport hazard class

ADR : 3
RID : 3
IMDG : 3
IATA-DGR : 3

according to Regulation (EC) No. 1907/2006

# **YUZU FRUIT**

Version 9 Revision Date 05.11.2019 Print Date 05.11.2019

#### 14.4 Packing group

ADR:

Packaging group III. ackaying group Classification Code Hazard Identification Number F1 30 Number Labels

Tunnel restriction code (D/E)

RID:

Packaging group IIIClassification Code F1 Hazard Identification 30 Number Labels 3

IMDG:

Packaging group : IIILabels 3 F-E, S-D EmS - EmS

IATA-DGR:

Packing instruction (cargo : 366

aircraft)

Qty/Pkg (Cargo) : 220,00 L Packing instruction 355

(passenger aircraft)

(passenger and a.e., Qty/Pkg (Passenger) : 60,00 L Packaging group III: Labels 3

# 14.5 Environmental hazards

Environmentally hazardous :

Environmentally hazardous: yes

IMDG:

Marine pollutant yes

# 14.6 Special precautions for user

No data available

## 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

# **SECTION 15: REGULATORY INFORMATION**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture **National legislation**

to BetrSichV (Germany)

Risk classification according : Flash point 21 °C to 55 °C, at 15 °C not miscible in water

Water contaminating class : WGK 3 (highly hazardous to water)

(Germany)

Calculation acc. Annex 4 to VwVwS

11/12

according to Regulation (EC) No. 1907/2006

# **YUZU FRUIT**

Version 9 Revision Date 05.11.2019 Print Date 05.11.2019

#### 15.2 Chemical safety assessment

No data available

#### **SECTION 16: OTHER INFORMATION**

#### Full text of H-Statements referred to under sections 2 and 3.:

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H361	Suspected of damaging fertility or the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

#### **Further information**

The data contained in this Safety Data Sheet is accurate to the best knowledge of Candle Supply Pty Ltd, applies to the product as supplied Candle Supply Pty Ltd, and does not relate to use in combination with any other material or in any process. Data and information is furnished without warranty expressed or implied, nor does Candle Supply Pty Ltd, assume responsibility for use or reliance upon this data.

This SDS is current to the date listed above. However, the GHS classifications may change due to hazard communication updates by the overseeing governing body. For the most current SDS information please contact <a href="mailto:customerservice@candlesupply.com.au">customerservice@candlesupply.com.au</a>