

True Power IN YOUR HANDS

They are







Portable Winch Co. offers **simple and innovative portable winches** to preform laborious and complex tasks in complete safety.

Our selection of winches is used worldwide in diverse applications such as forestry, hunting, off-road activities, tasks in and around the home and cottage, and countless other applications!

PORTABLE

Our winches are compact and lightweight. They can be carried anywhere in any condition.

POWERFUL

Up to 1,000 kg of pulling force in single line. Combined with our pulleys, the force can be doubled, tripled, quadrupled and even quintupled!

RELIABLE

Powered by high quality engines, they are always ready to work.







Portable Winch Co. has more than **20 years of experience** with winches and the outdoor world for your enjoyment and safety.

Here is what our customers have to say:

MIKE CHAGNON, CANADA

**PI ordered this winch when I knew I was going to hunt moose. As far as I'm concerned, it paid for itself in just one hunt! It came in very handy for so much more than just moose hunting! I would recommend one to anyone! **P

KENNETH HIXSON, UNITED STATES

few weeks and are very
impressed with the ease with
which we can take out our wood. It is
an excellent solution for woodlands
without access to traditional equipment.


77

P.J., UNITED STATES

97 I am extremely satisfied with my PCW3000 portable winch. This is a powerful piece of equipment for its size. The design and quality of the winch and the various accessories is ingenious. It is very easy to use and it does the job.







7. Choose your portable

winch model















80/82 V Battery-Powered Pulling Winch

Specifications:







9.5 KG

The revolutionary winch.

Equipped with a powerful motor adjustable to three speeds, the PCW3000-Li can be used both indoors and outdoors, down to -14°C. Depending on the speed selected and the weight of the load pulled, the battery will give you autonomy for 20 to 40 minutes of continuous pulling, without any loss of power. Always ready to work, no maintenance is required when you put it away.

One 82 V Lithium-Ion battery of 2.5 Ah and one rapid charger included.



THE MOST COMPACT



PCW3000-A

GX35 Gas-Powered Pulling Winch

Specifications:





10 M/MIN



9.5 KG

Compact power.

Born to meet the demand for an even more portable model than the original PCW5000 winch, the PCW3000 capstan drum winch is nothing less than a technical gem; delivering incredible pulling power, in the smallest format Portable Winch has ever made.

Coupled with the 360° inclinable 4-stroke Honda GX35 engine, it will be your best companion, no matter where your next venture is.

SKU: PCW3000-Li-A









SKU: PCW3000-A





*ACCESSORIES **INCLUDED WITH EACH WINCH:**















FITTED WITH A BRAKE

PCW4000-R

GX50 Gas-Powered Pulling Winch

Specifications:







MAX 13.4 M/MIN



12 KG

ROPE GRABBING SYSTEM



CLUTCH CENTRIFUGAL



The last born.

This model is powered by the new 360° inclinable 4-stroke Honda GX50 engine.

It also has a centrifugal clutch that activates when you pull the rope. When the rope is released, the drum stops spinning and the automatic quick-release anti-rollback mechanism does its job of holding the load in position! To disengage the rope from the mechanism, a simple movement is enough!

A light, powerful, safe and extremely easy-to-operate winch.

SKU: PCW4000-A

POWERED by HONDA.









INDUSTRIAL GRADE

PCW5000-A

GXH50 Gas-Powered Pulling Winch

Specifications:





12 M/MIN



WEIGHT 16 KG

The original winch.

The sturdy design of the PCW5000 still proudly bears the Portable Winch Co. signature of quality and durability; an ingenious product to deliver lasting power without compromise.

Thanks to its industrial-grade GXH50 engine, this winch delivers all its power with a pulling speed of 12 meters per

For more speed, get the 85 mm drum (sold separately) to allow you to reach 50% faster pulling speed of 18 meters per minute.

SKU: PCW5000-A















2. Complement with the adapted solution

based on your application



EXPERTS Picks










At Portable Winch Co., we know that in order to get the most use out of your winch, it needs to be accessorized correctly. With more than 20 years of experience in the world of winching and outdoors, we put at the forefront your safety and your enjoyment. Our experts offer you solutions adapted to your main application.

Be it for forestry, hunting, off-roading, or maintaining your patch of paradise at the cottage or home, these combinations of accessories will allow you to carry out your desired plans.

The best part is that **our solutions are 100% compatible** regardless which winch model you choose.

What matters most to us is knowing that you are well equipped and ready to set off on your outings with confidence knowing that you have reliable tools at hand to face all possibilities.



« The most popular choice among woodsmen and occasional loggers »

Thanks to the skidding cone, which prevents logs from getting stuck in roots, stumps, and other barriers. Its shape allowing it to slide along the residual trees, thus avoiding injuries to the regeneration. The essential solution for getting some wood out and dealing with all the situations encountered in the forest!

SKU: PCA-FS



« The preferred choice for hunters and powersports enthusiasts »

Wanting and needing to bring your winch everywhere with you, the anchoring plate allows you to easily secure it to your quad. While the rope choker is the perfect tool to pull out that big game in the hard-to-get areas or move a fallen tree away from the trail, the additional snatch block will give you all this extra power in necessary situations.

SKU: PCA-HOS



The jobs are never done around the home and cottage in creating your paradise

The accessorized winches are already out-of-the box ready for your cottage lifestyle. You are all set to work on your property.

TO DISCOVER ON PAGE 4

3. Carry and protect

your winch and accessories









TRANSPORT BAG

Designed to accommodate the **PCW3000, PCW3000-Li** or **PCW4000**. Its many compartments offer all the space needed to store the various accessories.

SKU: PCA-0106

Make sure to protect your new winch and carry it easily with our selection of transport equipment.



MOLDED CASE AND PACK FRAME

This case for **PCW3000** attaches to the ergonomic pack frame or directly to the luggage rack of your all-terrain vehicle.

Items sold separately

① **SKU:** PCA-0102 ② **SKU:** PCA-0104



MOLDED CASE

Created to store the **PCW5000**. Its molded shapes secure the winch and several accessories. It has four elastic rubber ties that hold the lid firmly.

SKU: PCA-0100

4. For longer outings

with the PCW3000-Li

Do you anticipate needing more running time?

Consider adding an additional 82 volt 2.5 or 5 amp battery.

Keep in mind that there is already one included with your PCW3000-Li-A.

Leave with peace of mind, you won't run out of power!









	*BATTERIE	ES	TENSION	BATTERY CURRENT	RECHARGE TIME (100%)	WEIGHT (KG)
1	PCA-0200	Greenworks Commercial GL250	82 V	2.5 Ah	36 min	1.5
2	PCA-0201	Greenworks Commercial GL500	82 V	5 Ah	72 min	2.6
	*CHARGEI	R	TENSION	CHARGE CURRENT	NUMBER OF SLOTS	WEIGHT (KG)
3	PCA-0230	Greenworks Commercial GC400	82 V	4 Ah	1	1.6

^{*} Batteries and charger subject to change without notice. Brand and sku may vary based on availability in your region.

Accessories

(sold separately)

Ropes & Rope Bags



POLYESTER R	OPES - 0 12 MM	BREAKING STRENGTH	WEIGHT (KG)
PCA-1215M	50 M		5.5 KG
PCA-1213M	100 M	2 200 1/5	11 KG
PCA-1216M	200 M	3,300 KG	22 KG
PCA-1218M	300 M		33 KG



For a better performance, always use Portable Winch Co. ropes with your winch. Their double-braided construction makes them durable and features low stretch for increased safety. Their low cost and resistance to abrasion make them **the no. 1 choice to use with our capstan winches**, where they are subject to intense heat and friction.


A 50 meter rope is included with each accessorized winch. Get a second rope with a longer length to complete your arsenal and increase the distance between you and the load. Double up the rope and use a block and tackle for more pulling power.

Very helpful for heavier loads!

(See the 'Helpful Information' section on page 15 for all the details.)



These rope bags are convenient for storing and carrying your rope and small accessories. They prevent the rope from tangling since you push it inside instead of wrapping it around your arm or a spool.





	ROPE BAGS		WATERIAL .	CAPACITY	
NUPE BAGS		IVIA I E.		Ø 10 MM Rope	Ø 12 MM Rope
1	PCA-0103	Rope Bag for Molded Pack Frame (PCA-0104)	Resistant Vinyl	50 M	-
2	PCA-1255	Rope Bag - Small		100 M	50 M
3	PCA-1256	Rope Bag - Medium	Durable Nylon	200 M	100 M
4	PCA-1257XL	Rope Bag - X-Large		400 M	200 M

RopeWizer™

The Easy Splice
PORTABLE WINCH CO. **EXCLUSIVITY**



1 RopeWizer™ included with each accessorized winch





Rope Ø :12 mm max Opening Ø : 17 mm

SKU: PCA-1360



PRICES AND DETAILS

Work safer and extend the life of your rope using the RopeWizer™!

Standard knots reduce the rope capacity by 30-50%. The only way to **keep it nearly to 100%** is to have a splice done by a professional. But not anymore! The RopeWizer[™] is **easy to attach** to the end of your rope and gives you all the benefits of a conventional splice, **without the expensive price tag!**

Pulleys



















Multiply your pulling power by two, three or four times using pulleys. You can also use them to change the trajectory of the rope or the pulling angle!

(See p.15 for more information on block and tackle.)

	PULLEYS		MATERIAL	MBS	ROPE MAX Ø
1	PCA-1275	ø 76 mm Single Pulley		60 kN (6,120 KG)	10 mm
2	PCA-1283	ø 76 mm Double Pulley	Stainless steel with	00 (4) (0 100 (7)	10 mm
3	PCA-1274	ø 100 mm Single Pulley	aluminum sheaves	90 kN (9,180 KG)	
4	PCA-1273	ø 100 mm Double Pulley		135 kN (13,770 KG)	
5	PCA-1292	ø 63 mm Single Pulley		50 kN (5,100 KG)	12 mm
6	PCA-1271	ø 62 mm Single Self-Locking Pulley	Aluminum	40 kN (4.080 KG)	
7	PCA-1272	ø 62 mm Double Self-Locking Pulley		40 KIV (4,080 KG)	

Carabiners



High quality multi-purpose carabiners with screw-lock gate. Useful for attaching:

- A pulley to a tree or load;
- A polyester sling to another sling or to a vehicle;
- A hook to the rope;
- And so much more!

(See p. 15 for more information on breaking strengths.)



PRICES AND

	ZINC PLATED CARABINERS	STEEL AND ANODIZED ALUMINUM	MBS
1	PCA-1276	Carabiner with 17 mm opening	25 kN (2,550 KG)
2	PCA-1702	Carabiner with 20.5 mm opening	50 kN (5,100 KG)
3	PCA-1701	Carabiner with 29 mm opening	70 kN (7,140 KG)

Slings

Our polyester slings have multiple uses :

- To attach a winch to an anchor point; where they will be used in "U" shape;
- To attach a pulley to a tree or pole where they will be used in choker;
- To pull a vehicle with another vehicle where they will be used in a straight line;
- And even more!

	POLYESTER SLINGS		LENGTH	WLL (Working Load Limit)			FIC
	PULTESIER SI	LINGS	LENGIH	Straight	Choker	In "U" Shape	FIG.
1	PCA-1260	Straight with Eyelets	2 M	3,000 VC	1 600 1/6	4.000 VC	
2	PCA-1258	Straight with Eyelets	3 M	2,000 KG	1,600 KG	4,000 KG	
3	PCA-1350	Round	2.5 M	1,000 KG	800 KG	2,000 KG	1





Anchoring Systems














DETAILS

Since our winches are portable, they can be anchored anywhere! Portable Winch Co. has developed various modular anchoring systems that allow a wide variety of fixed objects to be used as an anchor point: trees, poles, vehicles, etc.


	ANCHORING :	SYSTEMS	TO USE DN	FIG
1	PCA-1261	Hitch Plate for Towing Balls	Tow ball max Ø 58,7 mm	4
2	PCA-1269	Anchoring System with 3 m Strap	Town on (1994) and the Alberta	2
3	PCA-1263	Anchoring System with 3 m Strap and Rubber Pads	Tree or pole 30 to 91 cm in diameter	3
4	PCA-1267	Hitch Square Tubing	Coupling for category III vehicles	5
5	PCA-1268	Winch Support Plate	PCA-1263 / PCA-1267	3,5











Forestry Accessories



Discover our various forestry accessories such as the skidding cone, our slings or the open-face corner block, used with the automatic release, and the pull plate for an ATV (quad).

	FORESTRY A	CCESSORIES
1	PCA-1290	Skidding Cone for Logs - 50 cm opening
2	PCA-1295	2.1 m Choker Chain with 'C' Hook and Steel Rod
3	PCA-1372	2.1 m Synthetic Rope Choker with Steel Rod
4	PCA-1282	Flat Hook with Safety Latch and 3 Chain Links
5	PCA-1270	Open Face Steel Corner Block - Ø 100 mm
6	PCA-1291	Automatic Release for Open Face Corner Block
7	PCA-1310	Pull Plate for Tow Ball up to 50.8 mm



These accessories are ideal for skidding logs with your winch or all-terrain vehicle (quad). For example, the skidding cone



prevents logs from getting stuck in roots, stumps or other obstacles. The 2.1 m chokers allow you to encircle a tree up to 50 cm in diameter while maintaining sufficient length to thread them into the nose of the skidding cone.

The grab hook with latch prevents the chokers from slipping out of the hook when there is no tension on the rope. The open-face corner block is used with the automatic release and the pulling plate to allow the ATV (quad) to stay on the trail while skidding.

Capstan Drums













The capstan drums can be replaced on the winches when worn out while the 85 mm drum for the PCW5000 increases pulling speed. Know that they are sold with their corresponding rope guide and screws.

C	APSTAN DRUMS WITH ROPE GUIDE & SREWS	DIAMETER	FOR WINCHES
1	PCA-1110	57 mm	PCW5000
2	PCA-1120	76 mm	PCW3000, PCW3000-Li, PCW4000
3	PCA-1100	85 mm	PCW5000

DID YOU KNOW?

Capstans were initially a mechanical device used to move heavy weights primarily on ships by using ropes, cables or chains.

They were also used in marshalling yards to position freight cars.

The adhesion between the rope and the drum depends on the friction surface; which corresponds to the number of times the rope is wrapped around the drum.

Helpful Information



ONE PULLEY, ONE CARABINER, ONE SLING

In general, each pulley must be fixed to a solid anchor point using a carabiner and a sling, respecting the appropriate safety factor. Therefore, for each of the pulleys, a carabiner of sufficient capacity and a sling are required.

(See the safety factors on the page below.)


CREATE A BLOCK AND TACKLE

■ The use of pulleys provides a mechanical advantage by reducing the force required to move a load. It is therefore possible to double, triple, quadruple or quintuple the capacity of a system by using pulleys. In order to generate a mechanical advantage, at least one pulley must be attached to the load. Here are some examples.


WITHOUT MECHANICAL ADVANTAGE - DIRECT LINE




MECHANICAL ADVANTAGE X 2



MECHANICAL ADVANTAGE X 3



MECHANICAL ADVANTAGE X 4



CARABINERS - BREAKING STRENGTHS

Portable Winch Co. carabiners have different breaking strengths. When you multiply the force exerted using a block and tackle (see above), the carabiners located at each end are subject to significant forces. A sufficient safety factor must then be taken into account for the equipment to operate safely.

Refer to the table to find out the safety factor obtained with each of the carabiners according to the load to be moved. Note that in pulling, the safety factor is relatively low (2-3 times), because the risks of serious accidents are lower.

SECURITY FACTORS						
LOAD WEIGHT (KG)	PCA-1276 L25KN1	PCA-1702 [50KN]	PCA-1701 [70KN]			
250	10.2	20.4	28.6			
500	5,1	10.2	14.3			
750	3.4	6.8	9.5			
1,000	2,6	5/1	7.1			
2,000	1.3	2.6	3.5			
3,000	N/A	1.7	2.4			



Toll free (CAN & US): 1-888-388-7855

60-0349_MINICAT2023_EN_MET ©Copyright Portable Winch 2023