

LED PANEL VIDASHIELD





1(800) 831-1222 | www.vidashield.com



OVERVIEW

The VS02 is a patented 2 x 4 lighting troffer with a UV-C air treatment system. The VS02 uses energy efficient LEDs to provide high efficiency area illumination.

The VS02 draws in untreated air, pushes it through a highly reflective UV chamber with an ultraviolet light set at the wavelength of 253.7 nanometers which inactivates bacteria or fungi that passes over the lamp. Four fans continue to push the air through the unit at approximately 50 cfm. This allows the unit to treat the equivalent of one full volume of air from a typical 10 x 10 room with 8 ft. ceilings four times an hour. The system works 24/7/365.


FIXTURE SPECS

Dimensions ····	24" wide x 48" long x 6" high (UV chamber included)		
Weight ·····	42 lbs.		
Wattage ·····	60		
Voltage ·····	110-277, 347v		
Driver	0-10 V Dimming *		
CRI	Greater than 80 CRI		
Housing	20 ga. Steel with Antimicrobial Powder Coat Finish		
Lens ·····	Polycarbonate		
LED Output	7200 Lumens		

UV-C CHAMBER SPECS

Dimensions	16″ wide x 48" long x 2" high		
UVC Lamp	One 59w T5HO 22" Lamp w/ 15w of UVC Output		
Fan System	Ultra Quiet Air Circulation Fans		
Volume ······	50 CFM		
Generator ·····	Dedicated UV Ballast		
Air Filter	MERV 6 High Air Flow Particle Filter		
Light Block	Formed Baffles Prevent UV Light Leaks		
Safety Lock	Switch Deactivates UV When Accessed		

ORDER



EXAMPLE: VS02 - D - UNV - PC - L

NOTES

UNV = 120-277v **347** = 347 VAC

The VidaShield UV24 brand is owned, sold, distributed, marketed and manufactured by Medical Illumination in San Fernando, CA. It is also known as the UV24 overhead air purification system. For more information about UV24, log onto medillum.com.

PROJ	ECT				Түре	
		centration of the second secon	3 Year Limited Warranty ETL Listed	* Dimming Contro	l Provided by Others	Medicalilumination
INFO	© 20	019 Medical III	umination info@vidashiel	ld.com (800) 831-122	22 www.vidashield.com	