

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, USA**

Certificate of Analysis

Sep 04, 2020 | Hemplucid

Provo, UT, 84604, United States



Kaycha Labs

HLO-MCT1000 Matrix: Derivative



Sample: DA00902004-001 Harvest/Lot ID: 2000118

> Seed to Sale #N/A Batch Date : N/A Batch#: RB-247

Sample Size Received: 3 ml

Retail Product Size: 30 Ordered: 08/26/20

Sampled: 08/26/20

Completed: 09/04/20 Expires: 09/04/21 Sampling Method: SOP Client Method

PASSED

Page 1 of 1

PRODUCT IMAGE

SAFETY RESULTS







NOT TESTED



NOT TESTED



Microbials NOT TESTED



Mycotoxins Residuals NOT TESTED Solvents



Filth **NOT TESTED**



Water Activity **NOT TESTED**



Moisture NOT TESTED



MISC.

Terpenes **NOT TESTED**

CANNABINOID RESULTS



Total THC 0.175%



Total CBD 3.911%



Total Cannabinoids



Cannabinoid Profile Test

Analyzed by Weight Extraction date: Extracted By:

Analysis Method -SOP.T.40.020, SOP.T.30.050 Analytical Batch - DA015308POT Instrument Used: DA-LC-003

Reviewed On - 09/04/20 10:14:44

Batch Date: 09/02/20 10:25:51

Reagent Dilution Consums. ID 032320.28 400 280678841 918C4-918J 914C4-914Ak

Full spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection (HPLC-UV). (Method: SOP.T.30.050 for sample prep and Shimadzu High Sensitivity Method SOP.T.40.020 for analysis. LOQ for all cannabinoids is 1 mg/L)

This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is an Kaycha Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation. The result >99% are variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO Accreditation # 97164



09/08/2020

Signature

Signed On



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, USA**

Certificate of Analysis

Sep 21, 2020 | Hemplucid

Provo, UT, 84604, United States



Kaycha Labs

HLO-MCT1000 Matrix: Edible



Sample: DA00915007-004 Harvest/Lot ID: 2000118 Seed to Sale #N/A Batch Date :08/11/20

Batch#: RB-247

Sample Size Received: 30 ml Retail Product Size: 30

> Ordered: 09/08/20 Sampled: 09/08/20

Completed: 09/21/20 Expires: 09/21/21 Sampling Method: SOP Client Method

PASSED

Page 1 of 2

PRODUCT IMAGE

SAFETY RESULTS





















MISC.

NOT TESTED

Pesticides

Heavy Metals **NOT TESTED PASSED**

Microbials

NOT TESTED

Solvents **NOT TESTED**

NOT TESTED

Water Activity

Moisture

This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is an Kaycha Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation. The result >99% are variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

Jorge Segredo Lab Director

State License # CMTL-0002 ISO Accreditation # 97164



09/21/2020

Signature

Signed On



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, USA

Kaycha Labs

HLO-MCT1000

Matrix : Edible

Dilution



Certificate of Analysis

LOD

Hemplucid

4484 N 300 W, Ste 202 Provo, UT, 84604, United States

Telephone: 7192318261 Email: sarah@hemplucid.com Sample : DA00915007-004 Harvest/LOT ID: 2000118

Batch#: RB-247 Sampled: 09/08/20 Ordered: 09/08/20 Sample Size Received : 30 ml

Completed: 09/21/20 Expires: 09/21/21 Sample Method: SOP Client Method **PASSED**

Page 2 of 2



Microbials

PASSED



090820.R06

Result Reagent

not present in 1 gram. 091420.R46

not present in 1 gram. 091420.R45

not present in 1 gram. 071320.08

not present in 1 gram. 091420.R05

not present in 1 gram. 091020.R22

not present in 1 gram.

Heavy Metals

Reagent

090920.R02

082420.R18

091620.R01

022520.02

030420.06

090120.39



Consums, ID

89401-566

Analyte	
ASPERGILLUS_FLAVUS	
ASPERGILLUS_FUMIGATUS	
ASPERGILLUS_NIGER	
ASPERGILLUS_TERREUS	
ESCHERICHIA_COLI_SHIGELLA_SPP	
SALMONELLA_SPECIFIC_GENE	

Analysis Method -SOP.T.40.043 / SOP.T.40.044 Analytical Batch -DA015727MIC Batch Date : 09/16/20

Instrument Used: PathogenDX PCR_Array Scanner DA-111, PathogenDX PCR_DA-171 Running On:

Running On :

Analyzed by	Weight	Extraction date	Extracted By
513	1.0105g	09/16/20	513

Reagent	Consums. ID	Consums. ID	Consums. ID	Consums. ID
071020.14	181019-274	50AX30819	D004	2804026
081820.01	SG298A	19423	A08	2808006
	11989-024CC-024	080717	2807008	2811017
	181207119C	850C6-850H	2809005	001001
	918C4-918J 914C4-914AK	2802020 2803029	2810014D 029	

Microbiological testing for Fungal and Bacterial Identification via Polymerase Chain Reaction (PCR) method consisting of sample DNA amplified via tandem Polymerase Chain Reaction (PCR) as a crude lysate which avoids purification. (Method SOP.T.40.043) If a pathogenic Escherichia Coli, Salmonella, Aspergillus fumigatus, Aspergillus flavus, Aspergillus niger, or Aspergillus terreus is detected in 1g of a sample, the sample fails the microbiological-impurity testing.

		MAX		
Metal	LOD	Unit	Result	Action Level (PPM)
ARSENIC	0.02	РРМ	ND	1.5
CADMIUM	0.02	PPM	ND	0.5
MERCURY	0.02	PPM	ND	3
LEAD	0.05	PPM	ND	0.5
Analyzed by	Weight	Extractio	n date	Extracted By
53	0.2459g	09/17/20 09	9:09:21	1783

Analysis Method -SOP.T.40.050, SOP.T.30.052

Analytical Batch -DA015735HEA | Reviewed On - 09/21/20 08:36:21

Instrument Used : DA-ICPMS-001

Running On:

Batch Date: 09/16/20 09:09:50

Heavy Metals screening is performed using ICP-MS (Inductively Coupled Plasma - Mass Spectrometer) which can screen down to below single digit ppb concentrations for regulated heavy metals using Method SOP.T.30.052 Sample Preparation for Heavy Metals Analysis via ICP-MS and SOP.T.40.050 Heavy Metals Analysis via ICP-MS.

This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is an Kaycha Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Canabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation. The result >99% are variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO Accreditation # 97164



09/21/2020

Signature

Signed On