

SECTION: _____

 PART: _____



PRODUCT SUBMITTAL DATA

DuraMark™ MG Medical Gas Self-Stick Pipe Marker



DESCRIPTION : DuraMark™ MG is durable indoor/ outdoor pipe marker system for medical piping. Sturdy .004” vinyl printed using UV inks which hold up to sun & weather.

USE: Use to identify medical gases as well as identify varying vacuum systems on tubing and piping.

Compliance: Complies with NFPA -National Fire Protection Association 99C and CGA- Compressed Gas Association Bulletin #114 C-9

Craftmark’s DuraMark™ MG Medical Gas Pipe Markers is an excellent system for marking medical piping. Sturdy 4 mil vinyl is printed with durable UV inks. Markers feature an aggressive acrylic adhesive backing for permanent application to clean dry piping.

Features:

- 360-degree visibility
- Meets NFPA 99C
- Meets CGA Bulletin #114 C-9
- Indoor/ Outdoor use.
- Rugged UV inks
- Thick 4 mil vinyl
- Aggressive acrylic self-stick adhesive.
- Arrows on markers



8”x14”

STYLE M1
 To Fit 2 1/8” - 3” Pipes
 1 marker per card



2-4”x7”

STYLE M2
 To Fit 1” - 2” Pipes
 2 markers per card



3-3”x3”

STYLE M3
 To Fit 3/8” - 3/4” Pipes
 3 markers per card

DATE: ___ / ___ / ___

JOB: _____

CONTRACTOR: _____

DuraMark™ MG Medical Gas Self-Stick Pipe Marker (Continued)

ADHESIVE: Permanent, aggressive acrylic pressure sensitive adhesive. Sticks to most pipe and pipe covering materials.

SURFACE PREPARATION: Surface should be dry, oil free, dirt free and above the minimum application temperature.

SERVICE TEMPERATURE: -40°F to 200°F (-40°C to 93°C)

APPLICATION TEMPERATURE: Minimum application temperature of 50°F (10°C)

AVERAGE OUTDOOR DURABILITY: 5 year outdoor-mid continental U.S.

CHEMICAL RESISTANCE: VERY GOOD

MOISTURE RESISTANCE: EXCELLENT MOISTURE RESISTANCE

ABRASION RESISTANCE: VERY GOOD ABRASION RESISTANCE

GLOSS: 40 Garder unit (20° test)

STORAGE STABILITY: 2 years typical at 70°F (21°C) at 50% relative humidity.

DATE: ___ / ___ / ___

JOB: _____

CONTRACTOR: _____