

CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

FULL SPECTRUM CBD TINCTURE (TINCTURE) // PRODUCED: FEB 09, 2022

CLIENT: OUTFIELD FARMS // BATCH: PASSED



BATCH NO.: 101
MATRIX: TINCTURE
SAMPLE ID: NAL-220207-005
COLLECTED ON: FEB 07, 2022
RECEIVED ON: FEB 07, 2022
SAMPLE SIZE: 30 ML
SAMPLED BY: MIC LABEL
RECEIVED BY: MIC LABEL



NOVA ANALYTIC LABS
Tomorrow's Testing, Today.

BATCH RESULT: PASSED

METALS TESTED

PESTICIDES TESTED

PES.1: PESTICIDES, INSECTICIDES, FUNGICIDES AND GROWTH REGULATORS BY LC-MS/MS
PREPARATION: FEB 07, 2022 // ANALYSIS: FEB 08, 2022

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL	ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
IMAZALIL	200 µg/kg	ND	142/426	N/A	DAMINOZIDE	1000 µg/kg	ND	710/2130	N/A
ETOXAZOLE	200 µg/kg	ND	142/426	N/A	MYCLOBUTANIL	200 µg/kg	ND	142/426	N/A
BIFENTHRIN	200 µg/kg	ND	142/426	N/A	SPIROMESIFEN	200 µg/kg	ND	142/426	N/A
CYFLUTHRIN	1000 µg/kg	ND	710/2130	N/A	TRIFLOXYSTROBIN	200 µg/kg	ND	142/426	N/A



RESULTS CERTIFIED BY:
BARRY CHAFFIN
COO, NOVA ANALYTIC LABS
FEB 09, 2022

RESULTS CERTIFIED BY:
GREG NEWLAND
CSO, NOVA ANALYTIC LABS
FEB 09, 2022

RESULTS CERTIFIED BY:
CHRIS ALTOMARE
CEO, NOVA ANALYTIC LABS
FEB 09, 2022

https://lims.tagleaf.com/coa_2AKnjv45af

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL	ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
LEAD	500 µg/kg	ND	31.6/94.8	N/A	CADMIUM	500 µg/kg	ND	31.6/79.0	N/A
ARSENIC	1500 µg/kg	ND	31.6/79.0	N/A	MERCURY	3000 µg/kg	ND	31.6/63.2	N/A

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OMP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED.

END OF REPORT

