

Safety Data Sheet according to (EC) No 1907/2006

Page 1 of 5

sds no.: 105427

V002.0 Revision: 18.11.2010

printing date: 17.05.2011

Dorus KS 208/2 schwarz

1. Identification of the substance/mixture and of the company/undertaking

Product identifier:

Dorus KS 208/2 schwarz

Relevant identified uses of the substance or mixture and uses advised against:

Intended use: Hotmelt adhesive

Details of the supplier of the safety data sheet:

Henkel AG & Co. KGaA

Henkelstr. 67

40589 Düsseldorf

Germany

Phone: +49 (049) 211 797 0 Fax-no.: +49 (049) 211 798 4008

 $ua\text{-}products a fety. de @\,henkel.com$

Emergency telephone number:

The Henkel information service also provides an around-the-clock telephone service on phone no.+49-(0)211-797-3350 for exceptional cases.

2. Hazards identification

Classification of the substance or mixture:

Classification (CLP):

No data available.

Classification (DPD):

No classification required.

Label elements (CLP):

No data available.

Label elements (DPD):

The product is not subject to classification according to the calculation methods of the "General Classification Guideline for Preparations of the EC" as issued in the last version.

MSDS-No.: 105427 Dorus KS 208/2 schwarz Page 2 of 5

V002.0

3. Composition/information on ingredients

General chemical description:

Adhesive

Base substances of preparation:

Resin

Ethylene-vinyl acetate copolymer

Mineral fillers

Declaration of the ingredients according to CLP (EC) No 1272/2008:

No data available.

Declaration of ingredients according to DPD (EC) No 1999/45:

Contains no dangerous substances exceeding the limits of the EU-Regulation

4. First aid measures

Description of first aid measures:

Inhalation:

Move to fresh air, consult doctor if complaint persists.

Skin contact:

Molten product. After skin contact cool down immediately with cold water. Do not remove adherent product. Seek medical advice.

Eye contact:

After contact with the hot melt: cool with water, seek medical attention.

Ingestion:

If adverse health effects develop seek medical attention.

Most important symptoms and effects, both acute and delayed:

No particular measures required.

Indication of any immediate medical attention and special treatment needed:

See section: Description of first aid measures

5. Firefighting measures

Extinguishing media:

Suitable extinguishing media:

All common extinguishing agents are suitable.

Extinguishing media which must not be used for safety reasons:

High pressure waterjet

Special hazards arising from the substance or mixture:

In the event of a fire, carbon monoxide (CO) and carbon dioxide (CO2) can be released.

Acetic acid

Advice for firefighters:

Wear self-contained breathing apparatus.

Wear protective equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Wear protective equipment.

MSDS-No.: 105427 Dorus KS 208/2 schwarz Page 3 of 5

V002.0

Environmental precautions:

Do not empty into drains / surface water / ground water.

Methods and material for containment and cleaning up:

Allow to solidify.

Remove mechanically.

Dispose of contaminated material as waste according to Chapter 13.

Reference to other sections:

See advice in chapter 8

7. Handling and storage

Precautions for safe handling:

Hygiene measures:

Wash hands before work breaks and after finishing work.

Do not eat, drink or smoke while working.

Conditions for safe storage, including any incompatibilities:

Store in sealed original container protected against moisture and light.

Ensure good ventilation/extraction.

Specific end use(s):

Hotmelt adhesive

8. Exposure controls/personal protection

Control parameters:

None

Exposure controls:

Engineering controls:

Ensure good ventilation/extraction.

Respiratory protection:

Suitable breathing mask when there is inadequate ventilation.

Hand protection

Wear refractive gloves while working with the hot melt.

Eye protection:

Protective goggles

Skin protection:

Wear protective equipment.

Advices to personal protection equipment:

Use only personal protection that's CE-labelled according to the regulation no. 819 of 19 August 1994.

9. Physical and chemical properties

Information on basic physical and chemical properties:

Appearance granulate

granulated light beige

Odor characteristic

pH No data available. Initial boiling point No data available.

Flash point ; no method No flash point up to 250 °C

Decomposition temperature No data available.

MSDS-No.: 105427 Dorus KS 208/2 schwarz Page 4 of 5

V002.0

Vapour pressure No data available.
Density 1,5 g/cm3

(20 °C (68 °F))

Bulk density

Viscosity

No data available.
100.000 - 140.000 mPa.s

(Brookfield; 200 °C (392 °F); speed of rotation: 2,5 min-1; Spindle No: 29; Conc.: 100 %

product)

Viscosity (kinematic)

Explosive properties

Solubility (qualitative)

No data available.

No data available.

Insoluble

(20 °C (68 °F); Solvent: Water)

Solidification temperature
Melting point
No data available.
Flammability
No data available.
Auto-ignition temperature
No data available.
No data available.

Explosive limits The product is not explosive.

Partition coefficient: n-octanol/water No data available. Evaporation rate No data available. Vapor density No data available.

Solid content 100 %

Oxidising properties No data available.

Other information:

Softening point/range 100 - 120 °C (212 - 248 °F)

10. Stability and reactivity

Reactivity:

None if used for intended purpose.

Chemical stability:

Stable under recommended storage conditions.

Possibility of hazardous reactions:

See section reactivity

Conditions to avoid:

None if used for intended purpose.

Incompatible materials:

None if used properly.

Hazardous decomposition products:

At higher temperatures acetic acid may be released.

11. Toxicological information

General toxicological information:

To the best of our knowledge no harmful effects are to be expected if the product is handled and used properly.

12. Ecological information

General ecological information:

Do not empty into drains, soil or bodies of water.

13. Disposal considerations

Waste treatment methods:

MSDS-No.: 105427 Dorus KS 208/2 schwarz Page 5 of 5

V002.0

Product disposal:

The valid EEC waste code numbers are not product-related but are largely source-related. These can be requested from the manufacturer.

In consultation with the responsible local authority, must be subjected to special treatment.

Recommended cleaning agents

Water, if necessary with added cleaning agent.

14. Transport information

General information:

Not hazardous according to RID, ADR, ADNR, IMDG, IATA-DGR.

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture:

VOC content 0,00 % (VOCV 814.018 VOC regulation CH)

National regulations/information (Germany):

WGK: 1, slightly water-endangering product. (German VwVwS of May 17, 1999)

Appendix 1/2

Storage class VCI: 11

16. Other information

Further information:

This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties.