



Data Sheet | Model: **Armorgard**

CuttingStation™ SS7X



- ⚠ A multi-purpose cutting platform, with a secure cabinet beneath the workbench area
- ⚠ 110v power supply and internal sockets and light
- ⚠ Extending support arms with 4 configurations
- ⚠ Heavy-duty wheels
- ⚠ Extendable back panel for extra workspace
- ⚠ Sound deadening foam to reduce noise pollution
- ⚠ Rubber mat to reduce HAV
- ⚠ PVC curtains to contain sparks
- ⚠ Internal swarf collector with dust extractor connection point
- ⚠ Extraction system helps to contain dust and reduces exposure to harmful substances

Product	Armorgard CuttingStation™ SS7X
Internal dimensions	Top (with extended back): 1125x955x1000mm Bottom: 1125x710x550mm
External dimensions (including protrusions)	Standard: 1390x780x1900mm Extended: 3225x1090x1900mm
Weight (kg)	200
Colour	Charcoal grey: RAL7021, Pillar box red: RAL 3020
Finished Coating	Powder coated steel, bare aluminium
Material	Steel and Aluminium
Material Thickness	N/A
Locking mechanism	N/A
Does it have Forklift Skids?	Yes
Does it have Gas Arms?	No
Newton Loading of Gas Arms	N/A
Safety stay	No
Quantity of keys supplied	2 keys
Optional Extras Available	SS7C, CLEK
Quantity of Shelves as standard	None
Are Castors standard or optional extra	Standard - heavy duty
How are the Castors fitted?	Quick-fix bolt on Castor kit. Extra Heavy-duty Castors using Armorgard castor plates.
Sump capacity	N/A
Safety Signage	N/A
Fire resistant?	Yes - fire resistant foam





Data Sheet | Model: **Armorgard**

CuttingStation™ SS7



- ⚠ A multi-purpose cutting platform, with a secure cabinet beneath the workbench area
- ⚠ Recessed 110V inlet power supply
- ⚠ 2 x 110V internal sockets
- ⚠ Extendable support arms with 4 configurations
- ⚠ Heavy-duty all-swivel wheels for easy moving
- ⚠ Extendable back panel provides extra workspace for mitre saws
- ⚠ Sound deadening fire-rated foam to reduce noise pollution
- ⚠ Rubber mat to reduce vibration
- ⚠ PVC curtains to contain sparks
- ⚠ Swarf collector with dust extractor connection point
- ⚠ Improved lighting position for increased productivity
- ⚠ European Patent Application Number EP17183824.6
- ⚠ European Community Design Registration Number 004511525

Product	Armorgard CuttingStation™ SS7
Internal dimensions	Top (with extended back): 1125x955x1000mm Bottom: 1125x710x550mm
External dimensions (including protrusions)	Standard: 1390x780x1900mm Extended: 3225x1090x1900mm
Weight (kg)	175
Colour	Charcoal grey: RAL7021, Pillar box red: RAL 3020
Finished Coating	Powder coated steel
Material	Steel
Material Thickness	1.5mm
Locking mechanism	Highly Secure, keyed alike 5-Lever Deadlock
Does it have Forklift Skids?	Yes
Does it have Gas Arms?	No
Newton Loading of Gas Arms	N/A
Safety stay	No
Quantity of keys supplied	2 keys
Optional Extras Available	SS7X, SS7C, CLEK
Quantity of Shelves as standard	0
Are Castors standard or optional extra	Standard - heavy duty
How are the Castors fitted?	Quick-fix bolt on Castor kit. Extra Heavy-duty Castors using Armorgard castor plates.
Sump capacity	N/A
Safety Signage	N/A
Fire resistant?	Yes - fire resistant foam



Available From:



Data Sheet | Model: **Armorgard**

CuttingStation™ Clamp SS7C



- ⚠ The universal clamp holds electric saws in place while being used, to improve H&S best practices
- ⚠ A variety of chopsaws and mitre saws can be fitted to the CuttingStation using the clamp
- ⚠ The clamp features a universal design intended to fit almost any saw, with fixing holes ranging from 110mm – 600mm, and depths ranging from 30mm to 475mm
- ⚠ 2 different lengths of bolts are included as standard
- ⚠ Designed to be simple to retro fit to any existing SS7
- ⚠ Very low profile clamp only adds 30mm to the worksurface height
- ⚠ Where repetitive cutting is required, the clamp prevents the saw and frame shifting out of position, resulting in consistent, precise cuts.

Product	Armorgard CuttingStation™ Clamp SS7C
Internal dimensions	N/A
External dimensions (including protrusions)	30x1000X550mm
Weight (kg)	4
Colour	Pillar box red: RAL3020
Finished Coating	Powder coated steel
Material	Steel
Material Thickness	2mm
Locking mechanism	N/A
Does it have Forklift Skids?	No
Does it have Gas Arms?	No
Newton Loading of Gas Arms	N/A
Safety stay	No
Quantity of keys supplied	N/A
Optional Extras Available	SS7
Quantity of Shelves as standard	N/A
Are Castors standard or optional extra	N/A
How are the Castors fitted?	N/A
Sump capacity	N/A
Safety Signage	N/A
Fire resistant?	N/A



Available From: