



**Armorgard FlamStor FS6.0**



- ☞ Heavy-duty, fully welded, secure unit.
- ☞ Keyed alike 5-lever deadlocks.
- ☞ Bunded sump to prevent leakage, with raised and removable galvanised gridded flooring.
- ☞ Unique external and internal anti-jemmy system.
- ☞ Complete with crane lifting eyes and forklift pockets to assist in positioning the unit.
- ☞ High and low level ventilation to prevent the build-up of fumes.
- ☞ Fitted with hazardous warning signs.
- ☞ Heavy-duty fixed internal shelf.
- ☞ Built to the specification of 30 minute fire resistance.
- ☞ Suitable for storing fuels or chemicals.
- ☞ The FlamStor is finished in 2 pack chemical resistant epoxy paint for maximum durability.

<b>Product</b>	Armorgard FlamStor FS6.0
<b>Internal dimensions</b>	1900x5066x1977mm
<b>External dimensions (including protrusions)</b>	2000x6066x2175mm
<b>Weight</b>	1300kg
<b>Colour</b>	Pillar Box Red: RAL 3020
<b>Finished coating</b>	Durable paint finish
<b>Material</b>	Steel
<b>Material thickness</b>	2.5mm and 1.5mm
<b>Locking mechanism</b>	2x highly secure, keyed alike 5-lever deadlocks
<b>Does it have forklift skids?</b>	Yes
<b>Does it have gas arms?</b>	No
<b>Newton loading of gas arms</b>	N/A
<b>Safety stay</b>	No
<b>Quantity of keys supplied</b>	3 keys
<b>Optional extras available</b>	Additional shelves, access ramp, light, heater, extractor fan
<b>Quantity of shelves as standard</b>	2
<b>Are castors standard or optional extra</b>	N/A
<b>How are the castors fitted?</b>	N/A
<b>Sump capacity</b>	1000L
<b>Safety signage</b>	Hazardous goods sign
<b>Fire resistant?</b>	Yes



**Available From:**



**Armorgard FlamStor FS4.0**



- Ⓜ Heavy-duty, fully welded, secure unit.
- Ⓜ Keyed alike 5-lever deadlocks.
- Ⓜ Bunded sump to prevent leakage, with raised and removable galvanised gridded flooring.
- Ⓜ Unique external and internal anti-jemmy system.
- Ⓜ Complete with crane lifting eyes and forklift pockets to assist in positioning the unit.
- Ⓜ High and low level ventilation to prevent the build-up of fumes.
- Ⓜ Fitted with hazardous warning signs.
- Ⓜ Heavy-duty fixed internal shelf.
- Ⓜ Built to the specification of 30 minute fire resistance.
- Ⓜ Suitable for storing fuels or chemicals.
- Ⓜ The FlamStor is finished in 2 pack chemical resistant epoxy paint for maximum durability.

<b>Product</b>	Armorgard FlamStor FS4.0
<b>Internal dimensions</b>	1900x3912x1977mm
<b>External dimensions (including protrusions)</b>	2000x4066x2175mm
<b>Weight</b>	940kg
<b>Colour</b>	Pillar Box Red: RAL 3020
<b>Finished coating</b>	Durable paint finish
<b>Material</b>	Steel
<b>Material thickness</b>	2.5mm and 1.5mm
<b>Locking mechanism</b>	2x highly secure, keyed alike 5-lever deadlocks
<b>Does it have forklift skids?</b>	Yes
<b>Does it have gas arms?</b>	No
<b>Newton loading of gas arms</b>	N/A
<b>Safety stay</b>	No
<b>Quantity of keys supplied</b>	3 keys
<b>Optional extras available</b>	Additional shelves, access ramp, light, heater, extractor fan
<b>Quantity of shelves as standard</b>	2
<b>Are castors standard or optional extra</b>	N/A
<b>How are the castors fitted?</b>	N/A
<b>Sump capacity</b>	800L
<b>Safety signage</b>	Hazardous goods sign
<b>Fire resistant?</b>	Yes



**Available From:**



**Armorgard FlamStor FS3.0**



- ☒ Heavy-duty, fully welded, secure unit.
- ☒ Keyed alike 5-lever deadlocks.
- ☒ Bunded sump to prevent leakage, with raised and removable galvanised gridded flooring.
- ☒ Unique external and internal anti-jemmy system.
- ☒ Complete with crane lifting eyes and forklift pockets to assist in positioning the unit.
- ☒ High and low level ventilation to prevent the build-up of fumes.
- ☒ Fitted with hazardous warning signs.
- ☒ Heavy-duty fixed internal shelf.
- ☒ Built to the specification of 30 minute fire resistance.
- ☒ Suitable for storing fuels or chemicals.
- ☒ The FlamStor is finished in 2 pack chemical resistant epoxy paint for maximum durability.

<b>Product</b>	Armorgard FlamStor FS3.0
<b>Internal dimensions</b>	1900x2912x1977mm
<b>External dimensions (including protrusions)</b>	2000x3066x2175mm
<b>Weight</b>	760kg
<b>Colour</b>	Pillar Box Red: RAL 3020
<b>Finished coating</b>	Durable paint finish
<b>Material</b>	Steel
<b>Material thickness</b>	2.5mm and 1.5mm
<b>Locking mechanism</b>	2x highly secure, keyed alike 5-lever deadlocks
<b>Does it have forklift skids?</b>	Yes
<b>Does it have gas arms?</b>	No
<b>Newton loading of gas arms</b>	N/A
<b>Safety stay</b>	No
<b>Quantity of keys supplied</b>	3 keys
<b>Optional extras available</b>	Additional shelves, access ramp, light, heater, extractor fan
<b>Quantity of shelves as standard</b>	2
<b>Are castors standard or optional extra</b>	N/A
<b>How are the castors fitted?</b>	N/A
<b>Sump capacity</b>	600L
<b>Safety signage</b>	Hazardous goods sign
<b>Fire resistant?</b>	Yes



**Available From:**

Fire and Safety Centre

15 Atkinsons Way, Foxhills Industrial Estate

Scunthorpe, North Lincolnshire, DN15 8QJ

**Tel:** 01724 281044 **Web:** [www.fireandsafetycentre.co.uk](http://www.fireandsafetycentre.co.uk)

**Email:** [sales@fireandsafetycentre.co.uk](mailto:sales@fireandsafetycentre.co.uk)



**Armorgard FlamStor FS2.0**



- ☞ Heavy-duty, fully welded, secure unit.
- ☞ Keyed alike 5-lever deadlocks.
- ☞ Bunded sump to prevent leakage, with raised and removable galvanised gridded flooring.
- ☞ Unique external and internal anti-jemmy system.
- ☞ Complete with crane lifting eyes and forklift pockets to assist in positioning the unit.
- ☞ High and low level ventilation to prevent the build-up of fumes.
- ☞ Fitted with hazardous warning signs.
- ☞ Heavy-duty fixed internal shelf.
- ☞ Built to the specification of 30 minute fire resistance.
- ☞ Suitable for storing fuels or chemicals.
- ☞ The FlamStor is finished in 2 pack chemical resistant epoxy paint for maximum durability.

<b>Product</b>	Armorgard FlamStor FS2.0
<b>Internal dimensions</b>	1900x1912x1977mm
<b>External dimensions (including protrusions)</b>	2000x2060x2175mm
<b>Weight</b>	570kg
<b>Colour</b>	Pillar Box Red: RAL 3020
<b>Finished coating</b>	Durable paint finish
<b>Material</b>	Steel
<b>Material thickness</b>	2.5mm and 1.5mm
<b>Locking mechanism</b>	2x highly secure, keyed alike 5-lever deadlocks
<b>Does it have forklift skids?</b>	Yes
<b>Does it have gas arms?</b>	No
<b>Newton loading of gas arms</b>	N/A
<b>Safety stay</b>	No
<b>Quantity of keys supplied</b>	3 keys
<b>Optional extras available</b>	Additional shelves, access ramp, light, heater, extractor fan
<b>Quantity of shelves as standard</b>	2
<b>Are castors standard or optional extra</b>	N/A
<b>How are the castors fitted?</b>	N/A
<b>Sump capacity</b>	400L
<b>Safety signage</b>	Hazardous goods sign
<b>Fire resistant?</b>	Yes



**Available From:**



**Armorgard FlamStor FS1.8**



- Ⓜ Heavy-duty, fully welded, secure unit.
- Ⓜ Keyed alike 5-lever deadlocks.
- Ⓜ Bunded sump to prevent leakage, with raised and removable galvanised gridded flooring.
- Ⓜ Unique external and internal anti-jemmy system.
- Ⓜ Complete with crane lifting eyes and forklift pockets to assist in positioning the unit.
- Ⓜ High and low level ventilation to prevent the build-up of fumes.
- Ⓜ Fitted with hazardous warning signs.
- Ⓜ Heavy-duty fixed internal shelf.
- Ⓜ Built to the specification of 30 minute fire resistance.
- Ⓜ Suitable for storing fuels or chemicals.
- Ⓜ The FlamStor is finished in 2 pack chemical resistant epoxy paint for maximum durability.

<b>Product</b>	Armorgard FlamStor FS1.8
<b>Internal dimensions</b>	1085x1710x1980mm
<b>External dimensions (including protrusions)</b>	1210x1860x2190mm
<b>Weight</b>	370kg
<b>Colour</b>	Pillar Box Red: RAL 3020
<b>Finished coating</b>	Durable paint finish
<b>Material</b>	Steel
<b>Material thickness</b>	2.5mm and 1.5mm
<b>Locking mechanism</b>	2x highly secure, keyed alike 5-lever deadlocks
<b>Does it have forklift skids?</b>	Yes
<b>Does it have gas arms?</b>	No
<b>Newton loading of gas arms</b>	N/A
<b>Safety stay</b>	No
<b>Quantity of keys supplied</b>	3 keys
<b>Optional extras available</b>	Additional shelves, access ramp, light, heater, extractor fan
<b>Quantity of shelves as standard</b>	1
<b>Are castors standard or optional extra</b>	N/A
<b>How are the castors fitted?</b>	N/A
<b>Sump capacity</b>	195L
<b>Safety signage</b>	Hazardous goods sign
<b>Fire resistant?</b>	Yes



**Available From:**



**Armorgard FlamStor FS1.2**



- ☞ Heavy-duty, fully welded, secure unit.
- ☞ Keyed alike 5-lever deadlocks.
- ☞ Bunded sump to prevent leakage, with raised and removable galvanised gridded flooring.
- ☞ Unique external and internal anti-jemmy system.
- ☞ Complete with crane lifting eyes and forklift pockets to assist in positioning the unit.
- ☞ High and low level ventilation to prevent the build-up of fumes.
- ☞ Fitted with hazardous warning signs.
- ☞ Heavy-duty fixed internal shelf.
- ☞ Built to the specification of 30 minute fire resistance.
- ☞ Suitable for storing fuels or chemicals.
- ☞ The FlamStor is finished in 2 pack chemical resistant epoxy paint for maximum durability.

<b>Product</b>	Armorgard FlamStor FS1.2
<b>Internal dimensions</b>	1125x1110x1980mm
<b>External dimensions (including protrusions)</b>	1210x1270x2190mm
<b>Weight</b>	280kg
<b>Colour</b>	Pillar Box Red: RAL 3020
<b>Finished coating</b>	Durable paint finish
<b>Material</b>	Steel
<b>Material thickness</b>	2.5mm and 1.5mm
<b>Locking mechanism</b>	2x highly secure, keyed alike 5-lever deadlocks
<b>Does it have forklift skids?</b>	Yes
<b>Does it have gas arms?</b>	No
<b>Newton loading of gas arms</b>	N/A
<b>Safety stay</b>	No
<b>Quantity of keys supplied</b>	3 keys
<b>Optional extras available</b>	Additional shelves, access ramp, light, heater, extractor fan
<b>Quantity of shelves as standard</b>	1
<b>Are castors standard or optional extra</b>	N/A
<b>How are the castors fitted?</b>	N/A
<b>Sump capacity</b>	120L
<b>Safety signage</b>	Hazardous goods sign
<b>Fire resistant?</b>	Yes



**Available From:**

Fire and Safety Centre

15 Atkinsons Way, Foxhills Industrial Estate

Scunthorpe, North Lincolnshire, DN15 8QJ

**Tel:** 01724 281044 **Web:** [www.fireandsafetycentre.co.uk](http://www.fireandsafetycentre.co.uk)

**Email:** [sales@fireandsafetycentre.co.uk](mailto:sales@fireandsafetycentre.co.uk)