



Armorgard SafeStor HFC1

- 🔒 Medium duty hazardous storage cupboard.
- 🔒 Reinforced doors with flush fitting handles.
- 🔒 Liquid-tight sump to contain spillages.
- 🔒 Designed for storing flammables or chemicals, as defined by COSHH guidelines.
- 🔒 Spill retaining galvanised shelves.
- 🔒 Suitable for storing fuels or chemicals.
- 🔒 Fitted with hazardous warning signs.
- 🔒 Built to specification for 30 minute fire resistance.



Product	Armorgard SafeStor HFC1
Internal dimensions	890x395x640mm
External dimensions (including protrusions)	900x465x700mm
Weight	21kg
Colour	Traffic Yellow: RAL 1023
Finished coating	Powder coated steel
Material	Steel
Material thickness	0.9mm
Locking mechanism	2-point locking mechanism
Does it have forklift skids?	No
Does it have gas arms?	No
Newton loading of gas arms	N/A
Safety stay	N/A
Quantity of keys supplied	2 keys
Optional extras available	Additional shelves
Quantity of shelves as standard	1
Are castors standard or optional extra	N/A
How are the castors fitted?	N/A
Sump capacity	30L
Safety signage	Hazardous goods sign
Fire resistant?	Yes



Available From:



Armorgard SafeStor HFC2



- ⚠ Medium duty hazardous storage cupboard.
- ⚠ Reinforced doors with flush fitting handles.
- ⚠ Liquid-tight sump to contain spillages.
- ⚠ Designed for storing flammables or chemicals, as defined by COSHH guidelines.
- ⚠ Spill retaining galvanised shelves.
- ⚠ Suitable for storing fuels or chemicals.
- ⚠ Fitted with hazardous warning signs.
- ⚠ Built to specification for 30 minute fire resistance.

Product	Armorgard SafeStor HFC2
Internal dimensions	335x245x640mm
External dimensions (including protrusions)	350x315x700mm
Weight	13kg
Colour	Traffic Yellow: RAL 1023
Finished coating	Powder coated steel
Material	Steel
Material thickness	0.9mm
Locking mechanism	2-point locking mechanism
Does it have forklift skids?	No
Does it have gas arms?	No
Newton loading of gas arms	N/A
Safety stay	N/A
Quantity of keys supplied	2 keys
Optional extras available	Additional shelves
Quantity of shelves as standard	1
Are castors standard or optional extra	N/A
How are the castors fitted?	N/A
Sump capacity	7L
Safety signage	Hazardous goods sign
Fire resistant?	Yes



Available From:



Armorgard SafeStor HFC3



- 🔒 Medium duty hazardous storage cupboard.
- 🔒 Reinforced doors with flush fitting handles.
- 🔒 Liquid-tight sump to contain spillages.
- 🔒 Designed for storing flammables or chemicals, as defined by COSHH guidelines.
- 🔒 Spill retaining galvanised shelves.
- 🔒 Suitable for storing fuels or chemicals.
- 🔒 Fitted with hazardous warning signs.
- 🔒 Built to specification for 30 minute fire resistance.

Product	Armorgard SafeStor HFC3
Internal dimensions	890x395x840mm
External dimensions (including protrusions)	900x465x900mm
Weight	28kg
Colour	Traffic Yellow: RAL 1023
Finished coating	Powder coated steel
Material	Steel
Material thickness	0.9mm
Locking mechanism	2-point locking mechanism
Does it have forklift skids?	No
Does it have gas arms?	No
Newton loading of gas arms	N/A
Safety stay	N/A
Quantity of keys supplied	2 keys
Optional extras available	Additional shelves
Quantity of shelves as standard	1
Are castors standard or optional extra	N/A
How are the castors fitted?	N/A
Sump capacity	30L
Safety signage	Hazardous goods sign
Fire resistant?	Yes



Available From:

Fire and Safety Centre

15 Atkinsons Way, Foxhills Industrial Estate

Scunthorpe, North Lincolnshire, DN15 8QJ

Tel: 01724 281044 **Web:** www.fireandsafetycentre.co.uk

Email: sales@fireandsafetycentre.co.uk



Armorgard SafeStor HFC4



- ☑ Medium duty hazardous storage cupboard.
- ☑ Reinforced doors with flush fitting handles.
- ☑ Liquid-tight sump to contain spillages.
- ☑ Designed for storing flammables or chemicals, as defined by COSHH guidelines.
- ☑ Spill retaining galvanised shelves.
- ☑ Suitable for storing fuels or chemicals.
- ☑ Fitted with hazardous warning signs.
- ☑ Built to specification for 30 minute fire resistance.

Product	Armorgard SafeStor HFC4
Internal dimensions	440x395x840mm
External dimensions (including protrusions)	450x465x905mm
Weight	31kg
Colour	Traffic Yellow: RAL 1023
Finished coating	Powder coated steel
Material	Steel
Material thickness	0.9mm
Locking mechanism	2-point locking mechanism
Does it have forklift skids?	No
Does it have gas arms?	No
Newton loading of gas arms	N/A
Safety stay	N/A
Quantity of keys supplied	2 keys
Optional extras available	Additional shelves
Quantity of shelves as standard	1
Are castors standard or optional extra	N/A
How are the castors fitted?	N/A
Sump capacity	17L
Safety signage	Hazardous goods sign
Fire resistant?	Yes



Available From:

Fire and Safety Centre

15 Atkinsons Way, Foxhills Industrial Estate

Scunthorpe, North Lincolnshire, DN15 8QJ

Tel: 01724 281044 **Web:** www.fireandsafetycentre.co.uk

Email: sales@fireandsafetycentre.co.uk



Armorgard SafeStor HFC5



- 🔒 Medium duty hazardous storage cupboard.
- 🔒 Reinforced doors with flush fitting handles.
- 🔒 Liquid-tight sump to contain spillages.
- 🔒 Designed for storing flammables or chemicals, as defined by COSHH guidelines.
- 🔒 Spill retaining galvanised shelves.
- 🔒 Suitable for storing fuels or chemicals.
- 🔒 Fitted with hazardous warning signs.
- 🔒 Built to specification for 30 minute fire resistance.

Product	Armorgard SafeStor HFC5
Internal dimensions	890x395x1140mm
External dimensions (including protrusions)	900x465x1200mm
Weight	41kg
Colour	Traffic Yellow: RAL 1023
Finished coating	Powder coated steel
Material	Steel
Material thickness	0.9mm
Locking mechanism	2-point locking mechanism
Does it have forklift skids?	No
Does it have gas arms?	No
Newton loading of gas arms	N/A
Safety stay	N/A
Quantity of keys supplied	2 keys
Optional extras available	Additional shelves
Quantity of shelves as standard	2
Are castors standard or optional extra	N/A
How are the castors fitted?	N/A
Sump capacity	30L
Safety signage	Hazardous goods sign
Fire resistant?	Yes



Available From:



Armorgard SafeStor HFC6



- 🔒 Medium duty hazardous storage cupboard.
- 🔒 Reinforced doors with flush fitting handles.
- 🔒 Liquid-tight sump to contain spillages.
- 🔒 Designed for storing flammables or chemicals, as defined by COSHH guidelines.
- 🔒 Spill retaining galvanised shelves.
- 🔒 Suitable for storing fuels or chemicals.
- 🔒 Fitted with hazardous warning signs.
- 🔒 Built to specification for 30 minute fire resistance.

Product	Armorgard SafeStor HFC6
Internal dimensions	1190x395x1740mm
External dimensions (including protrusions)	1200x465x1800mm
Weight	68kg
Colour	Traffic Yellow: RAL 1023
Finished coating	Powder coated steel
Material	Steel
Material thickness	0.9mm
Locking mechanism	2-point locking mechanism
Does it have forklift skids?	No
Does it have gas arms?	No
Newton loading of gas arms	N/A
Safety stay	N/A
Quantity of keys supplied	2 keys
Optional extras available	Additional shelves
Quantity of shelves as standard	3
Are castors standard or optional extra	N/A
How are the castors fitted?	N/A
Sump capacity	45L
Safety signage	Hazardous goods sign
Fire resistant?	Yes



Available From:

Fire and Safety Centre

15 Atkinsons Way, Foxhills Industrial Estate

Scunthorpe, North Lincolnshire, DN15 8QJ

Tel: 01724 281044 **Web:** www.fireandsafetycentre.co.uk

Email: sales@fireandsafetycentre.co.uk



Armorgard SafeStor HFC7



- 🔒 Medium duty hazardous storage cupboard.
- 🔒 Reinforced doors with flush fitting handles.
- 🔒 Liquid-tight sump to contain spillages.
- 🔒 Designed for storing flammables or chemicals, as defined by COSHH guidelines.
- 🔒 Spill retaining galvanised shelves.
- 🔒 Suitable for storing fuels or chemicals.
- 🔒 Fitted with hazardous warning signs.
- 🔒 Built to specification for 30 minute fire resistance.

Product	Armorgard SafeStor HFC7
Internal dimensions	890x395x1740mm
External dimensions (including protrusions)	900x465x1800mm
Weight	55kg
Colour	Traffic Yellow: RAL 1023
Finished coating	Powder coated steel
Material	Steel
Material thickness	0.9mm
Locking mechanism	2-point locking mechanism
Does it have forklift skids?	No
Does it have gas arms?	No
Newton loading of gas arms	N/A
Safety stay	N/A
Quantity of keys supplied	2 keys
Optional extras available	Additional shelves
Quantity of shelves as standard	3
Are castors standard or optional extra	N/A
How are the castors fitted?	N/A
Sump capacity	35L
Safety signage	Hazardous goods sign
Fire resistant?	Yes



Available From:

Fire and Safety Centre

15 Atkinsons Way, Foxhills Industrial Estate

Scunthorpe, North Lincolnshire, DN15 8QJ

Tel: 01724 281044 **Web:** www.fireandsafetycentre.co.uk

Email: sales@fireandsafetycentre.co.uk



Armorgard SafeStor HMC1



- 🔒 Medium duty hazardous storage cupboard.
- 🔒 Reinforced doors with flush fitting handles.
- 🔒 Liquid-tight sump to contain spillages.
- 🔒 Designed for storing flammables or chemicals, as defined by COSHH guidelines.
- 🔒 Spill retaining galvanised shelves.
- 🔒 Suitable for storing fuels or chemicals.
- 🔒 Fitted with hazardous warning signs.
- 🔒 Built to specification for 30 minute fire resistance.
- 🔒 Comes complete with wheels to make it a mobile unit.

Product	Armorgard SafeStor HMC1
Internal dimensions	890x395x640mm
External dimensions (including protrusions)	900x465x810mm
Weight	26kg
Colour	Traffic Yellow: RAL 1023
Finished coating	Powder coated steel
Material	Steel
Material thickness	0.9mm
Locking mechanism	2-point locking mechanism
Does it have forklift skids?	No
Does it have gas arms?	No
Newton loading of gas arms	N/A
Safety stay	N/A
Quantity of keys supplied	2 keys
Optional extras available	Additional shelves
Quantity of shelves as standard	1
Are castors standard or optional extra	Standard
How are the castors fitted?	Quick-fix bolt on castor kit
Sump capacity	30L
Safety signage	Hazardous goods sign
Fire resistant?	Yes



Available From:

Fire and Safety Centre

15 Atkinsons Way, Foxhills Industrial Estate

Scunthorpe, North Lincolnshire, DN15 8QJ

Tel: 01724 281044 **Web:** www.fireandsafetycentre.co.uk

Email: sales@fireandsafetycentre.co.uk



Armorgard SafeStor HMC2



- ☑ Medium duty hazardous storage cupboard.
- ☑ Reinforced doors with flush fitting handles.
- ☑ Liquid-tight sump to contain spillages.
- ☑ Designed for storing flammables or chemicals, as defined by COSHH guidelines.
- ☑ Spill retaining galvanised shelves.
- ☑ Suitable for storing fuels or chemicals.
- ☑ Fitted with hazardous warning signs.
- ☑ Built to specification for 30 minute fire resistance.
- ☑ Comes complete with wheels to make it a mobile unit.

Product	Armorgard SafeStor HMC2
Internal dimensions	890x395x840mm
External dimensions (including protrusions)	900x465x1010mm
Weight	33kg
Colour	Traffic Yellow: RAL 1023
Finished coating	Powder coated steel
Material	Steel
Material thickness	0.9mm
Locking mechanism	2-point locking mechanism
Does it have forklift skids?	No
Does it have gas arms?	No
Newton loading of gas arms	N/A
Safety stay	N/A
Quantity of keys supplied	2 keys
Optional extras available	Additional shelves
Quantity of shelves as standard	1
Are castors standard or optional extra	Standard
How are the castors fitted?	Quick-fix bolt on castor kit
Sump capacity	30L
Safety signage	Hazardous goods sign
Fire resistant?	Yes



Available From:

Fire and Safety Centre

15 Atkinsons Way, Foxhills Industrial Estate

Scunthorpe, North Lincolnshire, DN15 8QJ

Tel: 01724 281044 **Web:** www.fireandsafetycentre.co.uk

Email: sales@fireandsafetycentre.co.uk