



Data Sheet | Model:

Armorgard TransBank Chem TRB1C

- Fully welded, bunded unit, for storing and transporting chemicals.
- Rear ventilation allows airflow and helps prevent the build up of fumes.
- External fixing points to secure the unit to the floor.
- Over-centre clasp with hasp and staple padlock facility.
- Fitted with flame arrester gauze and built to the specification of 30 minute fire resistance.
- Suitable for storing chemicals.
- Fitted with chemical warning signs.
- Designed for storing 2 x 5 litre cans.

Product	Armorgard TransBank Chem TRB1C
Internal dimensions	345x345x335mm
External dimensions (including protrusions)	430x415x365mm
Weight	13kg
Colour	Traffic Yellow: RAL 1023
Finished coating	Powder coated steel
Material	Steel
Material thickness	1.2mm
Locking mechanism	Hasp and staple with padlock facility
Does it have forklift skids?	No
Does it have gas arms?	No
Newton loading of gas arms	N/A
Safety stay	No
Quantity of keys supplied	N/A
Optional extras available	50mm Padlock (PAD-50)
Quantity of shelves as standard	N/A
Are castors standard or optional extra	N/A
How are the castors fitted?	N/A
Sump capacity	15L
Safety signage	Hazardous goods sign
Fire resistant?	Up to 30 minutes



Available From:

Fire and Safety Centre 15 Atkinsons Way, Foxhills Industrial Estate Scunthorpe, North Lincolnshire, DN15 8QJ

Tel: 01724 281044 Web: www.fireandsafetycentre.co.uk

Email: sales@fireandsafetycentre.co.uk





Data Sheet | Model:

Armorgard TransBank Chem TRB2C

- Fully welded, bunded unit, for storing and transporting chemicals.
- Rear ventilation allows airflow and helps prevent the build up of fumes.
- External fixing points to secure the unit to the floor.
- Over-centre clasp with hasp and staple padlock facility.
- Fitted with flame arrester gauze and built to the specification of 30 minute fire resistance.
- Suitable for storing chemicals.
- Fitted with chemical warning signs.
- Designed for storing 2 x 20 litre cans.

ProductArmorgard TransBank Chem TRB2CInternal dimensions445x415x510mmExternal dimensions (including protrusions)530x485x540mmWeight20kgColourTraffic Yellow: RAL 1023Finished coatingPowder coated steel	
External dimensions (including protrusions)530x485x540mmWeight20kgColourTraffic Yellow: RAL 1023Finished coatingPowder coated steel	
Weight20kgColourTraffic Yellow: RAL 1023Finished coatingPowder coated steel	
ColourTraffic Yellow: RAL 1023Finished coatingPowder coated steel	
Finished coating Powder coated steel	
Material Steel	
Material thickness 1.2mm	
Locking mechanism Hasp and staple with padlock facility	
Does it have forklift skids?	
Does it have gas arms?	
Newton loading of gas arms N/A	
Safety stay No	
Quantity of keys supplied N/A	
Optional extras available 50mm Padlock (PAD-50)	
Quantity of shelves as standard N/A	
Are castors standard or optional extra N/A	
How are the castors fitted? N/A	
Sump capacity 35L	
Safety signage Hazardous goods sign	
Fire resistant? Up to 30 minutes	



Available From:

Fire and Safety Centre 15 Atkinsons Way, Foxhills Industrial Estate Scunthorpe, North Lincolnshire, DN15 8QJ

Tel: 01724 281044 Web: www.fireandsafetycentre.co.uk

Email: sales@fireandsafetycentre.co.uk







Data Sheet | Model:

Armorgard TransBank Chem TRB4C

- Fully welded, bunded unit, for storing and transporting chemicals.
- Rear ventilation allows airflow and helps prevent the build up of fumes.
- External fixing points to secure the unit to the floor.
- Over-centre clasp with hasp and staple padlock facility.
- Fitted with flame arrester gauze and built to the specification of 30 minute fire resistance.
- Suitable for storing chemicals.
- Fitted with chemical warning signs.
- Designed for storing 4 x 20 litre cans.

Dona dona de	A TRR46
Product	Armorgard TransBank Chem TRB4C
Internal dimensions	790x415x510mm
External dimensions (including protrusions)	880x485x540mm
Weight	28kg
Colour	Traffic Yellow: RAL 1023
Finished coating	Powder coated steel
Material	Steel
Material thickness	1.2mm
Locking mechanism	Hasp and staple with padlock facility
Does it have forklift skids?	No
Does it have gas arms?	No
Newton loading of gas arms	N/A
Safety stay	No
Quantity of keys supplied	N/A
Optional extras available	50mm Padlock (PAD-50)
Quantity of shelves as standard	N/A
Are castors standard or optional extra	N/A
How are the castors fitted?	N/A
Sump capacity	70L
Safety signage	Hazardous goods sign
Fire resistant?	Up to 30 minutes



Available From:

Fire and Safety Centre 15 Atkinsons Way, Foxhills Industrial Estate Scunthorpe, North Lincolnshire, DN15 8QJ

Tel: 01724 281044 Web: www.fireandsafetycentre.co.uk

Email: sales@fireandsafetycentre.co.uk