



Helping to protect lives globally

Jo**Bird**®

BUILT BY **THE BEST** TO
WITHSTAND **THE WORST.**

Product **data sheet**

JB18FE Fire fighter's Equipment Cabinet



Typical use:

For the storage of firefighter's clothing. This cabinet is widely used in the Offshore energy and marine sectors.

Description:

These cabinets are manufactured using Lloyds approved composites including UV resistant gelcoats to provide long lasting protection for equipment stored inside in even the harshest environments. This is backed up with an excellent IP rating of 56. It has both Lloyds and ABS approvals.

The design ensures a high level of rigidity for the relatively low weight with a very effective EPDM seal around the door aperture. The hinges are secured with 316 stainless steel nuts, bolts and washers.

This cabinet is fitted with a shelf and hang rail.

The door can be specified with left or right hinging and features a Stainless steel L handle to pull the door open to guarantee fast access even when wearing gloves.

Standard specification:

Dimensions (mm)

Height x width x depth: 1831 x 1034 x 785

Aperture: 1583H x 812W

Internal depth: 704

Weight Kg: 50Kg

Material specification:

Colour: Red RAL 3000

Material: Lloyds approved composites with UV stabilised gelcoat

Hinges: 316 Stainless steel

Handle: 316 Stainless steel L handle with 3 way locking

Seal: EPDM

Optional Extras:

Other RAL colours

Class 1 fire retardant composites

Perspex window with bezel

Heating and insulation

Lockable handle

Manufactured in the UK



**Fire and Safety
Centre**

Available From:

Fire and Safety Centre

15 Atkinsons Way, Foxhills Industrial Estate

Scunthorpe, North Lincolnshire, DN15 8QJ

Tel: 01724 281044 **Web:** www.fireandsafetycentre.co.uk

Email: sales@fireandsafetycentre.co.uk



Helping to protect lives globally

JoBird®

BUILT BY THE BEST TO
WITHSTAND THE WORST.

Product data sheet

JB17.600FE Firemans Equipment Cabinet



Typical use:

For the storage of 4 x sets of Fire fighter's clothing, 4 x SCBA, 4 x SCBA cylinders. This cabinet is widely used in the Offshore energy and marine sectors.

Description:

These cabinets are manufactured using Lloyds approved composites including UV resistant gelcoats to provide long lasting protection for equipment stored inside in even the harshest environments. This is backed up with an excellent IP rating of 56. It has both Lloyds and ABS approvals.

The design ensures a high level of rigidity for the relatively low weight with a very effective EPDM seal around the door aperture. The hinges are secured with 316 stainless steel nuts, bolts and washers.

This cabinet comes with uniform hang rail, shelf for helmets and gloves, BA clips to secure SCBA and nylon straps for the SCBA cylinders.

The interlocking doors feature a Stainless steel L handle to pull the doors open and guarantee fast access even when wearing gloves.

Standard specification:

Dimensions (mm)

Height x width x depth: 2025 x 1395 x 600

Aperture: 1735H x 1155W

Internal depth: 525

Weight Kg: 69 Kg

Material specification:

Colour: Red RAL3000

Material: Lloyds approved composites with UV stabilised gelcoat

Hinges: 316 Stainless steel

Handle: 316 Stainless steel L handle

Seal: EPDM

Optional Extras:

Other RAL colours

Class 1 fire retardant composites

Heating and insulation

316 Stainless steel axe brackets

Vents

Made in the UK



**Fire and Safety
Centre**

Available From:

Fire and Safety Centre

15 Atkinsons Way, Foxhills Industrial Estate

Scunthorpe, North Lincolnshire, DN15 8QJ

Tel: 01724 281044 **Web:** www.fireandsafetycentre.co.uk

Email: sales@fireandsafetycentre.co.uk



Helping to protect lives globally

Jo**Bird**®

BUILT BY **THE BEST** TO
WITHSTAND **THE WORST.**

Product **data sheet**

JB17.750FE Fire Equipment Cabinet



Typical use:

For the storage of 4-5 x complete sets of Firefighters clothing including SCBA. This cabinet is widely used in the Offshore energy and marine sectors.

Description:

These cabinets are manufactured using Lloyds approved composites including UV resistant gelcoats to provide long lasting protection for equipment stored inside in even the harshest environments. This is backed up with an excellent IP rating of 56. It has both Lloyds and ABS approvals.

The design ensures a high level of rigidity for the relatively low weight with a very effective EPDM seal around the door aperture. The hinges are secured with 316 stainless steel nuts, bolts and washers.

The cabinet comes with a hang rail, shelves and 4-5 x BA clips to store the equipment in an orderly fashion.

The interlocking doors feature a 316 Stainless steel L handle to pull the door open to guarantee fast access even when wearing gloves.

Standard specification:

Dimensions (mm)

Height x width x depth: 2035 x 1395 x 750

Aperture: 1735H x 1155W

Internal depth: 675

Weight : 80 Kg

Material specification:

Colour: Red RAL 3000

Material: Lloyds approved composites with UV stabilised gelcoat

Hinges: 316 Stainless steel

Handle: Stainless steel L handle

Seal: EPDM

Optional Extras:

Other RAL colours

Class 1 fire retardant composites

Heating and insulation

Axe brackets



Manufactured in the UK



THE QUEEN'S AWARDS
FOR ENTERPRISE:
INNOVATION
2019



**Fire and Safety
Centre**

Available From:

Fire and Safety Centre

15 Atkinsons Way, Foxhills Industrial Estate
Scunthorpe, North Lincolnshire, DN15 8QJ

Tel: 01724 281044 **Web:** www.fireandsafetycentre.co.uk

Email: sales@fireandsafetycentre.co.uk