


prepared for: **Coastline Farms CBD**
 301 Wilshire Blvd. STE 502 CHAPMANS BAY ESTATE
 Beverly Hills, CA 90210

2000mg/oz Coastline FSO tincture

Batch ID:	11969-01	Test ID:	T000130278
Type:	Unit	Submitted:	03/19/2021 @ 10:36 AM
Test:	Potency	Started:	3/22/2021
Method:	TM14	Reported:	3/23/2021

CANNABINOID PROFILE


Compound	LOQ (mg)	Result (mg)	Result (mg/g)
Delta 9-Tetrahydrocannabinolic acid (THCA-A)	4.25	ND	ND
Delta 9-Tetrahydrocannabinol (Delta 9THC)	4.80	73.75	2.6
Cannabidiolic acid (CBDA)	4.30	8.36	0.3
Cannabidiol (CBD)	4.19	2201.24	76.8
Delta 8-Tetrahydrocannabinol (Delta 8THC)	5.29	12.36	0.4
Cannabinolic Acid (CBNA)	3.03	ND	ND
Cannabinol (CBN)	1.38	4.55	0.2
Cannabigerolic acid (CBGA)	4.44	ND	ND
Cannabigerol (CBG)	1.06	71.45	2.5
Tetrahydrocannabivarinic Acid (THCVA)	3.75	ND	ND
Tetrahydrocannabivarin (THCV)	0.97	ND	ND
Cannabidivarinic Acid (CBDVA)	1.79	ND	ND
Cannabidivarin (CBDV)	0.99	11.77	0.4
Cannabichromenic Acid (CBCA)	1.71	ND	ND
Cannabichromene (CBC)	1.87	82.91	2.9
Total Cannabinoids		2466.39	86.0
Total Potential THC**		73.75	2.6
Total Potential CBD**		2208.57	77.0

% = % (w/w) = Percent (Weight of Analyte / Weight of Product)
 * Total Cannabinoids result reflects the absolute sum of all cannabinoids detected.
 ** Total Potential THC/CBD is calculated using the following formulas to take into account the loss of a carboxyl group during decarboxylation step.
 Total THC = THC + (THCa *(0.877)) and
 Total CBD = CBD + (CBDa *(0.877))
 ND = None Detected (Defined by Dynamic Range of the method)

NOTES:
 # of Servings = 1, Sample Weight=28.67g

FINAL APPROVAL

	Ryan Weems 23-Mar-2021 3:10 PM		Ben Minton 23-Mar-2021 3:45 PM
PREPARED BY / DATE		APPROVED BY / DATE	

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC. ISO/IEC 17025:2005 Accredited A2LA Certificate Number 4329.02



Certificate #4329.02

2000mg/oz Coastline FSO tincture

Batch ID:	11969-01	Test ID:	T000130279
Type:	Concentrate	Submitted:	03/19/2021 @ 10:36 AM
Test:	Pesticides	Started:	3/23/2021
Method:	TM17	Reported:	3/24/2021

PESTICIDE RESIDUE

Compound	Dynamic Range (ppb)	Result (ppb)	Compound	Dynamic Range (ppb)	Result (ppb)
Acephate	36 - 2382	ND*	Malathion	278 - 2382	ND*
Acetamiprid	37 - 2382	ND*	Metalaxyl	41 - 2382	ND*
Abamectin	>340	ND*	Methiocarb	45 - 2382	ND*
Azoxystrobin	51 - 2382	ND*	Methomyl	38 - 2382	ND*
Bifenazate	23 - 2382	ND*	MGK 264 1	168 - 2382	ND*
Boscalid	57 - 2382	ND*	MGK 264 2	122 - 2382	ND*
Carbaryl	38 - 2382	ND*	Myclobutanil	38 - 2382	ND*
Carbofuran	41 - 2382	ND*	Naled	40 - 2382	ND*
Chlorantraniliprole	48 - 2382	ND*	Oxamyl	35 - 2382	ND*
Chlorpyrifos	34 - 2382	ND*	Paclobutrazol	42 - 2382	ND*
Clofentezine	275 - 2382	ND*	Permethrin	258 - 2382	ND*
Diazinon	289 - 2382	ND*	Phosmet	43 - 2382	ND*
Dichlorvos	>263	ND*	Prophos	290 - 2382	ND*
Dimethoate	39 - 2382	ND*	Propoxur	38 - 2382	ND*
E-Fenpyroximate	304 - 2382	ND*	Pyridaben	267 - 2382	ND*
Etofenprox	39 - 2382	ND*	Spinosad A	27 - 2382	ND*
Etoxazole	287 - 2382	ND*	Spinosad D	72 - 2382	ND*
Fenoxycarb	>38	ND*	Spiromesifen	>296	ND*
Fipronil	46 - 2382	ND*	Spirotetramat	>351	ND*
Flonicamid	48 - 2382	ND*	Spiroxamine 1	16 - 2382	ND*
Fludioxonil	>320	ND*	Spiroxamine 2	23 - 2382	ND*
Hexythiazox	43 - 2382	ND*	Tebuconazole	275 - 2382	ND*
Imazalil	243 - 2382	ND*	Thiacloprid	38 - 2382	ND*
Imidacloprid	45 - 2382	ND*	Thiamethoxam	42 - 2382	ND*
Kresoxim-methyl	53 - 2382	ND*	Trifloxystrobin	43 - 2382	ND*

* ND = None Detected (Defined by Dynamic Range of the method)

N/A

FINAL APPROVAL

 **Tyler Wiese**
 24-Mar-2021
 4:02 PM

 **Sam Smith**
 24-Mar-2021
 4:17 PM

PREPARED BY / DATE

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC.

2000mg/oz Coastline FSO tincture

Batch ID:	11969-01	Test ID:	T000130280
Type:	Edible	Submitted:	03/19/2021 @ 10:36 AM
Test:	Microbial Contaminants	Started:	3/19/2021
Method:	TM24, TM25, TM26, TM27, TM28	Reported:	3/22/2021

MICROBIAL CONTAMINANTS

Contaminant	Result (CFU/g)*
Total Aerobic Count**	None Detected
Total Coliforms**	None Detected
Total Yeast and Molds**	None Detected
E. coli	Absent
E. coli (STEC)	None Detected
Salmonella	None Detected

* CFU/g = Colony Forming Unit per Gram


** Values recorded in scientific notation, a common microbial practice of expressing numbers that are too large to be conveniently written in decimal form.

Examples: $10^2 = 100$ CFU
 $10^3 = 1,000$ CFU
 $10^4 = 10,000$ CFU
 $10^5 = 100,000$ CFU

NOTES:

Free from visual mold, mildew, and foreign matter
TYM: None Detected
Total Aerobic: None Detected
Coliforms: None Detected

FINAL APPROVAL


Robert Belfon
22-Mar-2021
12:18 PM
Ben Minton
22-Mar-2021
2:28 PM

PREPARED BY / DATE

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC. ISO/IEC 17025:2005 Accredited A2LA Certificate Number 4329.03. Testing associated with this certificate of analysis performed by an external ISO17025 accredited provider.



Certificate #4329.03

2000mg/oz Coastline FSO tincture

Batch ID:	11969-01	Test ID:	T000130282
Type:	Concentrate	Submitted:	03/19/2021 @ 10:36 AM
Test:	Residual Solvents	Started:	3/23/2021
Method:	TM04	Reported:	3/23/2021

RESIDUAL SOLVENTS

Solvent	Dynamic Range (ppm)	Result (ppm)
Propane	126 - 2529	*ND
Butanes (Isobutane, n-Butane)	236 - 4730	*ND
Methanol	59 - 1171	*ND
Pentane	110 - 2205	*ND
Ethanol	103 - 2060	*ND
Acetone	102 - 2031	*ND
Isopropyl Alcohol	100 - 1992	*ND
Hexane	6 - 127	*ND
Ethyl Acetate	100 - 1997	*ND
Benzene	0.2 - 3.8	*ND
Heptanes	103 - 2051	*ND
Toluene	18 - 351	*ND
Xylenes (m,p,o-Xylenes)	123 - 2455	*ND


* ND = None Detected (Defined by Dynamic Range of the method)

NOTES:
N/A

FINAL APPROVAL


Ryan Weems
23-Mar-2021
12:22 PM

PREPARED BY / DATE


Ben Minton
23-Mar-2021
1:37 PM

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC. ISO/IEC 17025:2005 Accredited A2LA Certificate Number 4329.02



Certificate #4329.02


2000mg/oz Coastline FSO tincture

Batch ID:	11969-01	Test ID:	T000130281
Type:	Unit	Submitted:	03/19/2021 @ 10:36 AM
Test:	Metals	Started:	3/22/2021
Method:	TM19	Reported:	3/24/2021


HEAVY METALS

Analyte	Dynamic Range (ppm)	Result (ppm)
Arsenic	0.082 - 8.20	ND
Cadmium	0.082 - 8.19	ND
Mercury	0.080 - 8.01	ND
Lead	0.089 - 8.86	ND

* ND = None Detected (Defined by Dynamic Range of the method)

FINAL APPROVAL
Ryan Weems
23-Mar-2021
2:30 PM

PREPARED BY / DATE


Sam Smith
24-Mar-2021
9:26 AM

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC.