






# Solstice®

**INFLATABLE DOCK INSTRUCTION MANUAL**  
**GUIDE D'UTILISATION DE LA PLATE-FORME GONFLABLE**  
**MANUAL DE INSTRUCCIONES DE PLATAFORMA INFLABLE**



ITEM/ARTICLE/ITEM	SIZE/DIMENSIONS/TAMAÑO	CAPACITY/CAPACITÉ/CAPACIDAD
<b>30605</b>	6'x5'x6" (1,8m x 1,5m x 15cm)	3-5 PERSON/PERSONNES/PERSONAS
<b>30805</b>	8'x5'x6" (2,4m x 1,5m x 15cm)	4-6 PERSON/PERSONNES/PERSONAS
<b>31008</b>	10' x 8'x6" (3m x 2,4m x 15cm)	6-8 PERSON/PERSONNES/PERSONAS
<b>31010</b>	10' x 10'x6" (3m x 3m x 15cm)	8-10 PERSON/PERSONNES/PERSONAS
<b>38805</b>	8'x5'x8" (2,4m x 1,5m x 20cm)	4-6 PERSON/PERSONNES/PERSONAS
<b>38810</b>	10'x8'x8" (3m x 2,4m x 20cm)	6-8 PERSON/PERSONNES/PERSONAS
<b>36108</b>	10'x8'x6" (3m x 2,4m x 15cm)	6-8 PERSON/PERSONNES/PERSONAS
<b>38175</b>	10'6"x6'8"x8" (3,2m x 2m x 20cm)	4-6 PERSON/PERSONNES/PERSONAS

All Solstice dock products can be readily compacted to almost original packaging size if user utilizes pump (electric or manual) to remove all air from inside the unit and follows the provided fold instructions.

Tous les produits de quai Solstice peuvent facilement être compactés jusqu'à leur taille d'emballage original si l'utilisateur utilise une pompe (électrique ou manuelle) pour éliminer tout l'air de l'intérieur de l'unité et suit les instructions de pliage fournies.

Todos los muelles Solstice están preparados para compactarlos casi al tamaño de su empaque original, si el usuario utiliza una bomba (eléctrica o manual) para eliminar todo el aire del interior de la unidad y sigue las instrucciones de plegado proporcionadas.

## INTRODUCTION:

We thank you for your purchase of our SOLSTICE dock. Please read the following instructions carefully before using this inflatable dock and keep the instructions for future reference. If you resell the dock; please hand this manual over to the buyer. This SOLSTICE inflatable dock has been manufactured to the highest quality standards.

## FEATURES:

- Versatile design and features • Easy assembly and maintenance
- Low cost of maintenance and operation • High quality performance
- Quality certified construction • Reliable, heavy gauge PVC material
- High pressure drop stitch floor provides superior rigidity • Easy to store and carry in provided carry bag

In addition to set-up instructions and operational guidelines, we have also included several very important **WARNING** statements that pertain to the safe use and enjoyment of this new SOLSTICE dock. It is very important that you take the time to read them all. Please make certain that you understand the information contained in this manual prior to initial use. **PLEASE RETAIN THIS MANUAL FOR FUTURE REFERENCE!**

**Important Safety Guidelines. Please read & understand prior to using your dock.** To enhance the enjoyment of your dock and protect the safety of the user of the product, **ALWAYS STRICTLY OBSERVE** the following important safety points.

1. **WARNING:** Dock designed for use in sheltered water only.
2. **WARNING:** This is not a life saving device. Use only under competent supervision. Never allow diving or jumping onto or off of this product. Never leave in or near the water when not in use. Never tow from any vehicle.
3. **WARNING:** Inflate the product as outlined in **Assembly, point #3**. Use the provided gauge and inflate to approximately 10 PSI. Do not over inflate. Excessive inflation of the product can cause it to burst or cause damage to the seams. It is crucial that the docks pressure be reduced during prolonged use in direct sun. Also, in cold conditions, the pressure may decrease and more air will need to be added to ensure proper inflation. Use the gauge.
4. **WARNING:** A certified Personal Flotation Device (PFD) is required for the user. It is especially important that children and non-swimmers wear a Personal Flotation Device at all times. Children and non-swimmers need special instruction in the use of the Personal Flotation Device.
5. **WARNING:** Do not use your dock if you suspect a puncture or leak. It may be unsafe.
6. **WARNING:** Beware of offshore winds and currents.
7. **WARNING:** The total number of persons and total weight shall not exceed the information printed on the dock.


## ASSEMBLY:

1. Find a flat area and make sure that the area you have selected to set up the dock is completely free of stones, sticks, sharp objects, or other foreign debris.
2. Carefully unfold the dock, spreading out the floor to make it as smooth as possible.  
**CAUTION: DO NOT DRAG THE DOCK ACROSS THE GROUND AS IT MAY TEAR THE DOCK OR CAUSE OTHER DAMAGE.** We will not be held responsible for damage caused to the dock due to mishandling or failure to follow these instructions.
3. **Inflation:** Unscrew the valve cap (**A3**). Make sure valve pin is in up (locked position - **A2**). Attach the air pump hose nozzle and twist to lock the hose to the valve. As the chamber is inflated, detach the hose and screw in the valve cap.
4. Inflate the dock using the provided pump and gauge. Failure to do so will result in an improperly inflated dock. *When using the provided pump, it becomes more difficult to inflate as the pressure increases. In order to achieve the proper pressure: Towards the last strokes, stand with your feet on the base of the pump, push down slowly, at the point where you feel the resistance build, then thrust quickly to the end. Use the gauge.* For faster inflation and deflation, use SOLSTICE AC Turbo Electric Pump #19200, Electric Inflator #19000, or 12-volt Inflator #19150, then top off to full pressure with hand pump. Failure to do so will result in an improperly inflated item. Do not use high-pressure air compressors.  
**WARNING: Do not over inflate. Optimum pressure is 10 PSI.**

Please see the Safety Valve Diagram A1.



A1



A2



A3



- 5. Deflation:** Remove the Valve Cap (**A3**) and push down the deflation button/Pin (**A2**) until it is locked. When the button/pin is down, the air will flow out. If you want to stop deflation, push down the Deflation Button (**A2**) again to allow it to lock in the up position. The deflation will stop when the button pops up. To fully deflate the dock for storage, use the deflation feature on your pump (inflator).

### **FOR CONVERTIBLE SLIDE DOCK ONLY (ITEM 36108)**

#### **SLIDE DEPLOYMENT & RETRACTION**

The Solstice slide dock is equipped with an integrated slide that can be collapsed down to transform into a full 8' x 10' platform style dock.

1. Inflate 3 chambers to 10 PSI. (Base < Slide < Step)
2. Lift the slide section that is loosely attached to the balance of the base/platform.
3. Install the blue step with the velcro facing the underside of the slide with the valve at the top right/facing out of the slide. This may take some force to completely pull in under the top edge of the slide.
4. Use 4 webbing & buckle connectors for properly secured connection prior to slide use. Make sure all straps are tightened.

#### **SLIDE RETRACTION**

If you want to use the item as a 8' x 10' platform after using in the slide configuration, follow these steps.

1. Loosen & remove 4 straps from buckles.
2. Pull step section out from underneath slide.
3. Push slide into base (this is most readily done by kneeling on slide and pulling up outer edge of platform).
4. Be sure to secure the blue step to the platform or store (inflated or deflated) in a secure location for future slide use.
5. The blue step includes a tie off point but no line is included to secure step to platform.

### **FOR C-DOCK ONLY (ITEM 38175)**

Inflate cushions to 1 PSI (until firm). Do not over inflate. Do not use high-pressure air compressors. Replacement cushions are available if needed. (38175CUSHSM and 38175CUSHLG)

## **CLEANING & STORAGE:**

The item should be rinsed after each use. The item should be washed when necessary. The item should be stored, cleaned, and dried, in cool dry place.

**WARNING:** Certain household cleaning solvents, chemicals and other liquids (such as battery acid, oil and gasoline) could damage the PVC fabric. In the event of spill or mishandling, you should check for leaks and inspect for structural integrity. Use a mild soap to clean the dock; rinse thoroughly.

Do not use MEK, acetone, or other harsh chemicals for cleaning.

## **REPAIR:**

There is a chance the high pressure valve can become loose. To check this, use the supplied valve wrench in the repair kit to tighten the valve. Turn lightly in clockwise direction. (See diagram **A4**)



**A4**

Small holes and punctures can be repaired with the provided repair kit.

1. Find the leak.
2. Deflate the dock.
3. Thoroughly clean and dry the surrounding area of all dirt and grime.
4. Cut a piece of repair material in a round shape larger than the damaged area.
5. Use a pencil to lightly trace the outline of the patch over the area of the hole.
6. Apply adhesive-like clear PVC cement (not included) to the underneath side of the patch and the area to be repaired. Coat both lightly but completely.
7. Put the repair patch on the damaged area and press down firmly.
8. Allow 12 hours to dry. After repair patch has dried, apply glue around the edges of the patch for a complete seal. Allow to dry 4 more hours.

After completing steps 1 through 8, the dock is ready to use.



If you have any questions or issues with your Solstice product, do not refer to the retailer. We are the experts and are here to help. Please contact us directly at (631) 254-2155 or support@solsticewatersports.com. Have your product name and model number available.


We will take care of any issue or question directly.

Si vous avez des questions ou des problèmes concernant un produit Solstice, ne vous adressez pas à votre détaillant. Nous sommes les spécialistes et nous sommes à votre service. Veuillez nous contacter directement au (631) 254-2155 ou à support@solsticewatersports.com. Ayez le nom du produit et le numéro du modèle à portée de la main.

Nous nous occuperons directement de la question ou du problème.

Si tiene cualquier pregunta o problema con su producto Solstice, no se dirija al distribuidor. Nosotros somos los expertos y estamos aquí para ayudar. Póngase en contacto directamente con nosotros al (631) 254-2155 o support@solsticewatersports.com. Tenga el nombre de su producto y el número del modelo al alcance.

Solucionaremos cualquier problema o responderemos sus preguntas directamente.



**WARNING:** *Entrapment risk! Risk of drowning!  
Do not swim underneath!*

**AVERTISSEMENT :** *Risque pris au piège !  
Risque de noyade ! Ne pas nager sous !*

**ADVERTENCIA:** *¡Riesgo de quedar atrapado!  
¡Riesgo de ahogarse! ¡No nade debajo!*

Solstice® by Swimline  
International Leisure Products, Inc.  
191 Rodeo Drive, Edgewood, NY 11717  
Tel: (631) 254-2155 • Fax: (631) 254-2363  
www.solsticewatersports.com