



Product Index	ii-v
Screen Filters	3-8
Disc Filters	9-13
Self-Cleaning Disc Filters	14-16
Hydro Cyclones	17

Filtration Products

Screen Filters, Disc Filters
& Hydro Cyclones





Y-Pattern Screen Filters



Cartridge Style Screen Filters
Single Body



Cartridge Style Screen Filters
Twin Body



Y-Pattern Disc Filters



Cartridge Style Disc Filters
Extended Single Body



Cartridge Style Disc Filters
Extended Twin Body



Self-Cleaning Cartridge Style
Disc Filters - Single Body



Self-Cleaning Cartridge Style
Disc Filters - Twin Body



1" Size Hydro Cyclone



2" Size Hydro Cyclone



3" Size Hydro Cyclone

Filtration

page

Screen Filters

Y-Pattern	3-6
Cartridge Style – Single Body	7
Cartridge Style – Twin Body	8

Disc Filters

Y-Pattern Style	9-10
Cartridge Style – Single Body	11
Cartridge Style – Twin Body	12-13

Self-Cleaning Filters

Cartridge Style – Single Body	14-15
Cartridge Style – Twin Body	16

Hydro Cyclones

1" Size	17
2" Size	17
3" Size	17

JJD


JJ DOWNS INDUSTRIAL PLASTICS INC.

416.236.1884








JJDOWNS.COM

Toronto, ON





Screen Filter Selection

	Model	Filter Area inch ² cm ²	End Connections	Body/Cap Materials	Screen Materials	Mesh Sizes
	SF20015	18.60 120	G3/4" – G1-1/4"	PP	Polyester 304 SS	120 120
	SF20015A	26.35 170	G3/4" – G1-1/4"	PP	Polyester	120
	SF20020	33.33 215	1-1/4", 1-1/2" MNPT	PP	Polyester 304 SS	120 120
	SF20025	52.70 340	1-1/2", 2" MNPT Grooved	PP	Polyester 304 SS	120 120
	SF20920	81.70 527	2", 3" MNPT	PP/ABS	Polyester 304 SS	120 120
	SF20540	98.43 635	2", 3" MNPT Grooved	PPG	304 SS	120
	SF20550	196.88 1,270	3", 4" MNPT Grooved	PPG	304 SS	120

Filter cage material is PP
O-Ring material is Nitrile





JJ DOWNS INDUSTRIAL PLASTICS INC.

416.236.1884 Toronto, ON JJDOWNS.COM

Screen Filters


Features

- All filters have a bleed plug standard. Bleed valve version is also available.
- Maximum pressure: 116 psi (8 bar)


Filtration

PP Y-Pattern Screen Filters

Polyester Screen Mesh



SS Screen Mesh



SF20015
Standard Body



SF20015A
Extended Body

SF20015 Series Y-Pattern Filters – Standard Body – 18.6 inches² (120 cm²) Filtering Area

Size	Item No.	Mesh Type	Mesh Size	Box Qty
G3/4"	SF20015-007G-P120	Polyester	120 mesh	35
G3/4"	SF20015-007G-S120	304SS	120 mesh	35
G1"	SF20015-010G-P120	Polyester	120 mesh	35
G1"	SF20015-010G-S120	304SS	120 mesh	35
G1-1/4"	SF20015-012G-P120	Polyester	120 mesh	35
G1-1/4"	SF20015-012G-S120	304SS	120 mesh	35

SF20015 Series Spare Filters

Size	Item No.	Mesh Type	Mesh Size	Box Qty
All 20015 Filters	SF20015-P120	Polyester	120 mesh	1
All 20015 Filters	SF20015-S120	304SS	120 mesh	1

SF 20015A Series Y-Pattern Filters – Extended Body – 26.35 inches² (170 cm²) Filtering Area

Size	Item No.	Mesh Type	Mesh Size	Box Qty
G3/4"	SF20015A-007G-P120	Polyester	120 mesh	22
G1"	SF20015A-010G-P120	Polyester	120 mesh	22
G1-1/4"	SF20015A-012G-P120	Polyester	120 mesh	22

SF 20015A Spare Filters

Size	Item No.	Mesh Type	Mesh Size	Box Qty
All 20015A Filters	SF20015A-P120	Polyester	120 mesh	1



JJD



JJ DOWNS INDUSTRIAL PLASTICS INC.

416.236.1884

Toronto, ON

JJDOWNS.COM

Screen Filters

Features

- All filters have a bleed plug standard. Bleed valve version is also available.
- Maximum pressure: 116 psi (8 bar)


Filtration




SF20020
SF20025

PP Y-Pattern Screen Filters

Polyester Screen Mesh



SS Screen Mesh



SF20020 Series Y-Pattern Filters – Standard Body – 33.33 inches² (215 cm²) Filtering Area

Size	Item No.	Mesh Type	Mesh Size	Box Qty
1-1/4" MNPT	SF20020-012T-P120	Polyester	120 mesh	23
1-1/4" MNPT	SF20020-012T-S120	304SS	120 mesh	23
1-1/2" MNPT	SF20020-015T-P120	Polyester	120 mesh	23
1-1/2" MNPT	SF20020-015T-S120	304SS	120 mesh	23

SF20020 Series Spare Filters

Size	Item No.	Mesh Type	Mesh Size	Box Qty
All 20020 Filters	SF20020-P120	Polyester	120 mesh	1
All 20020 Filters	SF20020-S120	304SS	120 mesh	1

SF20025 Series Y-Pattern Filters – Standard Body – 52.70 inches² (340 cm²) Filtering Area

Size	Item No.	Mesh Type	Mesh Size	Box Qty
1-1/2" MNPT	SF20025-015T-P120	Polyester	120 mesh	23
1-1/2" MNPT	SF20025-015T-S120	304SS	120 mesh	23
2" MNPT	SF20025-020T-P120	Polyester	120 mesh	23
2" MNPT	SF20025-020T-S120	304SS	120 mesh	23

SF20025 Series Spare Filters

Size	Item No.	Mesh Type	Mesh Size	Box Qty
All 20025 Filters	SF20025-P120	Polyester	120 mesh	1
All 20025 Filters	SF20025-S120	304SS	120 mesh	1





JJ DOWNS INDUSTRIAL PLASTICS INC.

416.236.1884 Toronto, ON JJDOWNS.COM

Screen Filters

Features

- All filters have a bleed plug standard. Bleed valve version is also available.
- Maximum pressure: 116 psi (8 bar)


Filtration




SF20920

PP Y-Pattern Screen Filters

Polyester Screen Mesh



SS Screen Mesh



SF20920 Series Y-Pattern Filters – Standard Body – 81.70 inches² (527 cm²) Filtering Area

Size	Item No.	Mesh Type	Mesh Size	Box Qty
2" MNPT	SF20920-020T-P120	Polyester	120 mesh	12
2" MNPT	SF20920-020T-S120	304SS	120 mesh	12
3" MNPT	SF20920-030T-P120	Polyester	120 mesh	10
3" MNPT	SF20920-030T-S120	304SS	120 mesh	10

SF20920 Series Spare Filters

Size	Item No.	Mesh Type	Mesh Size	Box Qty
All 20920 Filters	SF20920-P120	Polyester	120 mesh	1
All 20920 Filters	SF20920-S120	304SS	120 mesh	1



JJD



JJ DOWNS INDUSTRIAL PLASTICS INC.

416.236.1884

Toronto, ON

JJDOWNS.COM

Screen Filters


Features

- All filters have a bleed plug standard. Bleed valve version is also available.
- Maximum pressure: 116 psi (8 bar)

Filtration

PP Cartridge Style Screen Filters

SS Screen Mesh



SF20540

SF20540 Series Cartridge Style Filters – Extended Single Body – 98.43 inches² (635 cm²) Filtering Area

Size	Item No.	Mesh Type	Mesh Size	Box Qty
2" MNPT	SF20540-020T-S120	304SS	120 mesh	1
2" Grooved	SF20540-020A-S120	304SS	120 mesh	1
3" MNPT	SF20540-030T-S120	304SS	120 mesh	1
3" Grooved	SF20540-030A-S120	304SS	120 mesh	1

SF20540 Series Spare Filter

Size	Item No.	Mesh Type	Mesh Size	Box Qty
All 20540 Filters	SF20540-S120	304SS	120 mesh	1





JJ DOWNS INDUSTRIAL PLASTICS INC.

416.236.1884 Toronto, ON JJDOWNS.COM

Screen Filters

Features

- All filters have a bleed plug standard. Bleed valve version is also available.
- Maximum pressure: 116 psi (8 bar)


Filtration



SF20550

PP Cartridge Style Screen Filters

SS Screen Mesh



SF20550 Series Cartridge Style Filters – Extended Twin Body – 196.88 inches² (1,270 cm²) Filtering Area

Size	Item No.	Mesh Type	Mesh Size	Box Qty
3" MNPT	SF20550-030T-S120	304SS	120 mesh	1
3" Grooved	SF20550-030A-S120	304SS	120 mesh	1
4" MNPT	SF20550-040T-S120	304SS	120 mesh	1
4" Grooved	SF20550-040A-S120	304SS	120 mesh	1

SF20550 Series Spare Filters

Size	Item No.	Mesh Type	Mesh Size	Box Qty
All 20550 Filters	SF20550-S120	304SS	120 mesh	1



JJD



JJ DOWNS INDUSTRIAL PLASTICS INC.

416.236.1884

Toronto, ON

JJDOWNS.COM







PE Filtering Discs



PP Vortex Disc



Disc Filter Selection

Model	Filter Area		End Connections	Body/Cap Materials	Disc Materials	Vortex Material	Filtering Mesh Sizes	
	inch ²	cm ²						
	DF20015D	28.6	184.5	G3/4" – G1-1/4"	PP	PE	PP	75, 120, 150
	DF20025D	75.95	490	G1-1/2, G2"	PP	PE	PP	75, 120, 150
	DF20535	136	878	2", 3" MNPT Grooved	PAF	PE	PP	75, 120, 150
	DF20540	193	1,245	2", 3" MNPT Grooved	PAF	PE	PP	75, 120, 150
	DF20545	272	1,756	3", 4" MNPT Grooved	PAF	PE	PP	75, 120, 150
	DF20550	386	2,490	3", 4" MNPT Grooved	PAF	PE	PP	75, 120, 150


O-Ring material is Nitrile

Operation

Dirty water is pumped in the filter and water pressure helps to keep the disks compressed, thus increasing filtering efficiency. Grooves on the disc surface cross paths, forming a network that traps impurities. Filtering occurs both on the outer surface of the cartridge and through the entire depth of the disc grooves and clean water exits from the inside of the cartridge. Filters can easily be cleaned manually by removing the element and spraying the discs with water.



Disc filters can be ordered with a device causing a helical movement of the water, the Vortex system that makes the impurities deposit on the inside wall of the filter reducing the number washings which results in lower water and energy consumption.



Disc Filters

Features

- Bleed plug is standard, bleed valve is optional
- Maximum pressure: 116 psi (8 bar)

Filtration

PP Y-Pattern Disc Filters

PE Filtering Discs



DF20015
DF20025

DF20015D Series – Standard Body – 28.6 inches²(184 cm²) Filtering Area

Size	Item No.	Disc Mesh Size	Box Qty
G3/4"	DF20015D-007G-120	120 Mesh	35
G1"	DF20015D-010G-120	120 Mesh	35
G1-1/4"	DF20015D-012G-120	120 Mesh	35

DF20015D Series Spare Filter Cartridge

Size	Item No.	Disc Mesh Size	Box Qty
All 20015D Filters	DF20015-120	120 Mesh	1

DF20025D Series – Standard Body – 75.95 inches² (490 cm²) Filtering Area

Size	Item No.	Disc Mesh Size	Box Qty
1-1/2" MNPT	DF20025D-015T-120	120 Mesh	23
2" MNPT	DF20025D-020T-120	120 Mesh	23

DF20025D Series Spare Filter Cartridge

Size	Item No.	Disc Mesh Size	Box Qty
All 20025D Filters	DF20025-120	120 Mesh	1

PP Cartridge Style Disc Filters

PE Filtering Discs



PP Vortex Disc



DF20535

DF20535 Series – Single Body – 136 inches²(878 cm²) Filtering Area

Size	Item No.	Disc Mesh Size	Box Qty
2" MNPT	DF20535-020T-75	75 Mesh	1
2" MNPT	DF20535-020T-120	120 Mesh	1
2" MNPT	DF20535-020T-150	150 Mesh	1
2" Grooved	DF20535-020A-75	75 Mesh	1
2" Grooved	DF20535-020A-120	120 Mesh	1
2" Grooved	DF20535-020A-150	150 Mesh	1
3" MNPT	DF20535-030T-75	75 Mesh	1
3" MNPT	DF20535-030T-120	120 Mesh	1
3" MNPT	DF20535-030T-150	150 Mesh	1
3" Grooved	DF20535-030A-75	75 Mesh	1
3" Grooved	DF20535-030A-120	120 Mesh	1
3" Grooved	DF20535-030A-150	150 Mesh	1

DF20535 Series Spare Filter Cartridge

Size	Item No.	Disc Mesh Size	Box Qty
All DF20535 Filters	DF20535-75	75 Mesh	1
All DF20535 Filters	DF20535-120	120 Mesh	1
All DF20535 Filters	DF20535-150	150 Mesh	1

Disc Filters

Features

- Bleed plug is standard, bleed valve is optional
- Disc filters have Vortex system included
- Maximum pressure: 116 psi (8 bar)

Filtration



DF20540

PP Cartridge Style Disc Filters

PE Filtering Discs



PP Vortex Disc



DF20540 Series – Extended Single Body – 193 inches² (1,245 cm²) Filtering Area

Size	Item No.	Disc Mesh Size	Box Qty
2" MNPT	DF20540-020T-75	75 Mesh	1
2" MNPT	DF20540-020T-120	120 Mesh	1
2" MNPT	DF20540-020T-150	150 Mesh	1
2" Grooved	DF20540-020A-75	75 Mesh	1
2" Grooved	DF20540-020A-120	120 Mesh	1
2" Grooved	DF20540-020A-150	150 Mesh	1
3" MNPT	DF20540-030T-75	75 Mesh	1
3" MNPT	DF20540-030T-120	120 Mesh	1
3" MNPT	DF20540-030T-150	150 Mesh	1
3" Grooved	DF20540-030A-75	75 Mesh	1
3" Grooved	DF20540-030A-120	120 Mesh	1
3" Grooved	DF20540-030A-150	150 Mesh	1

DF20540 Series Spare Filter Cartridge

Size	Item No.	Disc Mesh Size	Box Qty
All DF20540 Filters	DF20540-075	75 Mesh	1
All DF20540 Filters	DF20540-120	120 Mesh	1
All DF20540 Filters	DF20540-150	150 Mesh	1





JJ DOWNS INDUSTRIAL PLASTICS INC.

416.236.1884 Toronto, ON JJDOWNS.COM

Disc Filters

Features

- Bleed plug is standard, bleed valve is optional
- Disc filters have Vortex system included
- Maximum pressure: 116 psi (8 bar)

Filtration



DF20545

PP Cartridge Style Disc Filters

PE Filtering Discs



PP Vortex Disc



DF20545 Series – Standard Twin Body – 272 inches² (1,756 cm²) Filtering Area

Size	Item No.	Disc Mesh Size	Box Qty
3" MNPT	DF20545-030T-75	75 Mesh	1
3" MNPT	DF20545-030T-120	120 Mesh	1
3" MNPT	DF20545-030T-150	150 Mesh	1
3" Grooved	DF20545-030A-75	75 Mesh	1
3" Grooved	DF20545-030A-120	120 Mesh	1
3" Grooved	DF20545-030A-150	150 Mesh	1
4" MNPT	DF20545-040T-75	75 Mesh	1
4" MNPT	DF20545-040T-120	120 Mesh	1
4" MNPT	DF20545-040T-150	150 Mesh	1
4" Grooved	DF20545-040A-75	75 Mesh	1
4" Grooved	DF20545-040A-120	120 Mesh	1
4" Grooved	DF20545-040A-150	150 Mesh	1

DF20545 Series Spare Filter Cartridge

Size	Item No.	Disc Mesh Size	Box Qty
All DF20545 Filters	DF20545-75	75 Mesh	1
All DF20545 Filters	DF20545-120	120 Mesh	1
All DF20545 Filters	DF20545-150	150 Mesh	1



JJD



JJ DOWNS INDUSTRIAL PLASTICS INC.

416.236.1884

Toronto, ON

JJDOWNS.COM

Disc Filters

Features

- Bleed plug is standard, bleed valve is optional
- Disc filters have Vortex system included
- Maximum pressure: 116 psi (8 bar)

Filtration



DF20550

PP Cartridge Style Disc Filters

PE Filtering Discs



PP Vortex Disc



DF20550 Series – Extended Twin Body – 386 inches² (2,490 cm²) Filtering Area

Size	Item No.	Disc Mesh Size	Box Qty
3" MNPT	DF20550-030T-75	75 Mesh	1
3" MNPT	DF20550-030T-120	120 Mesh	1
3" MNPT	DF20550-030T-150	150 Mesh	1
3" Grooved	DF20550-030A-75	75 Mesh	1
3" Grooved	DF20550-030A-120	120 Mesh	1
3" Grooved	DF20550-030A-150	150 Mesh	1
4" MNPT	DF20550-040T-75	75 Mesh	1
4" MNPT	DF20550-040T-120	120 Mesh	1
4" MNPT	DF20550-040T-150	150 Mesh	1
4" Grooved	DF20550-040A-75	75 Mesh	1
4" Grooved	DF20550-040A-120	120 Mesh	1
4" Grooved	DF20550-040A-150	150 Mesh	1

DF20550 Series Spare Filter Cartridge

Size	Item No.	Disc Mesh Size	Box Qty
All DF20550 Filters	DF20550-75	75 Mesh	1
All DF20550 Filters	DF20550-120	120 Mesh	1
All DF20550 Filters	DF20550-150	150 Mesh	1





JJ DOWNS INDUSTRIAL PLASTICS INC.


416.236.1884 Toronto, ON JJDOWNS.COM

Self-Cleaning Disc Filters

Filtration



Self-Cleaning Cartridge Style Disc Filter Selection

PE Filtering Discs



PP Vortex Disc



Model	Filter Area inch ² cm ²	End Connections	Body/Cap Materials	Disc Materials	Vortex Material	Filtering Mesh Sizes
 AM20540	164.47 1,061	2", 3" MNPT AlfaRapid	PAFV	PE	PP	75, 120, 150
 AM20550	329 2,122	3", 4" MNPT AlfaRapid	PAFV	PE	PP	75, 120, 150

O-Ring material is Nitrile

Operation

Alfamatic filter cleaning is simple and quick; sending clean water to the outlet decompress the cartridge that opens separating the discs, the back flush process makes the discs rotate to be cleaned by the water flow. All Alfamatic disc filters feature the Vortex system that creates a helical movement of the water resulting in impurities being deposited on the inside wall of the filter reducing the number washings which results in lower water and energy consumption.



Filtering



Cartridge Opening



Back Flushing



JJ DOWNS INDUSTRIAL PLASTICS INC.

416.236.1884

Toronto, ON

JJDOWNS.COM

Self-Cleaning Disc Filters

Features

- Bleed plug is standard, bleed valve is optional
- Disc filters have Vortex system included
- Maximum pressure: 145 psi (10 bar)

Filtration



AM20540

Self-Cleaning Cartridge Style Disc Filters

PE Filtering Discs



PP Vortex Disc



AM20540 Series – Extended Single Body – 164.47 inches²(1,061 cm²) Filtering Area

Size	Item No.	Disc Mesh Size	Box Qty
2" MNPT	AM20540-020T-75	75 Mesh	1
2" MNPT	AM20540-020T-120	120 Mesh	1
2" MNPT	AM20540-020T-150	150 Mesh	1
2" Grooved	AM20540-020A-75	75 Mesh	1
2" Grooved	AM20540-020A-120	120 Mesh	1
2" Grooved	AM20540-020A-150	150 Mesh	1
3" MNPT	AM20540-030T-75	75 Mesh	1
3" MNPT	AM20540-030T-120	120 Mesh	1
3" MNPT	AM20540-030T-150	150 Mesh	1
3" Grooved	AM20540-030A-75	75 Mesh	1
3" Grooved	AM20540-030A-120	120 Mesh	1
3" Grooved	AM20540-030A-150	150 Mesh	1

AM20540 Series Spare Filter Cartridge

Size	Item No.	Disc Mesh Size	Box Qty
All AM20540 Filters	AM20540-75	75 Mesh	1
All AM20540 Filters	AM20540-120	120 Mesh	1
All AM20540 Filters	AM20540-150	150 Mesh	1





JJ DOWNS INDUSTRIAL PLASTICS INC.

416.236.1884 Toronto, ON JJDOWN.COM

Self-Cleaning Disc Filters

Features

- Bleed plug is standard, bleed valve is optional
- Disc filters have Vortex system included
- Maximum pressure: 145 psi (10 bar)

Filtration



AM20550

Self-Cleaning Cartridge Style Disc Filters

PE Filtering Discs



PP Vortex Disc



AM20550 Series – Extended Twin Body – 329 inches² (2,122 cm²) Filtering Area

Size	Item No.	Disc Mesh Size	Box Qty
3" MNPT	AM20550-030T-75	75 Mesh	1
2" MNPT	AM20550-030T-120	120 Mesh	1
3" MNPT	AM20550-030T-150	150 Mesh	1
3" Grooved	AM20550-030A-75	75 Mesh	1
3" Grooved	AM20550-030A-120	120 Mesh	1
3" Grooved	AM20550-030A-150	150 Mesh	1
4" MNPT	AM20550-040T-75	75 Mesh	1
4" MNPT	AM20550-040T-120	120 Mesh	1
4" MNPT	AM20550-040T-150	150 Mesh	1
4" Grooved	AM20550-040A-75	75 Mesh	1
4" Grooved	AM20550-040A-120	120 Mesh	1
4" Grooved	AM20550-040A-150	150 Mesh	1

AM20540 Series Spare Filter Cartridge

Size	Item No.	Disc Mesh Size	Box Qty.
All AM20550 Filters	AM20550-75	75 Mesh	1
All AM20550 Filters	AM20550-120	120 Mesh	1
All AM20550 Filters	AM20550-150	150 Mesh	1





JJ DOWNS INDUSTRIAL PLASTICS INC.

416.236.1884 Toronto, ON JJDOWNS.COM

HY Series

HY Series Hydrocyclones will not rust or corrode. They come in three sizes – with 1", 2" and 3" inlet/outlets. Construction is solid plastic: glass filled polyamide (PAG) cones in 2" and 3", and glass filled polypropylene (PPG) in 1". These materials offer abrasion resistance. The units operate without power. Water with sand or other solids are separated by centrifugal force. Connections are male threaded or grooved pipe ends similar to Victaulic. Alfa Rapid range of plastic flexible pipe clamps and grooved end PP fittings are ideal for plumbing these units.

Features

No Corrosion

- Solid plastic construction
- 304SS hardware – bolts and cover clamp

Abrasion Resistant

- Cone is glass filled polyamide (PAG) 2" and 3", and glass filled polypropylene (PPG) in 1"

Self Powered


- No external power supply is required
- Sand is separated by centrifugal force

Easy Connections

- Grooved end version come with flexible pipe clamps
- MNPT Union version comes with flexible pipe clamps and male threaded adaptors

Technical

- Maximum pressure: 75 psi
- Maximum working temperature: -20C to 95C (-4°F to 203°F)
- Filtering capacity: >70 micron partical size
- Specific weight: ≥2.5 kg/dm³ (156 lb/ft³)
- Efficiency: >80%
- Bleed tank capacity: 1" Model: 0.62 li (0.164 USGal)
2" Model: 2.87 li (0.758 USGal)
3" Model: 7.44 li (1.96 USGal)



How they work:

Water enters the filter tangentially to the cone body and is accelerated by circular motion. The sand or other solids are pushed against the cone side walls by centrifugal force and settle into the PP bleed tank while clear water flows up through the central outlet. Solids accumulated in the bleed tank may be flushed out occasionally using the supplied ball valve.



1" Model



2" Model



3" Model

HY Series Hydrocyclones

Size	Inlet/Outlet	Materials			Item No.
		Cone	Bleed Tank	O-Rings	
1"	MNPT	PPG	PP	Nitrile	HY010NT
2"	Grooved*	PAG	PPG	Nitrile	HY020NA
2"	MNPT	PAG	PPG	Nitrile	HY020NT
2"	MNPT Union	PAG	PPG	Nitrile	HY020NAT
3"	Grooved*	PAG	PPG	Nitrile	HY030NA
3"	MNPT	PAG	PPG	Nitrile	HY030NT
3"	MNPT Union	PAG	PPG	Nitrile	HY030NAT

* Grooved end units include pipe couplings with EPDM gaskets

JJ DOWNS INDUSTRIAL PLASTICS INC.

416.236.1884 Toronto, ON JJDOWNS.COM

Filtration Products

Screen Filters, Disc Filters
Hydro Cyclones, Injectors

Exclusive Partner



PLASTICA ALFA
INNOVATION & WATER TECHNOLOGIES



JJD



JJ DOWNS INDUSTRIAL PLASTICS INC.

416.236.1884

Toronto, ON

JJDOWNS.COM