



Schedule 40 Fittings Product
PVC Gray Sch 40 Fittings



PVC-21 Blue Medium Body PVC Cement

Part Number	Size	Std Pk	Mstr Ctn	Prod Code
PVC21B-005	1/4 Pint	24	0	705
PVC21B-010	1/2 Pint	24	0	705
PVC21B-020	Pint	12	0	705
PVC21B-030	Quart	12	0	705
PVC21B-040	Gallon	6	0	705

For Technical Information See Solvent Cements

Tee - Gray

Socket x Socket x Socket



401-005G	1/2	50	300	043
401-007G	3/4	50	0	043
401-010G	1	50	0	043
401-012G	1-1/4	25	0	043
401-015G	1-1/2	25	0	043
401-020G	2	25	0	043
401-025G	2-1/2	10	0	043
401-030G	3	10	0	043
401-040G	4	6	0	043
401-050G	5	5	0	043
401-060G	6	4	0	043
401-080G	8	2	0	043
401-100G	10	1	0	043
401-120G	12	1	0	043

Tee - Reducing - Gray

Socket x Socket x Socket



401-101G	3/4X1/2	50	0	043
401-130G	1X1/2	50	0	043
401-131G	1X3/4	50	0	043
401-166G	1-1/4X1/2	25	0	043
401-167G	1-1/4X3/4	25	0	043
401-168G	1-1/4X1	25	0	043
401-209G	1-1/2X1/2	25	0	043
401-210G	1-1/2X3/4	25	0	043
401-211G	1-1/2X1	25	0	043
401-212G	1-1/2X1-1/4	25	0	043
401-247G	2X1/2	10	0	043
D401-247G	2X1/2	10	0	043

Part Number	Size	Std Pk	Mstr Ctn	Prod Code
-------------	------	--------	----------	-----------

Tee - Reducing - Gray (continued)

Socket x Socket x Socket

401-248G	2X3/4	10	0	043
401-249G	2X1	10	0	043
401-250G	2X1-1/4	10	0	043
401-251G	2X1-1/2	10	0	043
401-337G	3X1-1/2	10	0	043
401-338G	3X2	6	0	043
401-420G	4X2	10	0	043
401-422G	4X3	6	0	043
401-532G	6X4	2	0	043
401-585G	8X6	2	0	043

Tee - Gray

Socket x Socket x Fipt



402-005G	1/2	50	300	043
402-007G	3/4	50	0	043
402-010G	1	50	0	043
402-012G	1-1/4	25	0	043

Tee - Reducing - Gray

Socket x Socket x Fipt



402-101G	3/4X1/2	50	0	043
402-130G	1X1/2	50	0	043
402-131G	1X3/4	50	0	043
402-166G	1-1/4X1/2	25	0	043
402-167G	1-1/4X3/4	25	0	043
402-168G	1-1/4X1	25	0	043
402-199G	1-1/2X1-1/4X1/2	25	0	043
402-209G	1-1/2X1/2	25	0	043
402-210G	1-1/2X3/4	25	0	043
402-211G	1-1/2X1-1/2X1	25	0	043
402-212G	1-1/2X1-1/4	25	0	043
402-247G	2X1/2	10	0	043
402-248G	2X3/4	10	0	043
402-249G	2X1	10	0	043
402-250G	2X1-1/4	10	0	043
402-251G	2X1-1/2	10	0	043

Suitable for Oil-Free air handling to 25 psi, not for distribution of compressed air or gas

International Association of Plastics Distribution

JJ DOWNS INDUSTRIAL PLASTICS INC.

416.236.1884 Toronto, ON JJDOWNS.COM



Schedule 40 Fittings Product
PVC Gray Sch 40 Fittings

Part Number	Size	Std Pk	Mstr Ctn	Prod Code
-------------	------	--------	----------	-----------

Tee - Gray
Fipt x Fipt x Fipt



405-005G	1/2	50	0	043
405-007G	3/4	50	0	043
405-010G	1	50	0	043
405-012G	1-1/4	25	0	043
405-015G	1-1/2	25	0	043
405-020G	2	10	0	043

Part Number	Size	Std Pk	Mstr Ctn	Prod Code
-------------	------	--------	----------	-----------

90° Ell - Gray
Fipt x Fipt



408-005G	1/2	50	400	043
408-007G	3/4	50	0	043
408-010G	1	50	0	043
408-012G	1-1/4	25	0	043
408-015G	1-1/2	25	0	043
408-020G	2	10	0	043

90° Ell - Gray
Socket x Socket



406-003G	3/8	50	600	043
406-005G	1/2	50	400	043
406-007G	3/4	50	300	043
406-010G	1	50	0	043
406-012G	1-1/4	25	0	043
406-015G	1-1/2	25	0	043
406-020G	2	25	0	043
406-025G	2-1/2	10	0	043
406-030G	3	10	0	043
406-040G	4	8	0	043
406-050G	5	4	0	043
406-060G	6	4	0	043
406-080G	8	2	0	043
406-100G	10	1	0	043
406-120G	12	1	0	043

90° Street Ell - Gray
Spigot x Socket



409-005G	1/2	50	400	043
409-007G	3/4	50	0	043
409-010G	1	50	0	043
409-012G	1-1/4	25	0	043
409-015G	1-1/2	25	0	043

90° Ell - Reducing
Socket x Socket



406-101G	3/4X1/2	50	0	043
406-130G	1X1/2	50	0	043

90° Street Ell - Sweep, Gray
Socket x Spigot



409-030SG	3	10	0	040
-----------	---	----	---	-----

90° Street Ell - Gray
Mipt x Socket



410-005G	1/2	50	400	043
410-007G	3/4	50	0	043

90° Ell - Gray
Socket x Fipt



407-005G	1/2	50	400	043
407-007G	3/4	50	300	043
407-010G	1	50	0	043
407-012G	1-1/4	25	0	043
407-015G	1-1/2	25	0	043
407-020G	2	10	0	043

90° Street Ell - Gray
Mipt x Fipt



412-005G	1/2	50	600	043
412-007G	3/4	50	0	043
412-010G	1	50	0	043
412-015G	1-1/2	25	0	043

90° Ell - Reducing - Gray
Socket x Fipt



407-101G	3/4X1/2	50	300	043
----------	---------	----	-----	-----

22-1/2° Ell - Gray
Socket x Socket



416-060GF	6	1	5	045
416-120GF	12	1	2	045

Suitable for Oil-Free air handling to 25 psi, not for distribution of compressed air or gas

JJ DOWNS INDUSTRIAL PLASTICS INC.

416.236.1884
Toronto, ON
JJDOWNS.COM



Schedule 40 Fittings Product
PVC Gray Sch 40 Fittings

Part Number	Size	Std Pk	Mstr Ctn	Prod Code
-------------	------	--------	----------	-----------

45° Ell - Gray



Socket x Socket

417-005G	1/2	50	400	043
417-007G	3/4	50	300	043
417-010G	1	50	0	043
417-012G	1-1/4	25	0	043
417-015G	1-1/2	25	0	043
417-020G	2	25	0	043
417-025G	2-1/2	10	0	043
417-030G	3	10	0	043
417-040G	4	5	0	043
417-050G	5	5	0	043
417-060G	6	8	0	043
417-080G	8	3	0	043

Cross - Gray



Socket x Socket x Socket x Socket

420-005G	1/2	50	0	043
420-007G	3/4	50	0	043
420-010G	1	50	0	043
420-012G	1-1/4	25	0	043
420-015G	1-1/2	25	0	043
420-020G	2	10	0	043
420-025G	2-1/2	10	0	043
420-030G	3	5	0	043
420-040G	4	4	0	043

Coupling - Gray



Socket x Socket

429-005G	1/2	50	600	043
429-007G	3/4	50	400	043
429-010G	1	50	0	043
429-012G	1-1/4	25	150	043
429-015G	1-1/2	25	0	043
429-020G	2	25	0	043
429-025G	2-1/2	12	0	043
429-030G	3	10	0	043
429-040G	4	6	0	043
429-050G	5	5	0	043
429-060G	6	5	0	043
429-080G	8	8	0	043

Coupling - Reducer - Gray



Socket x Socket

429-101G	3/4X1/2	50	200	043
429-131G	1X3/4	50	0	043

Part Number	Size	Std Pk	Mstr Ctn	Prod Code
-------------	------	--------	----------	-----------

Coupling - Reducer - Gray (continued)

Socket x Socket

429-168G	1-1/4X1	25	0	043
429-212G	1-1/2X1-1/4	25	0	043
429-251G	2X1-1/2	10	80	043
429-338G	3X2	8	0	043
429-422G	4X3	4	0	043

Coupling - Gray



Fipt x Fipt

430-005G	1/2	50	300	043
430-007G	3/4	50	400	043
430-010G	1	50	0	043

Female Adapter - Gray



Socket x Fipt

435-005G	1/2	50	600	043
435-007G	3/4	50	400	043
435-010G	1	50	0	043
435-012G	1-1/4	25	0	043
435-015G	1-1/2	25	0	043
435-020G	2	10	80	043
435-025G	2-1/2	10	0	043
435-030G	3	5	0	043
435-040G	4	6	0	043
435-050G	5	5	0	043
435-060G	6	5	0	043

Female Adapter - Reducing - Gray



Socket x Fipt

435-073G	1/2X3/8	50	600	043
435-101G	3/4X1/2	50	400	043
435-131G	1X3/4	50	0	043

Female Adapter - Spigot - Gray



Spigot x Fipt

478-005G	1/2	50	600	043
478-007G	3/4	25	300	043
478-010G	1	50	0	043
478-012G	1-1/4	25	0	043
478-015G	1-1/2	20	0	043
478-020G	2	20	0	043
478-030G	3	10	0	043
478-040G	4	5	0	043

Suitable for Oil-Free air handling to 25 psi, not for distribution of compressed air or gas

JJ DOWNS INDUSTRIAL PLASTICS INC.

416.236.1884
Toronto, ON
JJDOWNS.COM



Schedule 40 Fittings Product
PVC Gray Sch 40 Fittings

Part Number	Size	Std Pk	Mstr Ctn	Prod Code
-------------	------	--------	----------	-----------

Male Adapter - Gray



Mipt x Socket

436-005G	1/2	50	300	043
436-007G	3/4	50	400	043
436-010G	1	50	300	043
436-012G	1-1/4	25	200	043
436-015G	1-1/2	25	0	043
436-020G	2	25	0	043
436-025G	2-1/2	10	0	043
436-030G	3	10	0	043
436-040G	4	5	0	043
436-050G	5	5	0	043
436-060G	6	7	0	043

Male Adapter - Reducing - Gray



Mipt x Socket

436-074G	1/2X3/4	50	200	043
436-101G	3/4X1/2	50	300	043

Reducer Bushing Flush Style - Gray



Spigot x Socket

437-101G	3/4X1/2	50	300	043
437-130G	1X1/2	50	200	043
437-131G	1X3/4	50	300	043
437-166G	1-1/4X1/2	25	300	043
437-167G	1-1/4X3/4	25	300	043
437-168G	1-1/4X1	25	300	043
437-209G	1-1/2X1/2	25	200	043
437-210G	1-1/2X3/4	25	200	043
437-211G	1-1/2X1	25	200	043
437-212G	1-1/2X1-1/4	25	200	043
437-247G	2X1/2	10	120	043
437-248G	2X3/4	10	120	043
437-249G	2X1	10	60	043
437-250G	2X1-1/4	10	120	043
437-251G	2X1-1/2	25	0	043
437-290G	2-1/2X1-1/4	10	40	043
437-291G	2-1/2X1-1/2	10	0	043
437-292G	2-1/2X2	10	80	043
437-334G	3X3/4	10	0	043
437-335G	3X1	10	0	043
437-336G	3X1-1/4	10	0	043
437-337G	3X1-1/2	10	0	043
437-338G	3X2	10	0	043
437-339G	3X2-1/2	10	0	043
437-420G	4X2	6	0	043
437-421G	4X2-1/2	6	0	043
437-422G	4X3	6	0	043

Part Number	Size	Std Pk	Mstr Ctn	Prod Code
-------------	------	--------	----------	-----------

Reducer Bushing Flush Style - Gray (continued)

Spigot x Socket

437-490G	5X4	5	0	043
437-532G	6X4	5	0	043
437-534G	6X5	5	0	043
437-582G	8X4	4	0	043
437-585G	8X6	4	0	043

Reducer Bushing Flush Style - Gray



Spigot x Fipt

438-072G	1/2X1/4	50	350	043
438-073G	1/2X3/8	50	300	043
438-098G	3/4X1/4	50	300	043
438-101G	3/4X1/2	50	300	043
438-130G	1X1/2	50	200	043
438-131G	1X3/4	50	300	043
438-166G	1-1/4X1/2	25	150	043
438-167G	1-1/4X3/4	25	300	043
438-168G	1-1/4X1	25	300	043
438-209G	1-1/2X1/2	25	100	043
438-210G	1-1/2X3/4	25	100	043
438-211G	1-1/2X1	25	100	043
438-212G	1-1/2X1-1/4	25	100	043
438-247G	2X1/2	10	80	043
438-248G	2X3/4	10	80	043
438-249G	2X1	10	120	043
438-250G	2X1-1/4	10	120	043
438-251G	2X1-1/2	10	120	043
438-291G	2-1/2X1-1/2	10	0	043
438-292G	2-1/2X2	10	40	043
438-338G	3X2	10	0	043
438-420G	4X2	6	0	043
438-422G	4X3	6	0	043
438-490G	5X4	4	0	043
438-532G	6X4	5	0	043

Reducer (T.T.) Bushing - Gray



Mipt x Fipt

439-101G	3/4X1/2	50	300	043
439-130G	1X1/2	50	300	043
439-131G	1X3/4	50	200	043
439-166G	1-1/4X1/2	25	300	043
439-167G	1-1/4X3/4	25	300	043
439-168G	1-1/4X1	25	150	043
439-210G	1-1/2X3/4	25	100	043
439-211G	1-1/2X1	25	100	043
439-212G	1-1/2X1-1/4	25	300	043
439-249G	2X1	10	60	043
439-250G	2X1-1/4	10	120	043
439-251G	2X1-1/2	10	60	043

Suitable for Oil-Free air handling to 25 psi, not for distribution of compressed air or gas

JJ DOWNS INDUSTRIAL PLASTICS INC.

416.236.1884
Toronto, ON
JJDOWNS.COM



Schedule 40 Fittings Product
PVC Gray Sch 40 Fittings

Part Number	Size	Std Pk	Mstr Ctn	Prod Code
-------------	------	--------	----------	-----------

Cap - Gray



Socket

447-003G	3/8	50	300	043
447-005G	1/2	50	300	043
447-007G	3/4	50	300	043
447-010G	1	50	200	043
447-012G	1-1/4	25	100	043
447-015G	1-1/2	25	0	043
447-020G	2	10	80	043
447-025G	2-1/2	10	0	043
447-030G	3	10	0	043
447-040G	4	6	0	043
447-050G	5	5	0	043
447-060G	6	4	0	043
447-080G	8	3	0	043

Cap - Gray



Fipt

448-003G	3/8	50	300	043
448-005G	1/2	50	300	043
448-007G	3/4	50	300	043
448-010G	1	50	200	043
448-012G	1-1/4	25	100	043
448-015G	1-1/2	25	100	043
448-020G	2	10	120	043
448-030G	3	10	0	043
448-040G	4	6	0	043

Plug - Gray



Spigot

449-005G	1/2	50	300	043
449-007G	3/4	50	300	043
449-010G	1	50	200	043
449-012G	1-1/4	25	150	043
449-015G	1-1/2	25	100	043
449-020G	2	10	120	043
449-030G	3	10	0	043

Plug - Gray



Mipt

450-003G	3/8	50	300	043
450-005G	1/2	50	400	043
450-007G	3/4	50	300	043
450-010G	1	50	300	043
450-012G	1-1/4	25	300	043
450-015G	1-1/2	25	100	043

Made in the U.S.A.

Part Number	Size	Std Pk	Mstr Ctn	Prod Code
-------------	------	--------	----------	-----------

Plug - Gray (continued)

Mipt

450-020G	2	10	120	043
450-025G	2-1/2	10	80	043
450-030G	3	10	0	043
450-040G	4	6	0	043

Wye - Gray



Socket x Socket x Socket

100 psi maximum internal pressure rating @ 73°F (23°C)

475-100G	10	1	0	043
475-120G	12	1	0	043

Union - Socket/Buna - Gray



Socket x Socket with Buna-N O-ring Seal

150 psi @ 73°F (23°C)

457-005G	1/2	20	120	043
457-007G	3/4	15	90	043
457-010G	1	10	60	043
457-012G	1-1/4	5	20	043
457-015G	1-1/2	5	20	043
457-020G	2	5	0	043

Union - Socket/EPDM - Gray



Socket x Socket with EPDM O-ring Seal

150 psi @ 73°F (23°C)

497-005G	1/2	20	120	043
497-007G	3/4	15	90	043
497-010G	1	10	60	043
497-012G	1-1/4	5	30	043
497-015G	1-1/2	5	20	043
497-020G	2	5	0	043

Union - FIPT/Buna - Gray



FIPT x FIPT with Buna-N O-ring Seal

150 psi @ 73°F (23°C)

458-005G	1/2	20	120	043
458-007G	3/4	15	90	043
458-010G	1	10	60	043
458-012G	1-1/4	5	20	043
458-015G	1-1/2	5	30	043
458-020G	2	5	0	043

Suitable for Oil-Free air handling to 25 psi, not for distribution of compressed air or gas

JJ DOWNS INDUSTRIAL PLASTICS INC.

416.236.1884
Toronto, ON
JJDOWNS.COM



Schedule 40 Fittings Product
PVC Gray Sch 40 Fittings

Part Number	Size	Std Pk	Mstr Ctn	Prod Code
-------------	------	--------	----------	-----------

Union - Fipt/EPDM - Gray

Fipt x Fipt with EPDM O-ring Seal



150 psi @ 73°F (23°C)

498-005G	1/2	10	60	043
498-007G	3/4	15	90	043
498-010G	1	10	60	043
498-012G	1-1/4	5	30	043
498-015G	1-1/2	5	30	043
498-020G	2	5	0	043

Suitable for Oil-Free air handling to 25 psi, not for distribution of compressed air or gas

 JJ DOWNS INDUSTRIAL PLASTICS INC.	 <small>international association of plastics distribution</small>	
416.236.1884	Toronto, ON	JJ DOWNS.COM