



Irrigation & Turf Product
EverTUFF® TURF™ Swing Joint Riser Assemblies

Part Number	Size	Std Pk	Mstr Ctn	Prod Code
-------------	------	--------	----------	-----------



Swing Joint Socket Inlet x Mipt Outlet

8"-10"-12" Nipple Length (LG) shown. See previous pages for ordering other lengths.

5805-01008	1X8LG	25	0	030
5805-01010	1X10LG	25	0	030
5805-01012	1X12LG	25	0	030
5805-01208	1-1/4X8LG	20	0	030
5805-01210	1-1/4X10LG	20	0	030
5805-01212	1-1/4X12LG	20	0	030
5805-16808	1-1/4X1X8LG	20	0	030
5805-16810	1-1/4X1X10LG	20	0	030
5805-16812	1-1/4X1X12LG	20	0	030
5805-16908	1-1/4X1-1/2X8LG	20	0	030
5805-16910	1-1/4X1-1/2X10LG	20	0	030
5805-16912	1-1/4X1-1/2X12LG	20	0	030
5805-01508	1-1/2X8LG	15	0	030
5805-01510	1-1/2X10LG	15	0	030
5805-01512	1-1/2X12LG	15	0	030



Swing Joint Spigot Inlet x Mipt Outlet

8"-10"-12" Nipple Length (LG) shown. See previous pages for ordering other lengths.

5806-01008	1X8LG	25	0	030
5806-01010	1X10LG	25	0	030
5806-01012	1X12LG	25	0	030
5806-01208	1-1/4X8LG	20	0	030
5806-01210	1-1/4X10LG	20	0	030
5806-01212	1-1/4X12LG	20	0	030
5806-16808	1-1/4X1X8LG	20	0	030
5806-16810	1-1/4X1X10LG	20	0	030
5806-16812	1-1/4X1X12LG	20	0	030
5806-16908	1-1/4X1-1/2X8LG	20	0	030
5806-16910	1-1/4X1-1/2X10LG	20	0	030
5806-16912	1-1/4X1-1/2X12LG	20	0	030
5806-01508	1-1/2X8LG	15	0	030
5806-01510	1-1/2X10LG	15	0	030
5806-01512	1-1/2X12LG	15	0	030

Part Number	Size	Std Pk	Mstr Ctn	Prod Code
-------------	------	--------	----------	-----------



Swing Joint Mipt Inlet x Mipt Outlet

8"-10"-12" Nipple Length (LG) shown. See previous pages for ordering other lengths.

5807-01008	1X8LG	25	0	030
5807-01010	1X10LG	25	0	030
5807-01012	1X12LG	25	0	030
5807-01208	1-1/4X8LG	20	0	030
5807-01210	1-1/4X10LG	20	0	030
5807-01212	1-1/4X12LG	20	0	030
5807-16808	1-1/4X1X8LG	20	0	030
5807-16810	1-1/4X1X10LG	20	0	030
5807-16812	1-1/4X1X12LG	20	0	030
5807-16908	1-1/4X1-1/2X8LG	20	0	030
5807-16910	1-1/4X1-1/2X10LG	20	0	030
5807-16912	1-1/4X1-1/2X12LG	20	0	030
5807-01508	1-1/2X8LG	15	0	030
5807-01510	1-1/2X10LG	15	0	030
5807-01512	1-1/2X12LG	15	0	030



Swing Joint Mipt Inlet x BRFP Outlet

8"-10"-12" -14"-16"-18"-24" Nipple Length (LG) shown. See previous pages for ordering other lengths.

5815-01008	1X8LG	25	0	030
5815-01010	1X10LG	25	0	030
5815-01012	1X12LG	25	0	030
5815-01014	1X14LG	15	0	030
5815-01016	1X16LG	15	0	030
5815-01018	1X18LG	15	0	030
5815-01024	1X24LG	15	0	030
5815-01210	1-1/4X10LG	15	0	030
5815-01212	1-1/4X12LG	15	0	030
5815-01216	1-1/4X16LG	1	0	030
5815-01508	1-1/2X8LG	10	0	030
5815-01510	1-1/2X10LG	15	0	030
5815-01512	1-1/2X12LG	10	0	030
5815-01516	1-1/2X16LG	10	0	030
5815-01518	1-1/2X18LG	10	0	030
5815-01520	1-1/2X20LG	15	0	030
5815-21116	1-1/2X1X16LG	10	0	030

Suitable for Oil-Free air handling to 25 psi, not for distribution of compressed air or gas

JJ DOWNS INDUSTRIAL PLASTICS INC.

416.236.1884
Toronto, ON
JJDOWNS.COM



Irrigation & Turf Product
EverTUFF® TURF™ Swing Joint Riser Assemblies

Part Number	Size	Std Pk	Mstr Ctn	Prod Code
-------------	------	--------	----------	-----------



Swing Joint Mipt Inlet x BRMipt Outlet

8"-10"-12"-16"-18"-26" Nipple Length (LG) shown. See previous pages for ordering other lengths.

58107-01008	1X8LG	25	0	030
58107-01010	1X10LG	25	0	030
58107-01012	1X12LG	25	0	030
58107-01016	1X16LG	25	0	030
58107-01018	1X18LG	25	0	030
58107-01026	1X26LG	25	0	030
58107-01518	1-1/2X18LG	25	0	030
58107-21116	1-1/2X1X18LG	10	0	030
58107-24908	2X1X8LG	10	0	030
58107-24910	2X1X10LG	10	0	030
58107-24912	2X1X12LG	10	0	030

Part Number	Size	Std Pk	Mstr Ctn	Prod Code
-------------	------	--------	----------	-----------



Swing Joint Spigot Inlet x MAT Outlet

8"-10"-12" Nipple Length (LG) shown. See previous pages for ordering other lengths.

5810-01008	1X8LG	25	0	030
5810-01010	1X10LG	25	0	030
5810-01012	1X12LG	25	0	030
5810-01208	1-1/4X8LG	20	0	030
5810-01210	1-1/4X10LG	20	0	030
5810-01212	1-1/4X12LG	20	0	030
5810-01508	1-1/2X8LG	15	0	030
5810-01510	1-1/2X10LG	15	0	030
5810-01512	1-1/2X12LG	15	0	030



Swing Joint Socket Tee Inlet x Mipt Outlet

8"-10"-12" Nipple Length (LG) shown. See previous pages for ordering other lengths.

5808-24908	2X1 X8LG	15	0	030
5808-24910	2X1 X10LG	15	0	030
5808-24912	2X1 X12LG	15	0	030
5808-25008	2X1-1/4X8LG	15	0	030
5808-25010	2X1-1/4X10LG	15	0	030
5808-25012	2X1-1/4X12LG	10	0	030
5808-25108	2X1-1/2X8LG	10	0	030
5808-25110	2X1-1/2X10LG	10	0	030
5808-25112	2X1-1/2X12LG	10	0	030

Swing Joint Mipt Inlet x MAT Outlet

8"-10"-12" Nipple Length (LG) shown. See previous pages for ordering other lengths.

5811-01008	1X8LG	25	0	030
5811-01010	1X10LG	25	0	030
5811-01012	1X12LG	25	0	030
5811-01208	1-1/4X8LG	20	0	030
5811-01210	1-1/4X10LG	20	0	030
5811-01212	1-1/4X12LG	20	0	030
5811-01508	1-1/2X8LG	15	0	030
5811-01510	1-1/2X10LG	15	0	030
5811-01512	1-1/2X12LG	15	0	030



Swing Joint Socket Inlet x MAT Outlet

8"-10"-12" Nipple Length (LG) shown. See previous pages for ordering other lengths.

5809-01008	1X8LG	25	0	030
5809-01010	1X10LG	25	0	030
5809-01012	1X12LG	25	0	030
5809-01208	1-1/4X8LG	20	0	030
5809-01210	1-1/4X10LG	20	0	030
5809-01212	1-1/4X12LG	20	0	030
5809-01508	1-1/2X8LG	15	0	030
5809-01510	1-1/2X10LG	15	0	030
5809-01512	1-1/2X12LG	15	0	030

Swing Joint Socket Tee Inlet x MAT Outlet

8"-10"-12" Nipple Length (LG) shown. See previous pages for ordering other lengths.

5812-24908	2X1 X8LG	15	0	030
5812-24910	2X1 X10LG	15	0	030
5812-24912	2X1 X12LG	15	0	030
5812-25008	2X1-1/4X8LG	20	0	030
5812-25010	2X1-1/4X10LG	15	0	030
5812-25012	2X1-1/4X12LG	15	0	030
5812-25108	2X1-1/2X8LG	10	0	030
5812-25110	2X1-1/2X10LG	10	0	030
5812-25112	2X1-1/2X12LG	10	0	030

Suitable for Oil-Free air handling to 25 psi, not for distribution of compressed air or gas

JJ DOWNS INDUSTRIAL PLASTICS INC.

416.236.1884
Toronto, ON
JJDOWNS.COM



Irrigation & Turf Product
EverTUFF® TURF™ Swing Joint Riser Assemblies

Part Number	Size	Std Pk	Mstr Ctn	Prod Code
-------------	------	--------	----------	-----------



Swing Joint Socket Inlet x Mipt Outlet Multi-El

8"-10"-12" Nipple Length (LG) shown. See previous pages for ordering other lengths.

5855-01008	1X8LG	20	0	030
5855-01010	1X10LG	15	0	030
5855-01012	1X12LG	15	0	030
5855-01208	1-1/4X8LG	20	0	030
5855-01210	1-1/4X10LG	15	0	030
5855-01212	1-1/4X12LG	15	0	030
5855-01508	1-1/2X8LG	10	0	030
5855-01510	1-1/2X10LG	10	0	030
5855-01512	1-1/2X12LG	10	0	030



Swing Joint Spigot Inlet x Mipt Outlet Multi-El

8"-10"-12" Nipple Length (LG) shown. See previous pages for ordering other lengths.

5856-01008	1X8LG	20	0	030
5856-01010	1X10LG	15	0	030
5856-01012	1X12LG	15	0	030
5856-01208	1-1/4X8LG	20	0	030
5856-01210	1-1/4X10LG	15	0	030
5856-01212	1-1/4X12LG	15	0	030
5856-01508	1-1/2X8LG	10	0	030
5856-01510	1-1/2X10LG	10	0	030
5856-01512	1-1/2X12LG	10	0	030



Swing Joint Mipt Inlet x Mipt Outlet Multi-El

8"-10"-12" Nipple Length (LG) shown. See previous pages for ordering other lengths.

5857-01008	1X8LG	20	0	030
5857-01010	1X10LG	15	0	030
5857-01012	1X12LG	15	0	030
5857-01208	1-1/4X8LG	20	0	030
5857-01210	1-1/4X10LG	15	0	030
5857-01212	1-1/4X12LG	15	0	030
5857-01508	1-1/2X8LG	10	0	030
5857-01510	1-1/2X10LG	10	0	030
5857-01512	1-1/2X12LG	10	0	030

Part Number	Size	Std Pk	Mstr Ctn	Prod Code
-------------	------	--------	----------	-----------



Swing Joint Tee Inlet x Mipt Outlet Multi-El

8"-10"-12" Nipple Length (LG) shown. See previous pages for ordering other lengths.

5858-24908	2X1 X8LG	15	0	030
5858-24910	2X1 X10LG	15	0	030
5858-24912	2X1 X12LG	10	0	030
5858-25008	2X1-1/4X8LG	10	0	030
5858-25010	2X1-1/4X10LG	10	0	030
5858-25012	2X1-1/4X12LG	10	0	030
5858-25108	2X1-1/2X8LG	10	0	030
5858-25110	2X1-1/2X10LG	10	0	030
5858-25112	2X1-1/2X12LG	10	0	030



Swing Joint Solvent Cemented Riser Nipple Style

Socket Inlet x Mipt Outlet

Assembly Without Nipple (part numbers ending in "00") & Optional Factory Assembled Unit With Customer Specified Nipple Length (see below)

5905-01000	1	1	10	030
5905-010 *	1	25	0	030
5905-010 **	1	25	0	030
5905-01200	1-1/4	1	10	030
5905-012 *	1-1/4	20	0	030
5905-012 **	1-1/4	20	0	030
5905-01500	1-1/2	1	8	030
5905-015 *	1-1/2	15	0	030
5905-015 **	1-1/2	15	0	030

Factory Assembled With Solvent Cemented Riser

Specify desired nipple length by filling in blank at end of Part Number with appropriate two-digit code (06 - 24) representing 1" increments.

* = For assembly with 6" to 18" length cemented Riser Nipple
 ** = For assembly with 19" to 24" length cemented Riser Nipple

Note: Cement Assembled Risers are Non-cancelable and Non-Returnable

Swing Joint Solvent Cemented Riser Nipple Style

Spigot Inlet x Mipt Outlet

Assembly Without Nipple (part numbers ending in "00") & Optional Factory Assembled Unit With Customer Specified Nipple Length (see below)

5906-01000	1	1	10	030
5906-010 *	1	25	0	030

Suitable for Oil-Free air handling to 25 psi, not for distribution of compressed air or gas

JJ DOWNS INDUSTRIAL PLASTICS INC.

416.236.1884
Toronto, ON
JJDOWNS.COM



Irrigation & Turf Product
EverTUFF® TURF™ Swing Joint Riser Assemblies

Part Number	Size	Std Pk	Mstr Ctn	Prod Code
-------------	------	-----------	-------------	--------------

Swing Joint Solvent Cemented Riser Nipple Style (continued)

Spigot Inlet x Mipt Outlet

5906-01000	1	1	10	030
5906-010__*	1	25	0	030
5906-010__**	1	25	0	030
5906-01200	1-1/4	1	10	030
5906-012__*	1-1/4	20	0	030
5906-012__**	1-1/4	20	0	030
5906-01500	1-1/2	1	8	030
5906-015__*	1-1/2	15	0	030
5906-015__**	1-1/2	15	0	030

Factory Assembled With Solvent Cemented Riser

Specify desired nipple length by filling in blank at end of Part Number with appropriate two-digit code (06 - 24) representing 1" increments.

* = For assembly with 6" to 18" length cemented Riser Nipple
 ** = For assembly with 19" to 24" length cemented Riser Nipple

Note: Cement Assembled Risers are Non-cancelable and Non-Returnable



Swing Joint Solvent Cemented Riser Nipple Style

Mipt Inlet x Mipt Outlet

Assembly Without Nipple (part numbers ending in "00") & Optional Factory Assembled Unit With Customer Specified Nipple Length (see below)

5907-01000	1	1	10	030
5907-010__*	1	25	0	030
5907-010__**	1	25	0	030
5907-01200	1-1/4	1	10	030
5907-012__**	1-1/4	10	0	030
5907-012__*	1-1/4	15	0	030
5907-01500	1-1/2	1	8	030
5907-015__*	1-1/2	15	0	030
5907-015__**	1-1/2	15	0	030

Factory Assembled With Solvent Cemented Riser

Specify desired nipple length by filling in blank at end of Part Number with appropriate two-digit code (06 - 24) representing 1" increments.

* = For assembly with 6" to 18" length cemented Riser Nipple
 ** = For assembly with 19" to 24" length cemented Riser Nipple

Note: Cement Assembled Risers are Non-cancelable and Non-Returnable



Swing Joint Solvent Cemented Riser Nipple Style

Socket Tee Inlet x Mipt Outlet

Assembly Without Nipple (part numbers ending in "00") & Optional Factory Assembled Unit With Customer Specified Nipple Length (see below)

5908-24900	2X1	1	8	030
5908-249__*	1	15	0	030

Part Number	Size	Std Pk	Mstr Ctn	Prod Code
-------------	------	-----------	-------------	--------------

Swing Joint Solvent Cemented Riser Nipple Style (continued)

Socket Tee Inlet x Mipt Outlet

5908-249__**	1	15	0	030
5908-25000	2X1-1/4	5	0	030
5908-250__*	1-1/4	15	0	030
5908-250__**	1-1/4	15	0	030
5908-25100	2X1-1/2	1	6	030
5908-251__*	1/2	10	0	030
5908-251__**	1/2	10	0	030

Factory Assembled With Solvent Cemented Riser

Specify desired nipple length by filling in blank at end of Part Number with appropriate two-digit code (06 - 24) representing 1" increments.

* = For assembly with 6" to 18" length cemented Riser Nipple
 ** = For assembly with 19" to 24" length cemented Riser Nipple

Note: Cement Assembled Risers are Non-cancelable and Non-Returnable

Swing Joint Cap

FAT

548-010-28A	1	50	0	030
548-012-28A	1-1/4	25	0	030
548-015-28A	1-1/2	25	0	030



Swing Joint Outlet Adapter

MAT x Mipt with O-rings

559-010-21AR	1	1	25	030
559-012-21AR	1-1/4	1	25	030
559-015-21AR	1-1/2	1	25	030



Swing Joint Outlet Adapter

MAT x SR Fipt with O-rings

559-010-22SRAR	1	1	25	030
559-012-22SRAR	1-1/4	1	100	030
559-015-22SRAR	1-1/2	1	80	030



Swing Joint Outlet Adapter

FAT x MAT with O-rings

559-212-101AR	1-1/2X1-1/4	1	100	030
---------------	-------------	---	-----	-----



Swing Joint Outlet Adapter

MAT x FAT with O-rings

559-212-85AR	1-1/2X1-1/4	1	80	030
--------------	-------------	---	----	-----



Suitable for Oil-Free air handling to 25 psi, not for distribution of compressed air or gas

JJ DOWNS INDUSTRIAL PLASTICS INC.

416.236.1884
Toronto, ON
JJDOWNS.COM



Irrigation & Turf Product
EverTUFF® TURF™ Swing Joint Riser Assemblies

Part Number	Size	Std Pk	Mstr Ctn	Prod Code
-------------	------	--------	----------	-----------

Swing Joint Inlet/Outlet Male Adapter - Spigot

Mipt x Spigot

May be used with SOC Inlet or Outlet to convert to MIPT Inlet or Outlet

590-015	1-1/2	25	0	030
590-211	1-1/2X1	25	0	030
590-212	1-1/2X1-1/4	25	0	030



Swing Joint Inlet/Outlet Reinforced Male Adapter - Spigot

R Mipt x Spigot Adapter

May be used with SOC Inlet or Outlet to convert to MIPT Inlet or Outlet

590-168R	1-1/4X1	50	0	030
----------	---------	----	---	-----



Swing Joint Inlet Adapter

Socket x MBT with O-rings

591-010-3AR	1	1	25	030
591-012-3AR	1-1/4	1	10	030
591-015-3AR	1-1/2	1	25	030



Swing Joint Inlet Adapter

Spigot x MBT with O-rings

592-010-4AR	1	1	25	030
592-012-4AR	1-1/4	1	10	030
592-015-4AR	1-1/2	1	25	030



Swing Joint Inlet Adapter

JIS Spigot x MBT with O-rings

594-010-4AR	25	1	10	030
594-012-4AR	32	1	10	030
594-015-4AR	40	1	10	030



Swing Joint Inlet Adapter

DIN Spigot x MBT with O-rings

595-010-4AR	32	1	10	030
595-012-4AR	40	1	10	030
595-015-4AR	50	1	10	030



Part Number	Size	Std Pk	Mstr Ctn	Prod Code
-------------	------	--------	----------	-----------

Swing Joint Inlet Adapter

Mipt x MBT with O-rings

596-010-4AR	1	1	25	030
596-012-4AR	1-1/4	1	10	030
596-015-4AR	1-1/2	1	25	030



Swing Joint Inlet Adapter - Reducing

Mipt x MBT with O-rings

596-212-4AR	1-1/2X1-1/4	1	25	030
-------------	-------------	---	----	-----



Swing Joint Inlet Adapter

BSP x MBT with O-rings

597-010-4AR	1	1	25	030
597-012-4AR	1-1/4	1	10	030
597-015-4AR	1-1/2	1	25	030



Swing Joint Long Spigot Inlet

Spigot x MBT with O-ring (4" in length)

598-010-4AR	1	1	25	030
598-012-4AR	1-1/4	1	25	030
598-015-4AR	1-1/2	1	25	030



Swing Joint Reducer Bushing

Spigot x FAT (Female Acme Thread)

598-168-27	1-1/4X1	20	120	030
598-212-27	1-1/2X1-1/4	15	90	030
598-251-27	2X1-1/2	10	60	030



Swing Joint Reducer Bushing

Spigot x FBT (Female Buttress Thread)

598-168-26	1-1/4X1	20	120	030
598-212-26	1-1/2X1-1/4	10	60	030
598-251-26	2X1-1/2	10	60	030



Swing Joint Tee - Reducing

Socket x Socket x FBT

593-249-5A	2X1	30	0	030
593-250-5A	2X1-1/4	30	0	030



Suitable for Oil-Free air handling to 25 psi, not for distribution of compressed air or gas

JJ DOWNS INDUSTRIAL PLASTICS INC.

416.236.1884
Toronto, ON
JJDOWNS.COM



Irrigation & Turf Product
EverTUFF® TURF™ Swing Joint Riser Assemblies

Part Number	Size	Std Pk	Mstr Ctn	Prod Code
Swing Joint Tee - Reducing (continued)				
Socket x Socket x FBT				
593-251-5A	2X1-1/2	25	0	030

Swing Joint 90° EII Outlet

FBT x Socket



591-010-2A	1	115	0	030
591-012-2A	1-1/4	80	0	030
591-015-2A	1-1/2	50	0	030

Swing Joint 90° Street EII Outlet

FBT x Mipt



591-010-4A	1	140	0	030
591-012-4A	1-1/4	1	90	030
591-015-4A	1-1/2	60	0	030
591-168-4A	1-1/4X1	110	0	030

Swing Joint 90° Street EII Outlet

FBT x BSP



591-010-5A	1	140	0	030
591-012-5A	1-1/4	1	100	030
591-015-5A	1-1/2	60	0	030

Swing Joint 90° Street EII Outlet

FBT x MAT with O-rings



591-010-7AR	1	1	25	030
591-012-7AR	1-1/4	1	25	030
591-015-7AR	1-1/2	1	25	030
591-132-7AR	1X1-1/4	1	25	030
591-133-7AR	1X1-1/2	1	25	030
591-168-7AR	1-1/4X1	1	10	030
591-211-7AR	1-1/2X1	1	25	030
591-212-7AR	1-1/2X1-1/4	1	25	030

Swing Joint 90° EII Outlet - Special Reinforced

FBT x SR Fipt



591-010-8SRA	1	15	0	030
591-012-8SRA	1-1/4	15	0	030
591-015-8SRA	1-1/2	15	0	030

Part Number	Size	Std Pk	Mstr Ctn	Prod Code
-------------	------	--------	----------	-----------

Swing Joint Brass Thread 90° EII Outlet

FBT x Fipt with Brass Thread Insert



591-010-8BRA	1	15	0	030
591-012-8BRA	1-1/4	10	0	030
591-015-8BRA	1-1/2	10	0	030

Not intended to convey or dispense water for human consumption through drinking or cooking

Swing Joint 90° Street EII Outlet

MBT x FBT with O-rings



591-010-1AR	1	1	25	030
591-012-1AR	1-1/4	1	10	030
591-015-1AR	1-1/2	1	25	030

Swing Joint Riser Extension Coupling

May be used with 5800 Series Buttress Threaded Nipples to Extend Height of Riser

58-010-1	1	140	0	030
58-012-1	1-1/4	100	0	030
58-015-1	1-1/2	80	0	030

Swing Joint Riser Nipple

MBT (8" Length) with O-rings



59-010-08R	1X8	1	25	030
59-012-08R	1-1/4X8	1	10	030
59-015-08R	1-1/2X8	1	25	030

Swing Joint Riser Nipple

MBT (10" Length) with O-rings



59-010-10R	1X10	1	25	030
59-012-10R	1-1/4X10	1	10	030
59-015-10R	1-1/2X10	1	25	030

Swing Joint Riser Nipple

MBT (12" Length) with O-rings



59-010-12R	1X12	1	25	030
------------	------	---	----	-----

Suitable for Oil-Free air handling to 25 psi, not for distribution of compressed air or gas

JJ DOWNS INDUSTRIAL PLASTICS INC.

416.236.1884
Toronto, ON
JJDOWNS.COM



Irrigation & Turf Product
EverTUFF® TURF™ Swing Joint Riser Assemblies

Part Number	Size	Std Pk	Mstr Ctn	Prod Code
-------------	------	--------	----------	-----------

Swing Joint Riser Nipple (continued)

MBT (12" Length) with O-rings

59-012-12R	1-1/4X12	1	10	030
59-015-12R	1-1/2X12	1	25	030

Swing Joint Riser Nipple



MBT (14" Length) with O-rings

59-010-14R	1	25	0	030
59-012-14R	1-1/4	1	15	030
59-015-14R	1-1/2	1	15	030

Swing Joint Riser Nipple



MBT (16" Length) with O-rings

59-010-16R	1	1	45	030
59-012-16R	1-1/4	1	25	030
59-015-16R	1-1/2	1	20	030

Swing Joint 90° Street Ell Outlet



Socket x MBT with O-rings

593-010-1AR	1	1	25	030
593-012-1AR	1-1/4	1	10	030
593-015-1AR	1-1/2	1	25	030

Swing Joint 90° Ell Outlet



FBT x FBT

591-010-6A	1	95	0	030
591-012-6A	1-1/4	1	65	030
591-015-6A	1-1/2	50	0	030

Swing Joint Wire Holder

Holds up to 4-wires, #12 or #14 gauge single feeder irrigation control cable. Snaps onto Spears® Swing Joint Risers.



58WH-010	1	1500	0	030
58WH-012	1-1/4	450	0	030
58WH-015	1-1/2	400	0	030

Suitable for Oil-Free air handling to 25 psi, not for distribution of compressed air or gas

	 <small>member international association of plastics distribution</small>	
JJ DOWNS INDUSTRIAL PLASTICS INC.		
416.236.1884	Toronto, ON	JJ DOWNS.COM




Irrigation &
EverTUFF® TURF™ Swing Joint Riser Assemblies

Swing Joint Riser Dimensions

RISER NIPPLE LENGTH(IN.)	CENTER TO CENTER C/L			OVERALL LENGTH O/L		
	1"	1-1/4"	1-1/2"	1"	1-1/4"	1-1/2"
5800 SERIES* — MALE BUTTRESS THREADED STYLE						
8	9-11/16	10-3/16	10-7/16	12-1/16	12-11/16	13-1/4
10	11-11/16	12-3/16	12-7/16	14-1/16	14-11/16	15-1/4
12	13-11/16	14-3/16	14-7/16	16-1/16	16-11/16	17-1/4
14	15-11/16	16-3/16	16-7/16	18-1/16	18-11/16	19-1/4
16	17-11/16	18-3/16	18-7/16	20-1/16	20-11/16	21-1/4
18	19-11/16	20-3/16	20-7/16	22-1/16	22-11/16	23-1/4
20	21-11/16	22-3/16	22-7/16	24-1/16	24-11/16	25-1/4
24	25-11/16	26-3/16	26-7/16	28-1/16	28-11/16	29-1/4
5900 SERIES** — CUT & SOLVENT CEMENTED STYLE						
6	9-11/16	10-3/16	10-7/16	12-1/16	12-11/16	12-1/4
7	10-11/16	11-3/16	11-7/16	13-1/16	13-11/16	14-1/4
8	11-11/16	12-3/16	12-7/16	14-1/16	14-11/16	15-1/4
9	12-11/16	13-3/16	13-7/16	15-1/16	15-11/16	16-1/4
10	13-11/16	14-3/16	14-7/16	16-1/16	16-11/16	17-1/4
11	14-11/16	15-3/16	15-7/16	17-1/16	17-11/16	18-1/4
12	15-11/16	16-3/16	16-7/16	18-1/16	18-11/16	19-1/4
13	16-11/16	17-3/16	17-7/16	19-1/16	19-11/16	20-1/4
14	17-11/16	18-3/16	18-7/16	20-1/16	20-11/16	21-1/4
15	18-11/16	19-3/16	19-7/16	21-1/16	21-11/16	22-1/4
16	19-11/16	20-3/16	20-7/16	22-1/16	22-11/16	23-1/4
17	20-11/16	21-3/16	21-7/16	23-1/16	23-11/16	24-1/4
18	21-11/16	22-3/16	22-7/16	24-1/16	24-11/16	25-1/4
19	22-11/16	23-3/16	23-7/16	25-1/16	25-11/16	26-1/4
20	23-11/16	24-3/16	24-7/16	26-1/16	26-11/16	27-1/4
21	24-11/16	25-3/16	25-7/16	27-1/16	27-11/16	28-1/4
22	25-11/16	26-3/16	26-7/16	28-1/16	28-11/16	29-1/4
23	26-11/16	27-3/16	27-7/16	29-1/16	29-11/16	30-1/4
24	27-11/16	28-3/16	28-7/16	30-1/16	30-11/16	31-1/4

- BSP** = British Standard Pipe
- C/L** = Centerline to Centerline
- DIN** = European Metric Standard
- FAT** = Female Acme Thread
- FBT** = Female Buttress Thread
- FIPT** = Female Iron Pipe Thread
- GMPT** = Glued Male Pipe Thread
- JIS** = Japanese Industrial Standard
- MAT** = Male Acme Thread
- MBT** = Male Buttress Thread
- MIPT** = Male Iron Pipe Thread
- NPL** = Nipple
- O/L** = Overall Length
- SOC** = IPS Solvent Weld Socket
- SPIG** = Spigot End
- SR** = Special Reinforced
- FIPT** = Female Iron Pipe Thread

* Buttress Threaded Riser Lengths may be extended with the use of Riser Extension Couplings.
 **Additional Nipple lengths are available. Please contact your servicing Spears® Regional Distribution center.



Suitable for Oil-Free air handling to 25 psi, not for distribution of compressed air or gas

JJ DOWNS INDUSTRIAL PLASTICS INC.

416.236.1884 Toronto, ON JJDOWNS.COM