

Valves Product
Y-Pattern Valves

Y-Pattern Valves



Socket Style



Flanged Style

Pressure Rating @ 73°F (23°C), Water

1/2" - 2" 150 psi
3" - 4" 90 psi

Maximum Service Temperature

PVC = 140°F (60°C)
CPVC = 200°F (93°C)

Temperature/Pressure De-ratings Apply

PVC - Socket Ends

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
1/2	1722-005	1732-005	1	12	620
3/4	1722-007	1732-007	1	8	620
1	1722-010	1732-010	1	8	620
1-1/4	1722-012	1732-012	1	4	620
1-1/2	1722-015	1732-015	1	0	620
2	1722-020	1732-020	2	0	620
3	1722-030	1732-030	1	0	620
4	1722-040	1732-040	1	0	620

PVC - SR Threaded Ends

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
1/2	1721-005SR	1731-005SR	1	8	620
3/4	1721-007SR	1731-007SR	1	8	620
1	1721-010SR	1731-010SR	1	8	620
1-1/4	1721-012SR	1731-012SR	1	0	620
1-1/2	1721-015SR	1731-015SR	1	0	620
2	1721-020SR	1731-020SR	1	0	620
3	1721-030SR	1731-030SR	1	0	620
4	1721-040SR	1731-040SR	1	0	620

PVC - Flanged Ends

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
1/2	1723-005	1733-005	1	8	620
3/4	1723-007	1733-007	1	4	620
1	1723-010	1733-010	1	4	620
1-1/4	1723-012	1733-012	1	0	620
1-1/2	1723-015	1733-015	1	0	620
2	1723-020	1733-020	1	0	620
3	1723-030	1733-030	1	0	620
4	1723-040	1733-040	1	0	620

PVC Clear - Socket Ends

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
1/2	1722-005CL	1732-005CL	1	12	621
3/4	1722-007CL	1732-007CL	1	8	621
1	1722-010CL	1732-010CL	1	8	621
1-1/4	1722-012CL	1732-012CL	1	4	621
1-1/2	1722-015CL	1732-015CL	1	0	621
2	1722-020CL	1732-020CL	2	0	621
3	1722-030CL	1732-030CL	1	0	621
4	1722-040CL	1732-040CL	1	0	621

PVC Clear - SR Threaded Ends

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
1/2	1721-005CLSR	1731-005CLSR	1	8	621
3/4	1721-007CLSR	1731-007CLSR	1	8	621
1	1721-010CLSR	1731-010CLSR	1	8	621
1-1/4	1721-012CLSR	1731-012CLSR	1	0	621
1-1/2	1721-015CLSR	1731-015CLSR	1	0	621
2	1721-020CLSR	1731-020CLSR	1	0	621
3	1721-030CLSR	1731-030CLSR	1	0	621
4	1721-040CLSR	1731-040CLSR	1	0	621

PVC Clear - Flanged Ends

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
1/2	1723-005CL	1733-005CL	1	8	621
3/4	1723-007CL	1733-007CL	1	8	621
1	1723-010CL	1733-010CL	1	4	621
1-1/4	1723-012CL	1733-012CL	1	0	621
1-1/2	1723-015CL	1733-015CL	1	0	621
2	1723-020CL	1733-020CL	1	0	621
3	1723-030CL	1733-030CL	1	0	621
4	1723-040CL	1733-040CL	1	0	621

CPVC - Socket Ends

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
1/2	1722-005C	1732-005C	1	12	622
3/4	1722-007C	1732-007C	1	8	622
1	1722-010C	1732-010C	1	8	622
1-1/4	1722-012C	1732-012C	1	4	622
1-1/2	1722-015C	1732-015C	1	0	622
2	1722-020C	1732-020C	2	0	622
3	1722-030C	1732-030C	1	0	622
4	1722-040C	1732-040C	1	0	622

CPVC - SR Threaded Ends

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
1/2	1721-005CSR	1731-005CSR	1	8	622
3/4	1721-007CSR	1731-007CSR	1	8	622
1	1721-010CSR	1731-010CSR	1	8	622
1-1/4	1721-012CSR	1731-012CSR	1	0	622
1-1/2	1721-015CSR	1731-015CSR	1	0	622
2	1721-020CSR	1731-020CSR	1	0	622
3	1721-030CSR	1731-030CSR	1	0	622
4	1721-040CSR	1731-040CSR	1	0	622

Suitable for Oil-Free air handling to 25 psi, not for distribution of compressed air or gas



JJD

JJ DOWNS INDUSTRIAL PLASTICS INC.

416.236.1884 Toronto, ON JJDOWN.COM



member
iapd
international association
of plastics distributors



Valves Product
Y-Pattern Valves

Y-Pattern Valves

CPVC - Flanged Ends

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
1/2	1723-005C	1733-005C	1	8	622
3/4	1723-007C	1733-007C	1	8	622
1	1723-010C	1733-010C	1	4	622
1-1/4	1723-012C	1733-012C	1	0	622
1-1/2	1723-015C	1733-015C	1	0	622
2	1723-020C	1733-020C	1	0	622
3	1723-030C	1733-030C	1	0	622
4	1723-040C	1733-040C	1	0	622

PVC - True Union Socket Ends

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
1/2	172A-005	173A-005	1	8	620
3/4	172A-007	173A-007	1	8	620
1	172A-010	173A-010	1	4	620
1-1/4	172A-012	173A-012	2	0	620
1-1/2	172A-015	173A-015	1	0	620
2	172A-020	173A-020	1	0	620
3	172A-030	173A-030	1	0	620
4	172A-040	173A-040	1	0	620

PVC - True Union Threaded Ends

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
1/2	172B-005	173B-005	1	8	620
3/4	172B-007	173B-007	1	8	620
1	172B-010	173B-010	1	4	620
1-1/4	172B-012	173B-012	2	0	620
1-1/2	172B-015	173B-015	1	0	620
2	172B-020	173B-020	1	0	620
3	172B-030	173B-030	1	0	620
4	172B-040	173B-040	1	0	620

PVC - True Union SR Threaded Ends

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
1/2	172B-005SR	173B-005SR	1	8	620
3/4	172B-007SR	173B-007SR	1	8	620
1	172B-010SR	173B-010SR	1	4	620
1-1/4	172B-012SR	173B-012SR	1	0	620
1-1/2	172B-015SR	173B-015SR	1	0	620
2	172B-020SR	173B-020SR	1	0	620
3	172B-030SR	173B-030SR	1	0	620
4	172B-040SR	173B-040SR	1	0	620

PVC Clear - True Union Socket Ends

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
1/2	172A-005CL	173A-005CL	1	8	621
3/4	172A-007CL	173A-007CL	1	8	621
1	172A-010CL	173A-010CL	1	4	621
1-1/4	172A-012CL	173A-012CL	2	0	621
1-1/2	172A-015CL	173A-015CL	2	0	621
2	172A-020CL	173A-020CL	1	0	621
3	172A-030CL	173A-030CL	1	0	621
4	172A-040CL	173A-040CL	1	0	621

PVC Clear - True Union Threaded Ends

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
1/2	172B-005CL	173B-005CL	1	8	621
3/4	172B-007CL	173B-007CL	1	8	621
1	172B-010CL	173B-010CL	1	4	621
1-1/4	172B-012CL	173B-012CL	2	0	621
1-1/2	172B-015CL	173B-015CL	1	0	621
2	172B-020CL	173B-020CL	1	0	621
3	172B-030CL	173B-030CL	1	0	621
4	172B-040CL	173B-040CL	1	0	621

PVC Clear - True Union SR Threaded Ends

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
1/2	172B-005CLSR	173B-005CLSR	1	8	621
3/4	172B-007CLSR	173B-007CLSR	1	8	621
1	172B-010CLSR	173B-010CLSR	1	4	621
1-1/4	172B-012CLSR	173B-012CLSR	2	0	621
1-1/2	172B-015CLSR	173B-015CLSR	1	0	621
2	172B-020CLSR	173B-020CLSR	1	0	621
3	172B-030CLSR	173B-030CLSR	1	0	621
4	172B-040CLSR	173B-040CLSR	1	0	621

CPVC - True Union Socket Ends

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
1/2	172A-005C	173A-005C	1	8	622
3/4	172A-007C	173A-007C	1	8	622
1	172A-010C	173A-010C	1	4	622
1-1/4	172A-012C	173A-012C	2	0	622
1-1/2	172A-015C	173A-015C	1	0	622
2	172A-020C	173A-020C	1	0	622
3	172A-030C	173A-030C	1	0	622
4	172A-040C	173A-040C	1	0	622

CPVC - True Union Threaded Ends

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
1/2	172B-005C	173B-005C	1	8	622
3/4	172B-007C	173B-007C	1	8	622
1	172B-010C	173B-010C	1	4	622
1-1/4	172B-012C	173B-012C	2	0	622
1-1/2	172B-015C	173B-015C	2	0	622
2	172B-020C	173B-020C	1	0	622
3	172B-030C	173B-030C	1	0	622
4	172B-040C	173B-040C	1	0	622

CPVC - True Union SR Threaded Ends

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
1/2	172B-005CSR	173B-005CSR	1	8	622
3/4	172B-007CSR	173B-007CSR	1	8	622
1	172B-010CSR	173B-010CSR	1	4	622
1-1/4	172B-012CSR	173B-012CSR	1	0	622
1-1/2	172B-015CSR	173B-015CSR	1	0	622
2	172B-020CSR	173B-020CSR	1	0	622
3	172B-030CSR	173B-030CSR	1	0	622
4	172B-040CSR	173B-040CSR	1	0	622

Suitable for Oil-Free air handling to 25 psi, not for distribution of compressed air or gas

JJ DOWNS INDUSTRIAL PLASTICS INC.

416.236.1884 Toronto, ON JJ DOWNS.COM



Valves Product
Y-Pattern Valve Repair Kits

Internal Repair Kit includes 1-Stem O-ring, 1-Seal Carrier O-ring, along with a factory assembled (required) internal component replacement unit consisting of Stem assembled with Seat & Seal Carrier components. Install in valve using existing valve Bonnet, Bonnet Nut, and Handle/Nut. True Union style valve kits include an additional 2-End Connector O-rings.

PVC Y-Pattern Valve Internal Repair Kits

Size	Standard EPDM	Standard FKM	True Union EPDM	True Union FKM	Std Pk	Mstr Pk	Prod Code
1/2	YV-ERK-005	YV-VRK-005	YV-UERK-005	YV-UVRK-005	1	10	299
3/4	YV-ERK-007	YV-VRK-007	YV-UERK-007	YV-UVRK-007	1	10	299
1	YV-ERK-010	YV-VRK-010	YV-UERK-010	YV-UVRK-010	1	10	299
1-1/4	YV-ERK-012	YV-VRK-012	YV-UERK-012	YV-UVRK-012	1	10	299
1-1/2	YV-ERK-015	YV-VRK-015	YV-UERK-015	YV-UVRK-015	1	10	299
2	YV-ERK-020	YV-VRK-020	YV-UERK-020	YV-UVRK-020	1	4	299
3	YV-ERK-030	YV-VRK-030	YV-UERK-030	YV-UVRK-030	1	10	299
4	YV-ERK-040	YV-VRK-040	YV-UERK-040	YV-UVRK-040	1	10	299

CPVC Y-Pattern Valve Internal Repair Kits

Size	Standard EPDM	Standard FKM	True Union EPDM	True Union FKM	Std Pk	Mstr Pk	Prod Code
1/2	YV-ERK-005C	YV-VRK-005C	YV-UERK-005C	YV-UVRK-005C	1	10	299
3/4	YV-ERK-007C	YV-VRK-007C	YV-UERK-007C	YV-UVRK-007C	1	10	299
1	YV-ERK-010C	YV-VRK-010C	YV-UERK-010C	YV-UVRK-010C	1	10	299
1-1/4	YV-ERK-012C	YV-VRK-012C	YV-UERK-012C	YV-UVRK-012C	1	10	299
1-1/2	YV-ERK-015C	YV-VRK-015C	YV-UERK-015C	YV-UVRK-015C	1	10	299
2	YV-ERK-020C	YV-VRK-020C	YV-UERK-020C	YV-UVRK-020C	1	4	299
3	YV-ERK-030C	YV-VRK-030C	YV-UERK-030C	YV-UVRK-030C	1	10	299
4	YV-ERK-040C	YV-VRK-040C	YV-UERK-040C	YV-UVRK-040C	1	10	299

Suitable for Oil-Free air handling to 25 psi, not for distribution of compressed air or gas

JJ DOWNS INDUSTRIAL PLASTICS INC.

416.236.1884
Toronto, ON
JJDOWNS.COM