

## Labstat

Cereal Bite - Fruity



Matrix: Infused Product

Sample: KN30822004-004 Harvest/Lot ID: FCBA23

Batch#: 2368

Sample Size Received: 40 gram Retail Product Size: 10 gram

N/A

Ordered: 08/17/23 Sampled: 08/17/23 Completed: 11/15/23

PASSED

Page 1 of 5

# **Certificate of Analysis**

### Nov 15, 2023 | Hometown Hero

9501-B Menchaca Rd #100 Austin, TX, 78748, US



PRODUCT IMAGE

SAFETY RESULTS



Pesticides PASSED



PASSED



PASSED



Mycotoxins PASSED



Residuals Solvents PASSED



PASSED



Water Activity



Moisture



MISC.

NOT TESTED

**PASSED** 

**Potency** 

**Total THC** 

0.2275%





**Total Cannabinoids** 0.4447%

Total Cannabinoids/10g Cereal Bite:

$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	LOD		%	%	%	%	%	%	%	%	%	%	%	%	%
% ND ND ND ND ND ND 0.2172 ND ND ND 0.2275 <0.01 ND ND NI mg/g ND ND ND ND ND 2.172 ND ND ND 2.275 <0.1 ND ND NI	LOD	0.002													
% ND ND ND ND ND 0.2172 ND ND ND 0.2275 <0.01 ND ND NI		0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	mg/g	ND	ND	ND	ND	ND	2.172	ND	ND	ND	2.275	<0.1	ND	ND	ND
CBDVA CBDV CBDA CBGA CBG CBD D9-THCV D8-THCV CBN D9-THC D8-THC D10-THC CBC TF	6	ND	ND	ND	ND	ND	0.2172	ND	ND	ND	0.2275	< 0.01	ND	ND	ND
		CBDVA	CBDV	CBDA	CBGA	CBG	CBD	D9-THCV	D8-THCV	CBN	D9-THC	D8-THC	D10-THC	СВС	THCA

Analysis Method: SOP.T.30.031.TN & SOP.T.40.031.TN Expanded Measurement of Uncertainty: Flower Matrix d9-THC: ± 0.100, THCa: ± 0.124, TOTAL THC ± 0.112. These uncertainties represent an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor k=2 for a normal distribution Analytical Batch: KN004059POT Reviewed On: 11/15/23 13:06:58 Batch Date: 08/21/23 11:03:52

Instrument Used: E-SHI-008 Running on: N/A

Reagent: 051123.03; 100422.02; 080723.R02; 081723.R01; 022221.18; 051123.12; 022221.20; 051123.09 Consumables: 302110210; 22/04/01; 220725; 230105059D; 239146; 947B9291.271; GD220011; 1350331; 6121219; 600185; IP250.100

Full spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV/PDA detection (HPLC-UV/PDA). All cannabinoids have an LOO of 0.01%

This report shall not be reproduced, unless in its entirety, without written approval from Labstat. This report is an Labstat certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproductibility of two measurements. Action Levels are State determined thresholds variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

Sue Ferguson

Lab Director

State License # n/a ISO Accreditation # 17025:2017



11/15/23

Signed On



Labstat

Cereal Bite - Fruity

Matrix: Infused Product



# **Certificate of Analysis**

**PASSED** 

**Hometown Hero** 

9501-B Menchaca Rd #100 Austin, TX, 78748, US Telephone: (512) 576-7210 Email: tcfmarketing024@gmail.com Sample : KN30822004-004 Harvest/Lot ID: FCBA23

Batch#: 2368 Sampled: 08/17/23 Ordered: 08/17/23

Sample Size Received: 40 gram Completed: 11/15/23 Expires: 11/15/24 Page 2 of 5



#### **Pesticides**

PASSED

Pesticide		Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Result
ABAMECTIN B1A	0.012	ppm	0.3	PASS	ND	PRALLETHRIN		0.008	ppm	0.4	PASS	ND
ACEPHATE	0.008	ppm	3	PASS	ND	PROPICONAZOLE		0.007		1	PASS	ND
ACEQUINOCYL	0.038	ppm	2	PASS	ND	PROPOXUR		0.008		0.1	PASS	ND
ACETAMIPRID	0.009	ppm	3	PASS	ND	PYRETHRINS		0.002	1.1.	1	PASS	ND
ALDICARB	0.009	ppm	0.1	PASS	ND				1.1.	3	PASS	ND
AZOXYSTROBIN	0.013	ppm	3	PASS	ND	PYRIDABEN		0.007				
BIFENAZATE	0.028	ppm	3	PASS	ND	SPINETORAM		0.004	1.1.	3	PASS	ND
BIFENTHRIN	0.047	ppm	0.5	PASS	ND	SPIROMESIFEN		0.009		3	PASS	ND
BOSCALID	0.007	ppm	3	PASS	ND	SPIROTETRAMAT		0.009	ppm	3	PASS	ND
CARBARYL	0.015	ppm	0.5	PASS	ND	SPIROXAMINE		0.006	ppm	0.1	PASS	ND
CARBOFURAN	0.008	ppm	0.1	PASS	ND	TEBUCONAZOLE		0.009	ppm	1	PASS	ND
CHLORANTRANILIPROLE	0.012	ppm	1	PASS	ND	THIACLOPRID		0.008	ppm	0.1	PASS	ND
CHLORMEQUAT CHLORIDE	0.008	ppm	3	PASS	ND	THIAMETHOXAM		0.009	mag	1	PASS	ND
CHLORPYRIFOS	0.014	ppm	0.1	PASS	ND	TOTAL SPINOSAD		0.009	nnm	3	PASS	ND
CLOFENTEZINE	0.006	ppm	0.5	PASS	ND	TRIFLOXYSTROBIN		0.009	1.1	3	PASS	ND
COUMAPHOS	0.009	ppm	0.1	PASS	ND					3		
DAMINOZIDE	0.006	ppm	0.1	PASS	ND	Analyzed by: 2803, 3050	Weight: 1.0097g	09/06/23 1			Extracted 2803	by:
DIAZANON	0.006	ppm	0.2	PASS	ND	Analysis Method : SOP.T.			15:15:57		2803	
DICHLORVOS	0.014	ppm	0.1	PASS	ND	Analytical Batch : KN004			viewed On	:11/15/23 13:	18-22	
DIMETHOATE	0.009	ppm	0.1	PASS	ND	Instrument Used : E-SHI-				9/06/23 15:08		
DIMETHOMORPH	0.009	P.P.	3	PASS	ND	Running on : N/A						
	0.009 0.007	P.P.	3 0.1	PASS PASS	ND ND	Dilution: 0.01						
THOPROPHOS		ppm		PASS PASS		Dilution: 0.01 Reagent: 082523.R07; 0	82923.R10; 082923	.R09; 030723.R1	.9; 122322.1	R26; 011723.0	3; 082823.R10;	120522.R
ETHOPROPHOS ETOFENPROX	0.007	ppm ppm	0.1 0.1 1.5	PASS	ND ND ND	Dilution: 0.01 Reagent: 082523.R07; 0 032221.01; 092222.R22						
ETHOPROPHOS ETOFENPROX ETOXAZOLE	0.007 0.009 0.007 0.005	ppm ppm ppm ppm	0.1 0.1 1.5 3	PASS PASS PASS PASS	ND ND ND ND	Dilution: 0.01 Reagent: 082523.R07; 0 032221.01; 092222.R22 Consumables: 30211021	L0; K130252J; n/a; 2	20725; B9291.1				
ETHOPROPHOS ETOFENPROX ETOXAZOLE ENHEXAMID	0.007 0.009 0.007	ppm ppm ppm ppm	0.1 0.1 1.5 3 0.1	PASS PASS PASS	ND ND ND	Dilution: 0.01 Reagent: 082523.R07; 0 032221.01; 092222.R22 Consumables: 30211021 239146; 947B9291.271; 0	L0; K130252J; n/a; 2 GD220003; 1350331	20725; B9291.1				
ETHOPROPHOS ETOFENPROX ETOXAZOLE FENHEXAMID FENOXYCARB	0.007 0.009 0.007 0.005 0.007 0.006	ppm ppm ppm ppm ppm ppm	0.1 0.1 1.5 3 0.1 2	PASS PASS PASS PASS PASS	ND ND ND ND ND ND	Dilution: 0.01 Reagent: 082523.R07; 0 032221.01; 092222.R22 Consumables: 30211021 239146; 94789291.271; C Pipette: E-VWR-116; E-V	L0; K130252J; n/a; 2 GD220003; 1350331 WR-117; E-VWR-118	20725; B9291.1 3; E-VWR-119	00; 21267B0	0; 264041; 201	123-058; 21121	L4634-D;
DIMETHOMORPH ETHOPROPHOS ETOFENPROX ETOXAZOLE FENHEXAMID FENOXYCARB FENPYROXIMATE FIPRONIL	0.007 0.009 0.007 0.005 0.007 0.006 0.008	ppm ppm ppm ppm ppm ppm ppm	0.1 0.1 1.5 3 0.1 2	PASS PASS PASS PASS PASS PASS PASS	ND ND ND ND ND ND ND	Dilution: 0.01 Reagent: 082523.R07; 0 032221.01; 092222.R22 Consumables: 30211021 239146; 947B9291.271; 0	L0; K130252J; n/a; 2 GD220003; 1350331 WR-117; E-VWR-118	20725; B9291.1 3; E-VWR-119	00; 21267B0	0; 264041; 201	123-058; 21121	L4634-D;
ETHOPROPHOS ETOFENPROX ETOFENPROX FENHEXAMID FENOXYCARB FENPYROXIMATE FIPRONIL	0.007 0.009 0.007 0.005 0.007 0.006 0.008	ppm ppm ppm ppm ppm ppm ppm ppm	0.1 0.1 1.5 3 0.1 2 0.1 2	PASS PASS PASS PASS PASS PASS PASS PASS	ND	Dilution: 0.01 Reagent: 082523.R07; 0 032221.01; 092222.R22 Consumables: 30211021 239146; 94789291.271; 6 Pipette: E-VWR-116; E-V Testing for agricultural age	L0; K130252J; n/a; 2 GD220003; 1350331 WR-117; E-VWR-118	20725; B9291.1 3; E-VWR-119	00; 21267B0	0; 264041; 201	123-058; 21121	L4634-D;
ETHOPROPHOS ETOFENPROX ETOTENPROX ETOXAZOLE EENHEXAMID EENOXYCARB EENPYROXIMATE EIPROMIL ELONICAMID	0.007 0.009 0.007 0.005 0.007 0.006 0.008	ppm ppm ppm ppm ppm ppm ppm ppm	0.1 0.1 1.5 3 0.1 2 0.1 2	PASS PASS PASS PASS PASS PASS PASS	ND N	Dilution: 0.01 Reagent: 082523.R07; 0 032221.01; 092222.R22 Consumables: 30211021 239146; 94789291.271; 6 Pipette: E-VWR-116; E-V Testing for agricultural age	L0; K130252J; n/a; 2 GD220003; 1350331 WR-117; E-VWR-118	20725; B9291.1 3; E-VWR-119	00; 21267B0	0; 264041; 201	123-058; 21121	L4634-D;
ETHOPROPHOS ETOFENPROX ETOTENPROX ETOXAZOLE FENHEXAMID FENOXYCARB FENPYROXIMATE FIPRONIL FLONICAMID FLUDIOXONIL	0.007 0.009 0.007 0.005 0.007 0.006 0.008	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	0.1 0.1 1.5 3 0.1 2 0.1 2 3 2	PASS PASS PASS PASS PASS PASS PASS PASS	ND N	Dilution: 0.01 Reagent: 082523.R07; 0 032221.01; 092222.R22 Consumables: 30211021 239146; 94789291.271; 6 Pipette: E-VWR-116; E-V Testing for agricultural age	L0; K130252J; n/a; 2 GD220003; 1350331 WR-117; E-VWR-118	20725; B9291.1 3; E-VWR-119	00; 21267B0	0; 264041; 201	123-058; 21121	L4634-D;
ETHOPROPHOS ETOFENPROX ETOFENPROX FENOXYCARB FENDENCYCARB FENPYROXIMATE FIPRONIL FLONICAMID FLUDIOXONIL HEXYTHIAZOX	0.007 0.009 0.007 0.005 0.007 0.006 0.008 0.014	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	0.1 0.1 1.5 3 0.1 2 0.1 2	PASS PASS PASS PASS PASS PASS PASS PASS	ND N	Dilution: 0.01 Reagent: 082523.R07; 0 032221.01; 092222.R22 Consumables: 30211021 239146; 94789291.271; 6 Pipette: E-VWR-116; E-V Testing for agricultural age	L0; K130252J; n/a; 2 GD220003; 1350331 WR-117; E-VWR-118	20725; B9291.1 3; E-VWR-119	00; 21267B0	0; 264041; 201	123-058; 21121	L4634-D;
ETHOPROPHOS ETOFENPROX ETOFENPROX FENOX/CARB FENOX/CARB FENPYROXIMATE FIPRONIL FLONICAMID FLUDIOXONIL HEXYTHIAZOX MAZALIL	0.007 0.009 0.007 0.005 0.007 0.006 0.008 0.014 0.011	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	0.1 0.1 1.5 3 0.1 2 0.1 2 3 2	PASS PASS PASS PASS PASS PASS PASS PASS	ND N	Dilution: 0.01 Reagent: 082523.R07; 0 032221.01; 092222.R22 Consumables: 30211021 239146; 94789291.271; 6 Pipette: E-VWR-116; E-V Testing for agricultural age	L0; K130252J; n/a; 2 GD220003; 1350331 WR-117; E-VWR-118	20725; B9291.1 3; E-VWR-119	00; 21267B0	0; 264041; 201	123-058; 21121	L4634-D;
ETHOPROPHOS ETOFENPROX ETOFENPROX FENOXYCARB FENOYYCARB FENPYROXIMATE FIPRONIL FLONICAMID FLUDIOXONIL HEEYTHIAZOX MAZALIL MIDACLOPRID	0.007 0.009 0.007 0.005 0.005 0.006 0.008 0.014 0.011 0.009 0.01 0.005 0.005	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	0.1 0.1 1.5 3 0.1 2 0.1 2 3 2 0.1 3	PASS PASS PASS PASS PASS PASS PASS PASS	ND N	Dilution: 0.01 Reagent: 082523.R07; 0 032221.01; 092222.R22 Consumables: 30211021 239146; 94789291.271; 6 Pipette: E-VWR-116; E-V Testing for agricultural age	L0; K130252J; n/a; 2 GD220003; 1350331 WR-117; E-VWR-118	20725; B9291.1 3; E-VWR-119	00; 21267B0	0; 264041; 201	123-058; 21121	L4634-D;
ETHOPROPHOS ETOFENPROX ETOFENPROX ETOMAZOLE EENHEXAMID EENOXYCARB EENPYROXIMATE EIPRONIL ELONICAMID ELUDIOXONIL HEXYTHIAZOX MAZALIL MIDACLOPRID GRESOXIM-METHYL	0.007 0.009 0.007 0.005 0.005 0.008 0.014 0.011 0.009 0.01	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	0.1 0.1 1.5 3 0.1 2 0.1 2 3 2 0.1 3 1	PASS PASS PASS PASS PASS PASS PASS PASS	ND N	Dilution: 0.01 Reagent: 082523.R07; 0 032221.01; 092222.R22 Consumables: 30211021 239146; 94789291.271; 6 Pipette: E-VWR-116; E-V Testing for agricultural age	L0; K130252J; n/a; 2 GD220003; 1350331 WR-117; E-VWR-118	20725; B9291.1 3; E-VWR-119	00; 21267B0	0; 264041; 201	123-058; 21121	L4634-D;
ETHOPROPHOS ETOFENPROX ETOXAZOLE FEENHEXAMID FENOXYCARB FENPYROXIMATE	0.007 0.009 0.007 0.005 0.005 0.006 0.008 0.014 0.011 0.009 0.01 0.005 0.005	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	0.1 0.1 1.5 3 0.1 2 0.1 2 3 2 0.1 3	PASS PASS PASS PASS PASS PASS PASS PASS	ND N	Dilution: 0.01 Reagent: 082523.R07; 0 032221.01; 092222.R22 Consumables: 30211021 239146; 94789291.271; 6 Pipette: E-VWR-116; E-V Testing for agricultural age	L0; K130252J; n/a; 2 GD220003; 1350331 WR-117; E-VWR-118	20725; B9291.1 3; E-VWR-119	00; 21267B0	0; 264041; 201	123-058; 21121	L4634-D;
ETHOPROPHOS ETOFENPROX ETOFENPROX ETOMATOLE FENNEXAMID FENOXYCARB FENPYROXIMATE FIPRONIL FLONICAMID FLUDIOXONIL HEXYTHIAZOX MAZALIL MIDACLOPRID KRESSOXIM-METHYL MALATHION	0.007 0.009 0.007 0.005 0.007 0.006 0.008 0.014 0.011 0.009 0.01 0.005 0.01 0.009	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	0.1 0.1 1.5 3 0.1 2 0.1 2 3 2 0.1 3 1 2	PASS PASS PASS PASS PASS PASS PASS PASS	ND N	Dilution: 0.01 Reagent: 082523.R07; 0 032221.01; 092222.R22 Consumables: 30211021 239146; 94789291.271; 6 Pipette: E-VWR-116; E-V Testing for agricultural age	L0; K130252J; n/a; 2 GD220003; 1350331 WR-117; E-VWR-118	20725; B9291.1 3; E-VWR-119	00; 21267B0	0; 264041; 201	123-058; 21121	L4634-D;
ETHOPROPHOS ETOFENPROX ETOFENPROX ETOMAZOLE EENHEXAMID EENOXYCARB EENPYROXIMATE EIPRONIL ELONICAMID ELUDIOXONIL HEXYTHIAZOX MAZALIL MIDACLOPRID CRESOXIM-METHYL MALATHION METALAXYL METHIOCARB	0.007 0.009 0.007 0.005 0.007 0.006 0.008 0.014 0.011 0.009 0.01 0.005 0.009 0.008	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	0.1 0.1 1.5 3 0.1 2 0.1 2 3 2 0.1 3 1 2 3 0.1	PASS PASS PASS PASS PASS PASS PASS PASS	ND N	Dilution: 0.01 Reagent: 082523.R07; 0 032221.01; 092222.R22 Consumables: 30211021 239146; 94789291.271; 6 Pipette: E-VWR-116; E-V Testing for agricultural age	L0; K130252J; n/a; 2 GD220003; 1350331 WR-117; E-VWR-118	20725; B9291.1 3; E-VWR-119	00; 21267B0	0; 264041; 201	123-058; 21121	L4634-D;
ETHOPROPHOS ETOFENPROX ETOFENPROX ETOTAL AND	0.007 0.009 0.007 0.005 0.007 0.006 0.008 0.014 0.011 0.009 0.01 0.005 0.01 0.009	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	0.1 0.1 1.5 3 0.1 2 0.1 2 3 2 0.1 3 1 2	PASS PASS PASS PASS PASS PASS PASS PASS	ND N	Dilution: 0.01 Reagent: 082523.R07; 0 032221.01; 092222.R22 Consumables: 30211021 239146; 94789291.271; 6 Pipette: E-VWR-116; E-V Testing for agricultural age	L0; K130252J; n/a; 2 GD220003; 1350331 WR-117; E-VWR-118	20725; B9291.1 3; E-VWR-119	00; 21267B0	0; 264041; 201	123-058; 21121	L4634-D;
ETHOPROPHOS ETOFENPROX ETOTENPROX ETOTENPROX ETOTENEXAMID EENOXYCARB EENPYROXIMATE EIPRONIL FLONICAMID FLUDIOXONIL HEXYTHIAZOX MAZALIL MIDACLOPRID KRACH MALATHION METALAXYL	0.007 0.009 0.007 0.005 0.007 0.006 0.008 0.014 0.011 0.009 0.01 0.005 0.009 0.008	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	0.1 0.1 1.5 3 0.1 2 0.1 2 3 2 0.1 3 1 2 3 0.1	PASS PASS PASS PASS PASS PASS PASS PASS	ND N	Dilution: 0.01 Reagent: 082523.R07; 0 032221.01; 092222.R22 Consumables: 30211021 239146; 94789291.271; 6 Pipette: E-VWR-116; E-V Testing for agricultural age	L0; K130252J; n/a; 2 GD220003; 1350331 WR-117; E-VWR-118	20725; B9291.1 3; E-VWR-119	00; 21267B0	0; 264041; 201	123-058; 21121	L4634-D;
ETHOPROPHOS ETOFENPROX ETOTENPROX ETOTENPROX ETOTENPROXIMATE ETONICAMID ELUDIOXONIL ELVYTHIAZOX MAZALI MIDACLOPRID KRESOXIM-METHYL MALATHION METALAXYL METHIOCARB METHOCARB METHOWNL MEVINPHOS	0.007 0.009 0.007 0.005 0.007 0.006 0.008 0.014 0.011 0.009 0.01 0.005 0.01 0.009 0.008	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	0.1 0.1 1.5 3 0.1 2 0.1 2 3 2 0.1 3 1 2 0.1 2 0.1 0.1 2	PASS PASS PASS PASS PASS PASS PASS PASS	ND N	Dilution: 0.01 Reagent: 082523.R07; 0 032221.01; 092222.R22 Consumables: 30211021 239146; 94789291.271; 6 Pipette: E-VWR-116; E-V Testing for agricultural age	L0; K130252J; n/a; 2 GD220003; 1350331 WR-117; E-VWR-118	20725; B9291.1 3; E-VWR-119	00; 21267B0	0; 264041; 201	123-058; 21121	L4634-D;

PASS

PASS

PASS

ND

ND

0.1

This report shall not be reproduced, unless in its entirety, without written approval from Labstat. This report is an Labstat certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproductibility of two measurements. Action Levels are State determined thresholds variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

0.007 ppm

0.008 ppm

0.009 ppm

Sue Ferguson

Lab Director

State License # n/a ISO Accreditation # 17025:2017



11/15/23

Signed On

PACLOBUTRAZOL

PIPERONYL BUTOXIDE

PERMETHRINS

PHOSMET



Labstat

Cereal Bite - Fruity

Matrix: Infused Product



**Certificate of Analysis** 

**PASSED** 

**Hometown Hero** 

9501-B Menchaca Rd #100 Austin, TX, 78748, US Telephone: (512) 576-7210 Email: tcfmarketing024@gmail.com Sample : KN30822004-004 Harvest/Lot ID: FCBA23

Batch#: 2368 Sampled: 08/17/23 Ordered: 08/17/23

Sample Size Received: 40 gram Completed: 11/15/23 Expires: 11/15/24 Page 3 of 5



### **Residual Solvents**

PA	SS	ED
----	----	----

Solvents	LOD	Units	Action Level	Pass/Fail	Result
PROPANE	100	ppm	5000	PASS	ND
BUTANES (N-BUTANE)	100	ppm	5000	PASS	ND
METHANOL	20	ppm	250	PASS	ND
ETHYLENE OXIDE	0.2	ppm	5	PASS	ND
PENTANES (N-PENTANE)	32	ppm	750	PASS	ND
ETHANOL	100	ppm	5000	PASS	ND
ETHYL ETHER	10	ppm	500	PASS	ND
1.1-DICHLOROETHENE	0.6	ppm	8	PASS	ND
ACETONE	40	ppm	750	PASS	ND
2-PROPANOL	25	ppm	500	PASS	ND
ACETONITRILE	20	ppm	60	PASS	ND
DICHLOROMETHANE	2	ppm	125	PASS	ND
N-HEXANE	10	ppm	250	PASS	ND
ETHYL ACETATE	11	ppm	400	PASS	ND
CHLOROFORM	0.04	ppm	2	PASS	ND
BENZENE	0.03	ppm	1	PASS	ND
1,2-DICHLOROETHANE	0.05	ppm	2	PASS	ND
HEPTANE	53	ppm	5000	PASS	ND
TRICHLOROETHYLENE	0.5	ppm	25	PASS	ND
TOLUENE	5	ppm	150	PASS	ND
TOTAL XYLENES - M, P & O - DIMETHYLBENZEI	NE 15	ppm	150	PASS	ND
Analyzed by: 138, 3050	<b>Weight:</b> 0.02169g	Extraction date: 09/05/23 10:17:11	77 17 17	1/X	Extracted by: 138

Reviewed On: 09/06/23 13:44:51 Batch Date: 09/01/23 09:21:08

Analysis Method: SOP.T.40.041.TN Analytical Batch : KN004093SOL Instrument Used: E-SHI-106

Running on : N/A Dilution: N/A Reagent: N/A

Consumables: R2017.167; G201.167

Pipette: N/A

Revision: #3

 $Residual\ solvents\ analysis\ is\ performed\ using\ Gas\ Chromatography\ /\ Mass\ Spectrometry.\ *Based\ on\ FL\ action\ limits.$ 

**Sue Ferguson** 

Lab Director

State License # n/a ISO Accreditation # 17025:2017



11/15/23

Signed On

This report shall not be reproduced, unless in its entirety, without written approval from Labstat. This report is an Labstat certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproductibility of two measurements. Action Levels are State determined thresholds variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.



Labstat

Cereal Bite - Fruity

Matrix: Infused Product

0.0016

0.0012

0.0012

0.0012

Reagent: 082523.R07; 082923.R10; 082923.R09; 030723.R19; 122322.R26; 011723.03;  $082823.R10;\ 120522.R21;\ 032221.01;\ 092222.R22$  Consumables: 302110210; K130252]; n/a; 220725; B9291.100; 21267B0; 264041;

Aflatoxins B1, B2, G1, G2, and Ochratoxins Mycrotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry. \*Based on FL action limits.

09/06/23 15:13:37

Units

ppm

ppm

mag

ppm

mag

Reviewed On: 09/07/23 17:26:45

Batch Date: 09/06/23 15:22:08

Result

ND

ND

ND

ND

ND



# **Certificate of Analysis**

PASSED

Hometown Hero

9501-B Menchaca Rd #100 Austin, TX, 78748, US **Telephone:** (512) 576-7210 Email: tcfmarketing024@gmail.com

Sample: KN30822004-004 Harvest/Lot ID: FCBA23

Batch#: 2368 Sampled: 08/17/23 Ordered: 08/17/23

Sample Size Received: 40 gram Completed: 11/15/23 Expires: 11/15/24 Page 4 of 5



#### Microbial

### PASSED



Running on: N/A

Dilution: 0.01

Instrument Used: E-SHI-125

## **Mycotoxins**

#### **PASSED**

Action

Level

0.02

0.02

0.02

0.02

0.02

0.02

Pass /

Fail

PASS

PASS

PASS

PASS

PASS

PASS

Extracted by:

Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte		LOD
ESCHERICHIA COLI SHIGELLA				Not Present	PASS		AFLATOXIN G2	0.0016	
SPP							<b>AFLATOXIN G1</b>	0.0012	
SALMONELLA SPE	ECIFIC GENE			Not Present	PASS		AFLATOXIN B2	0.0012	
ASPERGILLUS FLA	AVUS			Not Present Not Present	PASS		AFLATOXIN B1		0.0012
ASPERGILLUS FU	MIGATUS				PASS		OCHRATOXIN A	A+	0.002
ASPERGILLUS NIC	GER			Not Present	PASS		TOTAL MYCOTOXINS		0.002
<b>ASPERGILLUS TEI</b>	RREUS			Not Present	PASS		7.4./		
TOTAL YEAST AN	D MOLD	10	CFU	ND	PASS	100000	Analyzed by: 2803	<b>Weight:</b> 1.0097g	Extraction date: 09/06/23 15:13:3
Analyzed by: 2805	Weight: 1.0322g	Extractio 09/01/23	n date: 3 10:00:11	Extracted by: 2805			Analysis Method Analytical Batch		N, SOP.T.40.101.TN

Analysis Method: SOP.T.40.056C, SOP.T.40.041 LOD is 1 CFU

Analytical Batch : KN004086MIC Reviewed On: 09/05/23 15:26:45 Instrument Used : E-HEW-069 Batch Date: 08/30/23 09:24:20 Running on: N/A

Pipette: E-BIO-188

Reagent: 121322.02; 042723.02; 030723.05; 101822.07 Consumables: 22/04/01; 10RWL0315W13; 251773; 242429; 2DAX30621; P7528255;

41218-146C4-146C; 263989; 93825; n/a; 247040; 0150210; 010205; 007109

Pipette: E-THE-045; E-THE-046; E-THE-047; E-THE-048; E-THE-049; E-THE-050; E-THE-051; E-

THE-052; E-THE-053; E-THE-054; E-BIO-188

Microbiological testing for Fungal and Bacterial Identification via Polymerase Chain Reaction (PCR) method consisting of sample DNA amplified via tandem Polymerase Chain Reaction (PCR) as a crude lysate which avoids purification. With an LOD of 1cfu, if a pathogenic E Coli, Salmonella, A fumigatus, A flavus, A niger, or A terreus is detected in 1g of a sample, the sample fails the microbiological-impurity testing.

Analyzed by: 2805	Weight: 1.0164g	Extraction date: 08/22/23 12:54:29	Extracted by: 2805						
Analysis Method	: SOP.T.40.209.TI	V							
<b>Analytical Batch</b>	: KN004065TYM	Reviewed On: 08	/24/23 16:33:49						
Instrument Used	: E-HEW-069	Batch Date: 08/2	2/23 12:06:39						
Running on : $\ensuremath{\mathbb{N}}/\ensuremath{\mathbb{A}}$									
Dilution : N/A									
Reagent: 03072	3.04: 121322.02								
Consumables : 26	3989; 93825; 00	7109; n/a; 0150210							

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques. \*Based on Analysis Method: SOP.T.30.082, SOP.T.40.082.TN FL action limits.

Analytical Batch: KN004092HEA Rev

Hg

## **Heavy Metals**

Pipette: E-VWR-116; E-VWR-117; E-VWR-118; E-VWR-119

201123-058; 211214634-D; 239146; 947B9291.271; GD220003; 1350331

## **PASSED**

7 // 1.	LOD	Units	Result	Pass / Fail	Action Level	
	0.02	ppm	< 0.04	PASS	1.5	
	0.02	ppm	ND	PASS	0.5	
	0.02	ppm	ND	PASS	3	
	0.02	ppm	ND	PASS	0.5	
Weight: 0.2715g			Extracted by: 2837			
		0.02 0.02 0.02 0.02 0.02 Weight: Extraction date	0.02 ppm 0.02 ppm 0.02 ppm 0.02 ppm 0.02 ppm	0.02 ppm <0.04 0.02 ppm ND 0.02 ppm ND 0.02 ppm ND Weight: Extraction date:	0.02   ppm   <0.04   PASS	0.02   ppm   <0.04   PASS   1.5

Analytical Batch: KN004092HEA Instrument Used : E-AGI-084

Running on: N/A

Reviewed On: 09/01/23 17:00:44 Batch Date: 09/01/23 08:13:08

Reagent: 051123.03; 100422.02; 072423.R02; 082523.R04; 022221.18; 051123.12 Consumables: 302110210; 22/04/01; 220725; B9291.100; 230322059D; 239146; 947B9291.271; GD220011; 1350331; 6121219; 600185

Pipette: E-VWR-120

Heavy Metals analysis is performed using ICP-MS (Inductively Coupled Plasma - Mass Spectrometer) which can screen down to single digit ppb concentrations. LOQ is 0.04 ppm for all metals. \*Based on FL action

This report shall not be reproduced, unless in its entirety, without written approval from Labstat. This report is an Labstat certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit of Quantitation (LoO) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310

Sue Ferguson

Lab Director

State License # n/a ISO Accreditation # 17025:2017



11/15/23

Signed On





Cereal Bite - Fruity

N/A

Matrix : Infused Product



# **Certificate of Analysis**

Reviewed On: 09/01/23 11:23:11

Batch Date: 07/18/23 12:03:18

Hometown Hero Sample : KN30822004-004

Harvest/Lot ID: FCBA23 Batch#: 2368

Batch#: 2368 Sampled: 08/17/23 Ordered: 08/17/23 Sample Size Received: 40 gram Completed: 11/15/23 Expires: 11/15/24 **PASSED** 

Page 5 of 5



9501-B Menchaca Rd #100

**Telephone:** (512) 576-7210

Austin, TX, 78748, US

### Filth/Foreign Material

**PASSED** 

 Analyte
 LOD
 Units
 Result
 P/F
 Action Level

 Filth and Foreign Material
 1
 %
 ND
 PASS
 5

 Analyzed by:
 Weight: 0.5314g
 Extraction date: 0.501:03
 Extracted by: 2805
 Extracted by: 2805

Analysis Method : SOP.T.40.090 Analytical Batch : KN003972FIL Instrument Used : E-AMS-138

Running on : N/A

Dilution : N/A

Reagent : N/A

Dilution: N/A
Reagent: N/A
Consumables: N/A
Pipette: N/A

This includes but is not limited to hair, insects, feces, packaging contaminants, and manufacturing waste and by-products. A SW-2T13 Stereo Microscope is use for inspection.

This report shall not be reproduced, unless in its entirety, without written approval from Labstat. This report is an Labstat certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Billion, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request.The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

Sue Ferguson

Lab Director

State License # n/a ISO Accreditation # 17025:2017



11/15/23

Signed On