



***#1 IN DURABILITY***

**PERFORMANCE WORK GLOVES**  
**THE VERY BEST IN TECHNICAL HAND PROTECTION**









# INDEX OF GLOVES

At Youngstown Glove Company our Mission is to make the very best in technical hand protection. We are unwavering in our commitment to superior craftsmanship, superb quality and excellent customer service. We were founded in 2002 with a small line-up of performance work gloves. Today, we offer over 45 styles of work gloves that exceed the demanding needs of professional workers. Every Youngstown style that is developed goes through extensive testing - both in the laboratory and in the field - prior to making it to our customers. Our thorough testing, proven patterns, innovative materials and meticulous quality control ensure that Youngstown is truly **#1 in Durability.**

## LEATHER ARC RATED LINEMAN LEATHER PROTECTOR SERIES ..... 6 - 19



10" SECONDARY  
LEATHER  
PROTECTOR



10" CUT RESISTANT  
SECONDARY LEATHER  
PROTECTOR



13" SECONDARY  
LEATHER PROTECTOR



13" CUT RESISTANT SECONDARY  
LEATHER PROTECTOR



12" PRIMARY  
LEATHER PROTECTOR



12" CUT RESISTANT PRIMARY  
LEATHER PROTECTOR



14" PRIMARY  
LEATHER PROTECTOR



14" CUT RESISTANT PRIMARY  
LEATHER PROTECTOR



13" PRIMARY  
LEATHER PROTECTOR



15" PRIMARY  
LEATHER PROTECTOR



16" PRIMARY  
LEATHER PROTECTOR



14" PRIMARY LEATHER  
PROTECTOR MITT

## ARC RATED ALL SEASON SERIES ..... 20 - 31



GROUND  
GLOVE



FR GROUND  
GLOVE



FR HI-DEX  
GLOVE



KNUCKLE BUSTER  
ANTI-VIBE



LEATHER  
UTILITY PLUS



LEATHER UTILITY  
WIDE-CUFF



FR LEATHER UTILITY  
WIDE-CUFF



FR MECHANICS  
HYBRID



SAFETY LIME  
FR MECHANICS HYBRID



FR 4000



FR EMERGENCY  
GAS GLOVE



## WINTER ARC/FR COLD WEATHER PROTECTION SERIES ..... 32 - 39



FR WATERPROOF  
ULTIMATE



FR RAIN  
GLOVE



FR FLEECE  
GROUND GLOVE



FR WATERPROOF  
GROUND GLOVE



FR WATERPROOF  
LEATHER UTILITY



FR FLEECE LINER  
WITH POLARTEC®

## WINTER NON ARC/FR COLD WEATHER PROTECTION SERIES ..... 40 - 45



WATERPROOF  
WINTER PLUS



WATERPROOF  
WINTER XT



CUT RESISTANT  
WATERPROOF WINTER



SAFETY LIME  
WATERPROOF WINTER

## CUT RESISTANT/HI VISIBILITY SPECIALTY SERIES ..... 46 - 53



CUT RESISTANT  
SAFETY LIME HYBRID



CR4 HYBRID



CR5 HYBRID



CRD-15



CUT RESISTANT  
TITAN XT



CUT RESISTANT  
GENERAL UTILITY

## GENERAL USE ALL SEASON SERIES ..... 54 - 61



PRO XT



GENERAL  
UTILITY PLUS



HYBRID XT



ANTI-VIBE XT



CARPENTER  
PLUS



MECHANICS  
PLUS



HYBRID PLUS

# LEATHER ARC RATED LINEMAN LEATHER PROTECTOR SERIES

Leather Protectors, worn over rubber insulating gloves, have seen little design change since their OSHA-mandated use started in the 1950's. Most producers of leather protectors use the same working glove pattern invented in the 1870's. Youngstown's Leather Protectors have taken an entirely new approach by creating an ergonomic glove pattern that fits perfectly over rubber insulating gloves while staying within the parameters of ASTM F696. This innovative design provides greater fit, dexterity and comfort, and eliminates the problems caused by ill-fitting protectors. We produce these gloves with premium grade grain leather. Our protectors are arc rated and finished with an FR Strap System to ensure nothing on the glove will drip, melt or ignite.



**WARNING:** Leather Protectors are to be used only for mechanical protection over insulating rubber gloves, and shall not be used for electrical protection per ASTM F696.





## 10" SECONDARY LEATHER PROTECTOR

### SKU # 16-4100-10

This Arc Rated 10" Secondary Leather Protector is ergonomically designed to fit perfectly over Class 0 and 00 rubber insulating gloves per ASTM F496/ASTM F696. We use the highest quality goat grain leather along with an innovative glove pattern to create a leather protector with unrivaled fit and dexterity. This glove features an FR Strap System to ensure that nothing on this protector will drip, melt or ignite if exposed to an arc flash. Arc rated to 25 cal/cm<sup>2</sup>.



### FEATURES AND BENEFITS

- ANSI/ISEA Puncture Level 3
- Arc Rating: 25 cal/cm<sup>2</sup> – ASTM F2675 / F2675M-13
- Will NOT drip, melt or ignite if exposed to arc flash
- FR Strap – woven webbing made with Kevlar® by DuPont™
- FR Fastener – heat stabilized heavy duty hardware
- High quality 0.6-0.9mm goat grain leather
- Designed for use over Class 0 and 00 rubber insulating gloves per ASTM F696



SKU # 16-4100-10  
SIZES: 7 – 12



Form-fit Pattern



FR Strap System



# 10" CUT RESISTANT SECONDARY LEATHER PROTECTOR

## SKU # 16-4200-10

This cut and flame resistant 10" Cut Resistant Secondary Leather Protector is ergonomically designed to fit perfectly over Class 0 and 00 rubber insulating gloves per ASTM F496/ASTM F696. We use the highest quality goat grain leather along with an innovative glove pattern to create a leather protector with unrivaled fit and dexterity. The glove is lined throughout with Kevlar® fiber by DuPont™ to provide enhanced cut, puncture, flame and arc resistance. We finish the glove with an FR Strap System to ensure that nothing on this protector will drip, melt or ignite if exposed to an arc flash. Arc rated to 36 cal/cm².



### FEATURES AND BENEFITS

- ANSI/ISEA Cut Level A3
- ANSI/ISEA Puncture Level 4
- Flame Resistant – exceeds industry standards according to test method ASTM D6413
- Arc Rating: 36 cal/cm² – ASTM F2675 / F2675M-13
- Will NOT drip, melt or ignite if exposed to arc flash
- Completely lined throughout with 100% Kevlar® fiber by DuPont™
- FR Strap – woven webbing made with Kevlar® by DuPont™
- FR Fastener – heat stabilized heavy duty hardware
- High quality 0.6-0.9mm goat grain leather
- Designed for use over Class 0 and 00 rubber insulating gloves per ASTM F696



SKU # 16-4200-10  
SIZES: 7 - 12

•DUPONT•

Kevlar.



Kevlar® Lined



Superior Dexterity

## 13" SECONDARY LEATHER PROTECTOR

### SKU # 16-4100-13

This arc rated 13" Secondary Leather Protector is ergonomically designed to fit perfectly over Class 0 and 00 rubber insulating gloves per ASTM F496 / ASTM F969. We use high quality and tacky goat grain leather on the upper portion along with a cow suede cuff. We finish the glove with an FR Strap System to ensure that nothing on this protector will drip, melt or ignite. Arc Rated to 25 cal/cm<sup>2</sup>.



### FEATURES AND BENEFITS

- ANSI/ISEA Puncture Level 3
- Arc Rating: 25 cal/cm<sup>2</sup>
- Will NOT drip, melt or ignite if exposed to arc flash
- FR Strap – woven webbing made with Kevlar® by DuPont™
- FR Fastener – heat stabilized heavy duty hardware
- High quality 0.6-0.9mm goat grain leather with a 1.2mm+ cow suede cuff
- Designed for use over Class 0 and 00 rubber insulating gloves per ASTM F696



SKU # 16-4100-13  
SIZES: 7 - 12



Form-fit Pattern



FR Strap System



# 13" CUT RESISTANT SECONDARY LEATHER PROTECTOR

## SKU # 16-4200-13

This 13" Cut Resistant Secondary Leather Protector is cut, flame and puncture resistant and Arc Rated to 36 cal/cm<sup>2</sup>. Our ergonomic, 3D glove pattern is designed to fit perfectly over Class 0 and 00 rubber insulating gloves per ASTM F496 / ASTM F696. The glove is lined throughout with Kevlar® fiber by DuPont™ to provide enhanced cut, puncture, flame and arc resistance. This glove also features an FR Strap System and cow suede cuff to ensure nothing on this glove will drip, melt or ignite.



### FEATURES AND BENEFITS

- ANSI/ISEA Cut Level A3
- ANSI/ISEA Puncture Level 3
- Flame Resistant – exceeds industry standards according to test method ASTM D6413
- Arc Rating: 36 cal/cm<sup>2</sup> – ASTM F2675 / F2675M-13
- Will NOT drip, melt or ignite if exposed to arc flash
- Completely lined throughout with 100% Kevlar® fiber by DuPont™
- FR Strap – woven webbing made with Kevlar® by DuPont™
- FR Fastener – heat stabilized heavy duty hardware
- High quality 0.6-0.9mm goat grain leather with a 1.2mm+ cow suede cuff
- Designed for use over Class 0 and 00 rubber insulating gloves per ASTM F696



SKU # 16-4200-13  
SIZES: 7 - 12



Kevlar® Lined



Superior Dexterity

## 12" PRIMARY LEATHER PROTECTOR

### SKU # 16-5100-12

This arc rated 12" Primary Leather Protector is ergonomically designed to fit perfectly over Class 1 through 4 rubber insulating gloves per ASTM F496 / ASTM F696. We use high quality and tacky cow grain leather on the upper portion of the glove along with a cow suede cuff. The glove is finished with an FR Strap System to ensure that nothing on this protector will drip, melt or ignite. Arc Rated to 32 cal/cm<sup>2</sup>.



### FEATURES AND BENEFITS

- ANSI/ISEA Puncture Level 5
- Arc Rating: 32 cal/cm<sup>2</sup> – ASTM F2675 / F2675M-13
- Will NOT drip, melt or ignite if exposed to arc flash
- FR Strap – woven webbing made with Kevlar® by DuPont™
- FR Fastener – heat stabilized heavy duty hardware
- High quality 1.0mm+ cow grain leather with a 1.2mm+ cow suede cuff
- Designed for use over Class 1 thru 4 rubber insulating gloves per ASTM F696



SKU # 16-5100-12  
SIZES: 7 - 12



Form-fit Pattern



FR Strap System



# 12" CUT RESISTANT PRIMARY LEATHER PROTECTOR

## SKU # 16-5200-12

This 12" Cut Resistant Primary Leather Protector is cut, flame and puncture resistant and Arc Rated to 48 cal/cm<sup>2</sup>. This protector is ergonomically designed to fit perfectly over Class 1 through 4 rubber insulating gloves per ASTM F496 / ASTM F696. The upper portion of the glove is made with a tacky cow grain leather and the cuff is made of cow suede. The glove is lined throughout with Kevlar® fiber by DuPont™ to provide enhanced cut, flame and arc resistance. We finish the glove with an FR Strap System to ensure that nothing on this glove will drip, melt or ignite.



### FEATURES AND BENEFITS

- ANSI/ISEA Cut Level A3
- ANSI/ISEA Puncture Level 5
- Flame Resistant – exceeds industry standards according to test method ASTM D6413
- Arc Rating: 48 cal/cm<sup>2</sup> – ASTM F2675 / F2675M-13
- Will NOT drip, melt or ignite if exposed to arc flash
- Completely lined throughout with 100% Kevlar® fiber by DuPont™
- FR Strap – woven webbing made with Kevlar® by DuPont™
- FR Fastener – heat stabilized heavy duty hardware
- High quality 1.0mm+ cow grain leather with a 1.2mm+ cow suede cuff
- Designed for use over Class 1 thru 4 rubber insulating gloves per ASTM F696



SKU # 16-5200-12  
SIZES: 7 - 12

•DUPONT•  
**Kevlar.**



Kevlar® Lined



Superior Dexterity

## 14" PRIMARY LEATHER PROTECTOR

### SKU # 16-5100-14

This arc rated 14" Primary Leather Protector is ergonomically designed to fit perfectly over Class 1 through 4 rubber insulating gloves per ASTM F496 / ASTM F696. We use high quality and tacky cow grain leather on the upper portion of the glove along with a cow suede cuff. The glove is finished with an FR Strap System to ensure that nothing on this protector will drip, melt or ignite. Arc Rated to 32 cal/cm<sup>2</sup>.



### FEATURES AND BENEFITS

- ANSI/ISEA Puncture Level 5
- Arc Rating: 32 cal/cm<sup>2</sup> – ASTM F2675 / F2675M-13
- Will NOT drip, melt or ignite if exposed to arc flash
- FR Strap – woven webbing made with Kevlar® by DuPont™
- FR Fastener – heat stabilized heavy duty hardware
- High quality 1.0mm+ cow grain leather with a 1.2mm+ cow suede cuff
- Designed for use over Class 1 thru 4 rubber insulating gloves per ASTM F696



SKU # 16-5100-14  
SIZES: 7 - 12



Form-fit Pattern



FR Strap System



# 14" CUT RESISTANT PRIMARY LEATHER PROTECTOR

## SKU # 16-5200-14

This 14" Cut Resistant Primary Leather Protector is cut, flame and puncture resistant and Arc Rated to 48 cal/cm<sup>2</sup>. This protector is ergonomically designed to fit perfectly over Class 1 through 4 rubber insulating gloves per ASTM F496 / ASTM F696. The upper portion of the glove is made with a tacky cow grain leather and the cuff is made of cow suede. The glove is lined throughout with Kevlar® fiber by DuPont™ to provide enhanced cut, flame and arc resistance. We finish the glove with an FR Strap System to ensure that nothing on this glove will drip, melt or ignite.



### FEATURES AND BENEFITS

- ANSI/ISEA Cut Level A3
- ANSI/ISEA Puncture Level 5
- Flame Resistant – exceeds industry standards according to test method ASTM D6413
- Arc Rating: 48 cal/cm<sup>2</sup> – ASTM F2675 / F2675M-13
- Will NOT drip, melt or ignite if exposed to arc flash
- Completely lined throughout with 100% Kevlar® fiber by DuPont™
- FR Strap – woven webbing made with Kevlar® by DuPont™
- FR Fastener – heat stabilized heavy duty hardware
- High quality 1.0mm+ cow grain leather with a 1.2mm+ cow suede cuff
- Designed for use over Class 1 thru 4 rubber insulating gloves per ASTM F696



SKU # 16-5200-14  
SIZES: 7 – 12

•DUPONT•  
**Kevlar.**



Kevlar® Lined



Superior Dexterity

## 13" PRIMARY LEATHER PROTECTOR

### SKU # 16-5100-13

This arc rated 13" Primary Leather Protector is ergonomically designed to fit perfectly over Class 1 through 4 rubber insulating gloves per ASTM F496 / ASTM F696. We use high quality and tacky cow grain leather on the upper portion of the glove along with a cow suede cuff. The glove is finished with an FR Strap System to ensure that nothing on this protector will drip, melt or ignite. Arc Rated to 32 cal/cm<sup>2</sup>.



### FEATURES AND BENEFITS

- ANSI/ISEA Puncture Level 5
- Arc Rating: 32 cal/cm<sup>2</sup> – ASTM F2675 / F2675M-13
- Will NOT drip, melt or ignite if exposed to arc flash
- FR Strap – woven webbing made with Kevlar® by DuPont™
- FR Fastener – heat stabilized heavy duty hardware
- High quality 1.0mm+ cow grain leather with a 1.2mm+ cow suede cuff
- Designed for use over Class 1 thru 4 rubber insulating gloves per ASTM F696



SKU # 16-5100-13  
SIZES: 7 - 12



Form-fit Pattern



FR Strap System



## 15" PRIMARY LEATHER PROTECTOR

### SKU # 16-5100-15

This arc rated 15" Primary Leather Protector is ergonomically designed to fit perfectly over Class 1 through 4 rubber insulating gloves per ASTM F496 / ASTM F696. We use high quality and tacky cow grain leather on the upper portion of the glove along with a cow suede cuff. The glove is finished with an FR Strap System to ensure that nothing on this protector will drip, melt or ignite. Arc Rated to 32 cal/cm<sup>2</sup>.



### FEATURES AND BENEFITS

- ANSI/ISEA Puncture Level 5
- Arc Rating: 32 cal/cm<sup>2</sup> – ASTM F2675 / F2675M-13
- Will NOT drip, melt or ignite if exposed to arc flash
- FR Strap – woven webbing made with Kevlar® by DuPont™
- FR Fastener – heat stabilized heavy duty hardware
- High quality 1.0mm+ cow grain leather with a 1.2mm+ cow suede cuff
- Designed for use over Class 1 thru 4 rubber insulating gloves per ASTM F696



SKU # 16-5100-15

SIZES: 7 - 12

•DUPONT•

Kevlar.



Kevlar® Lined



Superior Dexterity

## 16" PRIMARY LEATHER PROTECTOR

### SKU # 16-5100-16

This arc rated 16" Primary Leather Protector is ergonomically designed to fit perfectly over Class 1 through 4 rubber insulating gloves per ASTM F496 / ASTM F696. We use high quality and tacky cow grain leather on the upper portion of the glove along with a cow suede cuff. The glove is finished with an FR Strap System to ensure that nothing on this protector will drip, melt or ignite. Arc Rated to 32 cal/cm<sup>2</sup>.



### FEATURES AND BENEFITS

- ANSI/ISEA Puncture Level 5
- Arc Rating: 32 cal/cm<sup>2</sup> – ASTM F2675 / F2675M-13
- Will NOT drip, melt or ignite if exposed to arc flash
- FR Strap – woven webbing made with Kevlar® by DuPont™
- FR Fastener – heat stabilized heavy duty hardware
- High quality 1.0mm+ cow grain leather with a 1.2mm+ cow suede cuff
- Designed for use over Class 1 thru 4 rubber insulating gloves per ASTM F696



SKU # 16-5100-16  
SIZES: 7 - 12



Form-fit Pattern



FR Strap System

## 14" PRIMARY LEATHER PROTECTOR MITT

### SKU # 16-5150-14

This arc rated 14" Primary Leather Protector is ergonomically designed to fit perfectly over Class 1 through 4 rubber insulating mittens per ASTM F496 / ASTM F696. We use high quality and tacky cow grain leather on the upper portion of the mitt along with a cow suede cuff. The mitt is finished with an FR Strap System to ensure that nothing on this protector will drip, melt or ignite. Arc Rated to 32 cal/cm<sup>2</sup>.



### FEATURES AND BENEFITS

- ANSI/ISEA Puncture Level 5
- Arc Rating: 32 cal/cm<sup>2</sup> – ASTM F2675 / F2675M-13
- Will NOT drip, melt or ignite if exposed to arc flash
- FR Strap – woven webbing made with Kevlar® by DuPont™
- FR Fastener – heat stabilized heavy duty hardware
- High quality 1.0mm+ cow grain leather with a 1.2mm+ cow suede cuff
- Designed for use over Class 1 thru 4 rubber insulating mitts per ASTM F696



SKU # 16-5150-14  
SIZES: 7 - 12



FR Strap System




Superior Dexterity



# ARC RATED

## ALL SEASON SERIES

Youngstown's Arc Rated Gloves are a ground breaking line of advanced hand protection designed for utility workers. Most of this line is made up of very unique leather gloves where we used our modern ergonomic glove patterns and applied them to extra high quality leathers. We have expanded this offering of technical leather gloves to include items with additional protection such as flame resistance, cut resistance and our waterproof / windproof protection. The result is increased dexterity, comfort, productivity and safety for workers.



**WARNING:** Youngstown's Arc Rated gloves and Leather Protectors do NOT protect against shock or voltage.

## FR GROUND GLOVE

### SKU # 12-3365-60

We took our top selling Ground Glove and lined every part of it with 100% Kevlar® fiber by DuPont™. The result is a heavy duty leather work glove that is cut resistant, puncture resistant, flame resistant and arc rated. Our ergonomic pattern and double layering creates a glove that is comfortable, dexterous and lasts in the field. This highly protective glove is ideal for a wide range of working applications and environments.



### FEATURES AND BENEFITS


- ANSI/ISEA Cut Level A4
- ANSI/ISEA Puncture Level 5
- Flame Resistant per industry standards according to test method ASTM D6413
- OSHA 29 CFR 1926 Compliant
- NFPA 70e-2018 Compliant
- Arc Rating: 37 cal/cm² – ASTM F2675 / F2675M-13
- Ergonomic, 3D pre-curved performance glove pattern for excellent dexterity and comfort
- 18 oz/yd² high quality goat grain leather
- Double layering at palm, saddle, knuckles and fingertips enhances durability and protection
- Double stitched throughout with specialty Coats® thread
- Completely lined throughout with 100% Kevlar® fiber by DuPont™



SKU # 12-3365-60  
SIZES: XS-3XL



Kevlar® Lined



Superior Dexterity



## GROUND GLOVE

### SKU # 12-3265-60

The Ground Glove is Youngstown's most popular leather glove and offers comfort, dexterity and lasting durability. We use extra high quality goatskin leather which has been tanned provide grip, softness and abrasion resistance. The ergonomic, 3D pattern form-fits to the hand for excellent dexterity and fit. We sew a second layer of leather in all of the critical wear areas to enhance the durability. The glove is Arc Rated to 23 cal/cm<sup>2</sup> and is Puncture Level 4.



### FEATURES AND BENEFITS

- ANSI/ISEA Puncture Level 4
- OSHA 29 CFR Part 1926 Compliant
- NFPA 70e-2018 Compliant
- Arc Rating: 23 cal/cm<sup>2</sup> – ASTM F2675 / F2675M-13
- Will not drip, melt or ignite if exposed to sparks or flames
- Ergonomic, 3D pre-curved pattern for excellent dexterity and comfort
- 18 oz/yd<sup>2</sup> high quality goat grain leather
- Double layering at palm, saddle, knuckles and fingertips enhances durability and protection
- Double stitched throughout with specialty Coats® thread



SKU # 12-3265-60  
SIZES: XS-3XL



Double Layer Leather



Superior Dexterity



## FR HI-DEX GLOVE

### SKU # 12-3475-60

The FR Hi-Dex is a streamlined design for maximum dexterity and comfort while still providing cut and flame protection. This glove does not have a second layer of leather on the palm and fingers to allow for a greater tactile feel. The entire glove is lined throughout with 100% Kevlar® fiber by DuPont™. ANSI Cut Level A3, Puncture Level 4, Flame Resistant and Arc Rated to 27 cal.



### FEATURES AND BENEFITS

- ANSI/ISEA Cut Level A3
- ANSI/ISEA Puncture Level 4
- Flame Resistant exceeds industry standards according to ASTM D6413
- OSHA 29 CFR Part 1926
- NFPA 70e-2018 Standard
- Arc Rating: 27 cal/cm<sup>2</sup> According to ASTM F2675-F2675M-13
- Ergonomic, 3D pre-curved Pattern
- 18 oz/yd<sup>2</sup> high quality leather
- Streamlined Design for Dexterity and Comfort
- Completely lined throughout with 100% Kevlar® fiber by DuPont™



SKU # 12-3475-60  
SIZES: XS-3XL



Superior Dexterity



Streamlined Palm

## KNUCKLE BUSTER ANTI-VIBE

### SKU # 11-3210-10

This is an arc rated leather work glove that features both top of hand impact protection and palm side anti-vibration properties. Heavy duty goatskin leather is used throughout the entire glove and sewn into an ergonomic, 3D glove pattern for excellent dexterity and comfort. The palm and knuckle both feature an inner layer of Flame Resistant Gel Padding. This gel dampens vibration and protects against heavy impact. The entire glove is arc rated and will NOT drip, melt or ignite if exposed to sparks or flames.



### FEATURES AND BENEFITS

- ANSI/ISEA Puncture Level 4
- OSHA 29 CFR Part 1926 Compliant
- NFPA 70e-2018 Compliant
- Arc Rated to 23 cal/cm<sup>2</sup> – ASTM F2675 / F2675M-13
- Ergonomic, 3D pattern form-fits to hand for great comfort and dexterity
- High quality goat grain leather used throughout the entire glove
- Double layered goat grain leather palm for lasting durability
- Double stitched throughout with specialty Coats® thread
- FR Gel Padding on top of hand and palm
- Reduces vibration from impact and vibrating tools
- Will NOT drip, melt or ignite if exposed to sparks or flames



SKU # 11-3210-10  
SIZES: S-2XL



Impact Protection



Superior Dexterity

## LEATHER UTILITY PLUS

### SKU # 11-3245-60

Our original performance leather glove designed for superior dexterity and durability to increase comfort, efficiency and safety for workers. Made of high quality goat grain leather and sewn into an ergonomic, 3D glove pattern. Features a double layering in critical wear areas and a 4" safety cuff for enhanced wrist protection.



### FEATURES AND BENEFITS

- ANSI/ISEA Puncture Level 4
- OSHA 29 CFR Part 1926 Compliant
- NFPA 70e-2018 Compliant
- Arc Rating: 20 cal/cm<sup>2</sup> – ASTM F2675 / F2675M-13
- Double layer leather on fingertips, knuckle, saddle and palm for increased protection and durability
- Youngstown's signature Supersaddle extends over index, thumb and across the palm for added durability
- 4" safety cuff for increased wrist protection and climbing
- Ergonomic, 3D pre-curved performance glove pattern for excellent dexterity and comfort
- 18 oz/yd<sup>2</sup> high quality goat grain leather
- Double stitched throughout with specialty Coats® thread
- Will not drip, melt or ignite if exposed to sparks or flames



SKU # 11-3245-60  
SIZES: S-2XL



4" Safety Cuff



Superior Dexterity



# LEATHER UTILITY WIDE-CUFF

## SKU # 11-3255-60

High quality, durable goatskin leather sewn into an ergonomic, 3D performance glove pattern. The glove is extra form-fit for precise dexterity and superior comfort. Features a 5" x 6" safety cuff to promote air flow and breathability while easily fitting over long sleeves. Excellent choice for hot climates. Fast becoming the # 1 lineman rodeo competition glove of choice.



### FEATURES AND BENEFITS

- ANSI/ISEA Puncture Level 4
- OSHA 29 CFR Part 1926 Compliant
- NFPA 70e-2018 Compliant
- Arc Rating: 25 cal/cm<sup>2</sup> – ASTM F2675 / F2675M-13
- Ergonomic, 3D performance pattern form-fits to hand for incredible dexterity and comfort
- 18 oz/yd<sup>2</sup> high quality goat grain leather
- Double layer leather on fingertips, knuckle, saddle and palm for increased protection and durability
- Double stitched throughout with specialty Coats® thread
- 5" x 6" wide cuff promotes air flow
- Will not drip, melt or ignite if exposed to sparks or flames



SKU # 11-3255-60  
SIZES: S-2XL



Double Leather Reinforcement

Superior Dexterity

## FR LEATHER UTILITY WIDE-CUFF

### SKU # 12-3275-60

This gauntlet cuff leather glove is made with 100% Kevlar® fiber by DuPont™ for 360 protection. Like all of our cut resistant models, every part of this glove is lined with Kevlar®. The result is a durable and dexterous work glove that is Cut Level A4, Puncture Level 5, Arc Rated to 25cal/cm² and Flame Resistant. The ergonomic pattern form-fits perfectly to the workers hand to ensure excellent fit and dexterity.



### FEATURES AND BENEFITS

- ANSI/ISEA Cut Level A4
- ANSI/ISEA Puncture Level 5
- Flame Resistant per industry standards according to test method ASTM D6413
- OSHA 29 CFR Part 1926 Compliant
- NFPA 70e-2018 Compliant
- Arc Rating: 25 cal/cm² – ASTM F2675 / F2675M-13
- Ergonomic, 3D pre-curved performance glove pattern for excellent dexterity and comfort
- 18 oz/yd² high quality goat grain leather
- Double stitched throughout with specialty Coats® thread
- 5" x 6" wide cuff fits over sleeves and promotes air flow
- Completely lined throughout with 100% Kevlar® fiber by DuPont™



SKU # 12-3275-60  
SIZES: S-3XL

Kevlar®



Kevlar® Lined



Double Layer Leather

## FR MECHANICS HYBRID

### SKU # 12-3270-80

A rugged, flame resistant, cut resistant and arc rated work glove designed for superior durability, dexterity and comfort. This hybrid model features a goat grain palm that is lined with 100% Kevlar® fiber by DuPont™ for A4 (Palm) and A2 (Top) protection. The top of hand is made of FR Nomex® by DuPont™. This glove will not drip or melt when exposed to flames or sparks, and is ideal for a wide variety of working environments.



### FEATURES AND BENEFITS

- ANSI/ISEA Cut Level A4 (palm) & A2 (top)
- ANSI/ISEA Puncture Level 4 (palm)
- Flame Resistant per industry standards according to test method ASTM D6413
- OSHA 29 CFR Part 1926 Compliant
- NFPA 70e-2018 Compliant
- Arc Rating: 15 cal/cm² – ASTM F2675 / F2675M-13
- Ergonomic, 3D pre-curved performance glove pattern for excellent dexterity and comfort
- Incredible combination of dexterity, comfort and protection
- Slip-fit cuff remains secure while on hand
- Top of hand made with FR Nomex® fiber by DuPont™



SKU # 12-3270-80  
SIZES: XS-3XL



No Drip / No Melt



Superior Dexterity



## SAFETY LIME FR MECHANICS HYBRID

### SKU # 12-2112-10

A flame resistant, cut resistant, puncture resistant and arc flash rated work glove with superior dexterity. It is certified to NFPA 2112 standards for industrial flash fire. A flame resistant goat leather palm along with a brilliant safety lime TenCate TecaSafe® Plus knit fabric on the top of hand. The entire glove is lined throughout with 100% Kevlar® fiber. Reflective fingertips and printing enhance visibility in low light situations. The glove will not drip, melt, or ignite when exposed to flames or sparks.



### FEATURES AND BENEFITS

- ANSI/ISEA Cut Level A2
- ANSI/ISEA Puncture Level 4
- Arc Rating: 14 cal/cm<sup>2</sup> – ASTM F2675 / F2675M-13
- Certified to NFPA 2112 standards for industrial flash fire
- OSHA 29 CFR Part 1926 Compliant
- NFPA 70e-2018 Compliant
- Reflective 3M™ Scotchlite™ promotes high visibility and increased safety awareness in lowlight conditions
- Safety lime TenCate TecaSafe® Plus knit fabric top of hand for heat and flame resistance



SKU # 12-2112-10  
SIZES: S-2XL



Cut Resistant Lining Won't Slip



Superior Dexterity

# FR EMERGENCY GAS GLOVE

## SKU # 12-3390-60

The world's first protective, flame and heat-resistant glove designed specifically for emergency gas operations. The glove is made of the world's finest FR fabrics and features an extended 7" x 8" gauntlet cuff that easily integrates with FR coverall sleeves to ensure total hand, wrist and forearm safety. This groundbreaking glove is flame resistant, heat resistant, cut resistant, anti-static, high visibility and won't shrink during flame exposure.



## FEATURES AND BENEFITS

- ANSI/ISEA Cut Level A3
- Flame Resistant per industry standards according to test method ASTM D6413 and EN 407.1 (Level 4)
- Contact Heat: Palm withstands 482° F for 15 seconds without causing pain or 2nd Degree burn (EN 407.2)
- Convective Heat: Interior of glove withstands heat from a 2,000° F flame for 18 seconds before a 2nd degree burn would occur (EN 407.3)
- Radiant Heat – Interior of glove withstands radiant heat of 572° F for 96 seconds before a 2nd degree burn would occur (EN 407.4)
- Less than 2% shrinkage after 4 seconds of being fully engulfed in a 2 cal/cm<sup>2</sup> flame
- Anti-Static – EN 1149
- Arc Rating: 28 cal/cm<sup>2</sup> – ASTM F2675 / F2675M-13
- Outer shell made of FR Nomex® IIIa by DuPont™
- Palm is made of FR schoeller® works for heat, flame and abrasion resistance
- Thermal layer of FR Nomex® for added thermal protection against heat and flame
- Innermost liner made of 100% Kevlar® fiber by DuPont™ is flame and cut resistant
- Reflective FR 3M™ Scotchlite™ used throughout the top and cuff for increased visibility and awareness
- 7" x 8" gauntlet cuff fits easily over FR coveralls and provides added wrist and forearm protection



SKU # 12-3390-60  
SIZES: S-3XL



Kevlar® Lined



FR Palm made with schoeller®



3M Scotchlite™  
Reflective Material

**SKU # 12-4000-60**

A flame resistant, cut resistant coated palm glove designed for superior grip, dexterity and protection. The proprietary blend of yarns ensures a comfortable feel and flexibility while offering an ANSI/ISEA Cut Level A7 and Puncture Level 4 rated protection. The APG biopolymer fire resistant coating combined with nitrile based chips enhances grip in both wet and dry conditions. Ideal for applications where high levels of dexterity are required along with cut and flame resistance.

**FEATURES AND BENEFITS**

- ANSI/ISEA Cut Level A7
- ANSI/ISEA Puncture Level 4
- Flame Resistant per industry standards according to test method ASTM D6413
- OSHA 29 CFR Part 1926 Compliant
- NFPA 70e-2018 Compliant
- Arc Rating: 8.6 cal/cm<sup>2</sup> – ASTM F2675 / F2675M-13
- Superior dexterity provided by the seamless coated palm glove style
- Nitrile-based blended coating provides superior grip in oily conditions
- Quad-helix advance composite yarn: glass fiber, para-aramid, mod acrylic



Superior Grip in Oily Conditions



Superior Dexterity



SKU # 12-4000-60  
SIZES: S-2XL



# WINTER ARC/FR

## COLD WEATHER PROTECTION SERIES

Youngstown's FR Waterproof Winter Gloves offer great protection from winter weather and job hazards. These models feature a triple layer technology made of a rugged outer glove, waterproof membrane and innermost liner of 100% Kevlar® fiber. We also add varying weights of FR Nomex insulation for added warmth. This combination creates a durable, warm work glove that is also cut, flame and puncture resistant with higher arc ratings.



**WARNING:** Youngstown's Arc Rated gloves and Leather Protectors do NOT protect against shock or voltage.



# FR WATERPROOF ULTIMATE

## SKU # 12-3290-60

The premier winterized, waterproof winter glove with unmatched protection from cold, wet weather and job hazards. Waterproof. Winterization. Flame Resistant. Arc Rated. Cut Resistant. This award-winning glove features an ergonomic, 3D outer shell made of flame and oil resistant cow grain leather. Next is a waterproof and windproof membrane to ensure your hand stays dry. 200g FR Nomex Insulation is added to ensure superior warmth in cold weather as well as thermal protection against flame and heat. Made with 100% Kevlar® fiber by DuPont™ to add a final layer of cut and flame protection. This glove is ideal for anyone facing harsh winter conditions and job hazards.



### FEATURES AND BENEFITS

- FR winterization featuring 200g FR Nomex Insulation for extra warmth
- ANSI/ISEA Cut Level A4
- ANSI/ISEA Puncture Level 4
- Flame Resistant per industry standards according to test method ASTM D6413
- OSHA 29 CFR Part 1926 Compliant
- NFPA 70e-2018 Compliant
- Arc Rating: 55 cal/cm<sup>2</sup> – ASTM F2675 / F2675M-13
- Ergonomic, 3D pre-curved performance glove pattern for excellent dexterity and comfort
- Outer shell made with flame and oil resistant cow grain leather
- Waterproof and windproof inner membrane keeps hands warm and dry conditions
- Completely lined throughout with 100% Kevlar® fiber by DuPont™



SKU # 12-3290-60  
SIZES: XS-3XL

DUPONT  
**Kevlar**



Kevlar® Lined



Waterproof Windproof Winterized



## FR RAIN GLOVE

### SKU # 12-3495-60

This unique work glove is the world's first FR Rain Glove, designed specifically for use in heavy rains. We use special membrane technology that bakes the liner into the outershell of the glove to create a perfect waterproof barrier with no sliding or bunching. Further, the goatskin leather is tanned in a process that makes it water resistance as well so that the rain will not collect on the leather. Made with 100% Kevlar® fiber by DuPont™ to create a highly protective glove. Not only does it keep you dry in heavy rains but it is cut resistant, puncture resistant, flame resistant and Arc Rated to 53 cal/cm².



### FEATURES AND BENEFITS

- ANSI/ISEA Cut Level A2
- ANSI/ISEA Puncture Level 4
- Flame Resistant per industry standards according to test method ASTM D6413
- OSHA 29 CFR Part 1926 Compliant
- NFPA 70e-2018 Compliant
- Arc Rating: 53 cal/cm² – ASTM F2675 / F2675M-13
- Ergonomic, 3D pattern for increased dexterity and comfort
- Sueded reinforcement for durability and greater grip in wet conditions
- Waterproof goat skin outer shell
- Technology to ensure 100% waterproof protection
- Completely lined throughout with 100% Kevlar® fiber by DuPont™



SKU # 12-3495-60  
SIZES: S-3XL



Waterproof



Kevlar® Lined

## FR FLEECE GROUND GLOVE

### SKU # 12-3575-60

Youngstown's FR Fleece Ground Glove is the glove every Ground Glove user should have for colder temps. FR fleece and a soft microfiber liner combine to keep your hands warm and dry during moderate cold climate and work situations. The high quality goat leather is WR-treated leather, with non-treated suede leather patches that maintain and enhance strong grip. The FR Fleece Ground Glove is strategically reinforced at critical wear areas such as the palm, thumb, and forefingers. No bunching or sliding feel with these performance work gloves, they fit securely with a slip-fit cuff. Fit and comfort are a premium, built from Youngstown's ergonomic three-dimensional pattern designed to keep you safer and more productive for longer.



### FEATURES AND BENEFITS

- ANSI Cut Level A2
- ANSI Puncture 3
- Water Resistant Leather
- FR Microfleece Inner Liner
- Flame Resistant per industry standards according to test method ASTM D6413
- OSHA 29 CFR Part 1926 Compliant
- NFPA 70e-2018 Compliant
- Arc Rated 41 cal/cm<sup>2</sup> – ASTM F2675 / F2675M-13
- Ergonomic, 3D pre-curved performance glove pattern for excellent dexterity and comfort
- Ideal for Moderately Colder Temperatures



SKU # 12-3575-60  
SIZES: S-3XL



Water Resistant Leather



No Sliding or Bunching Feel

## FR WATERPROOF GROUND GLOVE

### SKU # 12-3465-60

An FR winterized work glove designed to keep hands warm, dry and protected. The outer shell is made of high quality goat grain leather and sewn into an ergonomic, 3D glove pattern. An inner layer of 3M™ 160g FR Nomex Insulation enhances warmth throughout the work day. The innermost layer is a cut resistant liner made of 100% Kevlar® fiber by DuPont™. The glove is finished with a Kevlar® knit wrist which locks out the cold and snow while comfortable fitting underneath jacket sleeves.



### FEATURES AND BENEFITS

- FR winterization featuring 160g FR Nomex Insulation for extra warmth
- ANSI/ISEA Cut Level A4
- ANSI/ISEA Puncture Level 5
- Flame-Resistant – ASTM F2302 and D6413
- OSHA 29 CFR Part 1926 Compliant
- NFPA 70e-2018 Compliant
- Arc Rating: 72 cal/cm² – ASTM F2675 / F2675M-13
- 18 oz/yd² high quality goat grain leather
- Durable and form-fit outer shell features double layers of goat grain leather in critical wear areas
- Waterproof and windproof to keep hands warm and dry in harsh winter conditions
- Cut-resistant knit cuff made with Kevlar® fiber by DuPont™ fits under sleeves and locks out the cold



SKU # 12-3465-60  
SIZES: S-3XL



Kevlar® Wristlet and Liner



Sueded Leather Reinforcement



## FR WATERPROOF LEATHER UTILITY

### SKU # 11-3285-60

Waterproof and windproof. A winterized leather glove designed for protection against winter weather and job hazards. The outer shell is a double layer of high quality goat grain leather sewn into an ergonomic, 3D glove pattern. A waterproof and windproof membrane ensures your hands stay dry. Made with 100% Kevlar® fiber by DuPont™. This glove features 120g FR Nomex Insulation for added warmth. It is also cut, puncture and flame resistant and arc rated.



### FEATURES AND BENEFITS

- FR winterization featuring 120g FR Nomex Insulation for extra warmth
- ANSI/ISEA Cut Level A4
- ANSI/ISEA Puncture Level 5
- Flame Resistant per industry standards according to test method ASTM D6413
- OSHA 29 CFR Part 1926 Compliant
- NFPA 70e-2018 Compliant
- Arc Rating: 50 cal/cm<sup>2</sup> – ASTM F2675 / F2675M-13
- Ergonomic, 3D pre-curved performance glove pattern for excellent dexterity and comfort
- Sueded reinforcement for durability and greater grip in wet conditions
- Waterproof, windproof inner membrane keeps hands warm and dry
- Completely lined throughout with 100% Kevlar® fiber by DuPont™



SKU # 11-3285-60  
SIZES: S-2XL



Kevlar® Liner



Waterproof Windproof

## FR FLEECE LINER WITH POLARTEC®

### SKU # 12-3565-60

A flame resistant glove liner designed to be worn underneath work gloves and/or rubber electrical gloves for additional warmth and comfort while working in cold conditions. The liner is made of Polartec® Power Dry™ Double Pique Duel Hazard fabric. This unique fabric is inherently flame resistant and arc rated and offers exceptional moisture wicking properties. Thin, stretchy and protective this liner is sewn with the seams on the outside of the glove to further enhance comfort to the worker. While we originally designed this liner for cold weather use more and more customers are using it under their rubber insulating gloves in hot climates. The wicking properties greatly reduces sweat and sliding inside the rubber gloves.



### FEATURES AND BENEFITS

- Made of Polartec® Power Dry® Double Pique Dual Hazard fabric
- Coats™ Proto Plus® Flame Retardant Thread
- Fabric is Arc Rated to 8.6 cal/cm<sup>2</sup>
- Inherently Flame Resistant, will NOT drip, melt or ignite
- Inside-Out Seams for superior comfort
- Thin, form-fit, stretchable and breathable
- Designed to be worn underneath Youngstown's arc rated gloves and/or rubber electrical gloves
- Pair with performance work gloves, leather protectors and rubber insulating gloves for exceptional comfort, temperature regulation, and sweat and moisture migration.



SKU # 12-3565-60  
SIZES: S-2XL



Snug Glove Liner



Sweat Migration



# WINTER NON ARC/FR

## COLD WEATHER PROTECTION SERIES

Youngstown's Waterproof Winter Gloves offer great protection from winter weather without sacrificing dexterity or comfort. These models feature Youngstown's triple layer waterproof technology made of a winterized liner, waterproof membrane and form-fit outer shell. All of these models are built to withstand rugged work applications but they also offer dual functionality for use in winter recreation activities.









## WATERPROOF WINTER PLUS

### SKU # 03-3450-80

Youngstown's original waterproof winter work glove. This was a first of its kind product when introduced in 2003 and it revolutionized the winter work glove market. It is the perfect combination of warmth, dexterity and durability and designed for all-purpose winter work. Features a form-fit, reinforced outer shell, 60g 3M™ Thinsulate™, winterization, waterproof membrane and a soft inner liner. Ideal for countless activities in cold, wet wintry conditions.



### FEATURES AND BENEFITS

- ANSI/ISEA Puncture Level 2
- Shell, 60g 3M™ Thinsulate™
- Soft microfleece liner against the hand for added warmth and comfort
- 100% waterproof, windproof inner membrane keeps hands dry
- Durable and form-fit outer shell maintains dexterity
- Heavy duty non-slip palm reinforcement enhances grip and durability
- Internal knuckle protection on top of hand
- Terry cloth thumb for wiping away sweat and debris (or cold noses)
- Supportive cuff with adjustable Velcro closure locks out cold



SKU # 03-3450-80  
SIZES: S-3XL



Heavy Duty Non-slip



Waterproof Windproof Winterized

## WATERPROOF WINTER XT

### SKU # 11-3460-60

An insulated, waterproof winter work glove designed for abrasion resistance, warmth and comfort in harsh, wet wintry conditions. Features 200g 3M™ Thinsulate™ for added warmth and a waterproof and windproof membrane to keep hands dry. The glove has an extended gauntlet cuff allowing the wearer to tuck his jacket sleeve under the cuff to lock out cold. Designed for winter work, but also works for winter recreation.



### FEATURES AND BENEFITS

- Shell, 200g 3M™ Thinsulate™
- Soft fleece liner keeps hands warm
- 100% waterproof, windproof inner membrane keeps hands dry
- Durable and form-fit outer shell maintains dexterity
- Heavy duty non-slip palm reinforcement enhances grip and durability
- Terry cloth thumb for wiping away sweat and debris (or cold noses)
- Extended gauntlet cuff



Waterproof Windproof Winterized



Extended Cuff



SKU # 11-3460-60  
SIZES: S-2XL



## CUT RESISTANT WATERPROOF WINTER

### SKU # 08-3085-80

Combines Youngstown's cut-resistant and waterproof technologies into one incredible waterproof / windproof / cut resistant performance work glove. The outer shell is a form-fit performance work glove with a flexible, Clarino™ non-slip palm reinforcement. Made with 100% Kevlar® fiber by DuPont™. Next there is a waterproof and windproof membrane to keep hands dry. Next we have 60g 3M™ Scotchlite™ for lasting warmth. Finally, a soft, microfleece liner rests against your hand.



### FEATURES AND BENEFITS

- ANSI/ISEA Cut Level A4
- ANSI/ISEA Puncture Level 3
- Completely lined throughout with 100% Kevlar® fiber by DuPont™
- 60g 3M™ Thinsulate™ keeps hands warm
- 100% Waterproof, windproof inner membrane keeps hands warm and dry
- Clarino™ non-slip palm reinforcement enhances grip and durability
- Terry cloth thumb for wiping away sweat and debris (or cold noses)
- Supportive cuff with adjustable Velcro closure locks out cold



Waterproof Windproof



Lined by Kevlar® Fiber and Warm Microfleece



SKU # 08-3085-80  
SIZES: S-3XL

## SAFETY LIME WATERPROOF WINTER

### SKU # 08-3710-10

High visibility version of Youngstown's top selling Waterproof Winter Plus. This glove is designed to provide warmth, durability and visibility in cold, wet wintry conditions. The durable and form-fit outer shell is highlighted with reflective 3M™ Scotchlite™. The interior of the glove is made with 60g 3M™ Thinsulate™, a Waterproof and Windproof membrane and a warm, microfleece liner.



### FEATURES AND BENEFITS

- 60g 3M™ Thinsulate™ keeps hands warm
- 100% Waterproof, windproof inner membrane keeps hands dry
- Reflective 3M™ Scotchlite™ promotes high visibility and increased safety awareness in lowlight conditions
- High visibility safety lime stretch nylon on back of hand
- Internal knuckle protection on top of hand
- Heavy duty non-slip palm reinforcement enhances grip and durability
- Terry cloth thumb for wiping away sweat and debris (or cold noses)
- Supportive cuff with adjustable Velcro closure locks out cold



Reflective 3M™ Scotchlite™



Waterproof Windproof Winterized




SKU # 08-3710-10

SIZES: S-2XL



# CUT RESISTANT/HI VISIBILITY SPECIALTY SERIES

Youngstown's Hi-Visibility and Cut Resistant gloves are designed for protecting workers from job hazards while still providing all day comfort and dexterity. Our hi-viz models feature reflective 3M™ Scotchlite™ and safety lime coloring. All of the cut resistant models feature a cut and puncture resistant lining. We bond the lining directly to the glove materials so there is no sliding or bunching of materials.





## CUT RESISTANT SAFETY LIME HYBRID

### SKU # 12-3190-10

Very unique, cut resistant, high visibility Hybrid performance work glove. The outer shell is made with a durable goat grain palm and a high-viz stretch nylon top of hand. This combination provides the dexterity of a performance glove with the ruggedness of a leather palm. The entire interior of the glove is lined with cut resistant Kevlar® fiber by DuPont™. The result is one of Youngstown's most dexterous and comfortable cut resistant work gloves.



### FEATURES AND BENEFITS

- ANSI/ISEA Cut Level A3
- ANSI/ISEA Puncture Level 4 (palm)
- Completely lined throughout with 100% Kevlar® fiber by DuPont™
- High visibility safety lime stretch nylon on back of hand
- Palm features high quality goat grain leather
- Slip-fit cuff remains secure while on hand
- Reflective 3M™ Scotchlite™ promotes high visibility and increased safety awareness in lowlight conditions



SKU # 12-3190-10  
SIZES: S-3XL



Reflective 3M™ Scotchlite™

## CR4 HYBRID

### SKU # 12-3194-10

Youngstown's CR4 Hybrid is an ANSI Cut Level A4 and Puncture 5 Hybrid work glove featuring a High Density liner made without steel. The palm is made of a supple and tacky goat grain leather that is treated for water resistance. The top of hand is made of a flexible safety green stretch nylon and features reflective 3M™ Scotchlite™ fingertips to maintain high safety awareness and visibility. The top of the thumb is sewn with a soft terry cloth to comfortably wipe away sweat during long work days. The entire glove is sewn in Youngstown's signature 3-D, ergonomic, pre-curved pattern to ensure great dexterity and comfort.



### FEATURES AND BENEFITS

- Cut Resistant: ANSI/ISEA 105 Level A4
- Puncture Resistant: ANSI/ISEA Level 5
- Completely lined throughout with high-density cut resistant liner for 360° cut protection (no steel)
- Ergonomic, 3D glove pattern form fits to your hand for superior dexterity and comfort
- Water resistant treated goatskin leather palm for great grip and lasting durability
- Terry cloth sweat wipe
- Brilliant safety lime hi-viz coloring
- 3M™ Scotchlite™ reflective fingertips
- Easy on/off slip fit cuff design



SKU # 12-3194-10  
SIZES: S-3XL



Hi-Viz and Reflective



Superior Dexterity

## SKU # 12-3195-10

Youngstown's CR5 Hybrid is an ANSI Cut Level A5 and Puncture 5 Hybrid work glove featuring a High Density liner made without steel. The palm is made of a supple and tacky goat grain leather that is treated for water resistance. The top of hand is made of a flexible safety green stretch nylon and features reflective 3M™ Scotchlite™ fingertips to maintain high safety awareness and visibility. The top of the thumb is sewn with a soft terry cloth to comfortably wipe away sweat during long work days. The entire glove is sewn in Youngstown's signature 3-D, ergonomic, pre-curved pattern to ensure great dexterity and comfort.



### FEATURES AND BENEFITS

- Cut Resistant: ANSI/ISEA 105 Level A5
- Puncture Resistant: ANSI/ISEA Level 5
- Completely lined throughout with high-density cut resistant liner for 360° cut protection (no steel)
- Ergonomic, 3D glove pattern form fits to your hand for superior dexterity and comfort
- Water resistant treated goatskin leather palm for great grip and lasting durability
- Terry cloth sweat wipe
- Brilliant safety lime hi-viz coloring
- 3M™ Scotchlite™ reflective fingertips
- Easy on/off slip fit cuff design



SKU # 12-3195-10  
SIZES: S-3XL



Lasting Durability



WR Goat Grain



CRD-15

SKU # 12-3900-15

A cut resistant and puncture resistant coated palm work glove that is highly dexterous and comfortable. The nitrile foam palm coating offers grip in both wet and dry conditions and is touchscreen compatible. Ideal for applications where cut resistance and high levels of dexterity are required..



FEATURES AND BENEFITS

- ANSI/ISEA Cut Level A4
- ANSI/ISEA Puncture Level 5
- Touchscreen compatible - swipe and text with ease
- Superior comfort - seamless knit shell form-fits like a second skin
- Nitrile foam coating on palm
- Great grip in wet or dry conditions



SKU # 12-3900-15  
SIZES: S-3XL



Touchscreen Capability



Superior Dexterity

## CUT RESISTANT TITAN XT

### SKU # 09-0983-10

Impact, cut and puncture resistant. Anti vibration. High visibility. Designed for total hand protection. The top of hand features TPR impact protection yet remains flexible and allows for easy finger manipulation. The palm side features 5.0mm EVA foam to dampen shock and vibration along with heavy duty, non-slip reinforcement for grip and durability. Made with 100% Kevlar® fiber by DuPont™. The glove rates and ANSI/ISEA Cut Level A5 / Puncture Level 4.



### FEATURES AND BENEFITS

- ANSI/ISEA Cut Level A5
- ANSI/ISEA Puncture Level 4
- Completely lined throughout with 100% Kevlar® fiber by DuPont™
- 5.0mm EVA Foam on palm to dampen vibration
- Extensive TPR top of hand protection
- High visibility safety lime stretch nylon on back of hand
- Reflective 3M™ Scotchlite™ promotes high visibility and increased safety awareness in lowlight conditions



TPR Impact Protection



Kevlar® Lined



SKU # 09-9083-10

SIZES: S-3XL

# CUT RESISTANT GENERAL UTILITY

## SKU # 05-3080-70

One of Youngstown's top selling styles and another Youngstown first to market when introduced in 2005. Our top selling General Utility Plus model is made with 100% Kevlar® fiber by DuPont™. The result is an extra durable and ANSI/ISEA Cut Level A4 / Puncture Level 4 work glove. The outer shell features heavy duty non-slip reinforcement, an adjustable cuff and a terry cloth thumb. This extra tough glove is ideal for a wide range of applications where durability, cut resistance and puncture resistance is a must.



### FEATURES AND BENEFITS

- ANSI/ISEA Cut Level A4
- ANSI/ISEA Puncture Level 4
- Completely lined throughout with 100% Kevlar® fiber by DuPont™
- Internal knuckle protection on top of hand
- Comfortable synthetic suede base layer
- Heavy duty non-slip palm reinforcement enhances grip and durability
- Terry cloth thumb for wiping away sweat and debris
- Supportive cuff with adjustable Velcro closure



SKU # 05-3080-70  
SIZES: S-3XL



Heavy Duty Non-slip

Kevlar® Lined








# GENERAL USE

## ALL SEASON SERIES

Youngstown's legacy line of Plus and XT gloves is where we got our start. These gloves are designed for contractors and weekend warriors who appreciate high quality. All are machine washable and most feature a rugged non-slip palm reinforcement.









# PRO XT

SKU # 03-3050-78

An extra tough performance glove that is built for heavy duty work. The glove features a triple layered palm, extensive non-slip reinforcement and double knuckle protection on the top of hand for all-around protection. Ideal for a wide variety of rugged tasks where lasting durability is required.



## FEATURES AND BENEFITS

- ANSI/ISEA Puncture Level 3
- Accordion-style double knuckle protection
- Heavy duty triple layer palm with non-slip reinforcement enhances grip and durability
- One-piece saddle made of non-slip reinforcement protects critical wear areas
- Double stitched bonded nylon thread for extended life
- Terry cloth thumb for wiping away sweat and debris
- Extended, supportive cuff with Velcro closure also protects wrist bone



SKU # 03-3050-78  
SIZES: S-2XL



Exterior Knuckle Protection

One-piece Saddle

## GENERAL UTILITY PLUS

### SKU # 03-3060-80

All purpose and abrasion resistant, this is the ideal performance work glove. It features non-slip reinforced palm, fingers and saddle for lasting grip and durability. The glove is finished with a supportive cuff and has a terry cloth brow wipe on the thumb.



### FEATURES AND BENEFITS

- Directional top of hand wicks away heat and moisture
- Comfortable synthetic suede base layer
- Non-slip palm reinforcement enhances grip and durability
- Double stitched bonded nylon thread for extended life
- Terry cloth thumb for wiping away sweat and debris
- Supportive Neoprene cuff with adjustable
- Ergonomic, 3D performance glove pattern for excellent dexterity and comfort



SKU # 03-3060-80  
SIZES: S-3XL



Non-slip Palm Reinforcement



Terry Thumb

# HYBRID XT

## SKU # 12-3185-70

All Purpose hybrid model featuring a double-layered goat grain palm and a form-fit synthetic top of hand. The goat grain palm provides a great combination of ruggedness and comfort. The critical wear areas on the fingers and palm are double-layered for greater durability. The top of hand wicks away sweat and moisture to keep your hands cooler and more comfortable. The glove also features a supportive cuff with Velcro closure along with a terry cloth brow wipe on the thumb.



### FEATURES AND BENEFITS

- Double stitched throughout with specialty Coats® thread
- Double layered goat grain palm
- Moisture wicking stretch nylon on the top of hand
- Terry cloth sweat wipe on thumb
- Supportive cuff with Velcro closure
- Wonderful all-purpose work glove for a variety of tasks



SKU # 12-3185-70  
SIZES: S-2XL



Goat Grain Leather



Synthetic Top of Hand



## ANTI-VIBE XT

### SKU # 03-3200-78

A heavy duty performance work glove specifically designed to dampen vibration from impact tools and repetitive motions. The glove features 5.0mm EVA foam on the palm to dampen vibration and an innovative 360° wraparound cuff. This extensive cuff offers incredible wrist support and relieves tension throughout the wrist, forearm, elbow and shoulders. Ideal for any worker who is tasked with the demanding impact from pneumatic tool use, repetitive motions or heavy lifting.



### FEATURES AND BENEFITS

- ANSI/ISEA Puncture Level 2
- 5.0mm EVA foam anti-vibration palm padding
- Signature 360° wrist wrap offers unparalleled support and relieves tension throughout the arm, elbow and shoulder
- Heavy duty non-slip palm reinforcement for lasting durability and grip
- Accordion-style double knuckle protection
- One-piece saddle for grip and protection in this critical wear area
- Terry cloth thumb for wiping away sweat and debris



SKU # 03-3200-78  
SIZES: S-2XL



Anti-Vibe Palm



Exterior Knuckle Protection

# MECHANICS PLUS

## SKU # 06-3020-60

A comfortable, high-dexterity performance work glove featuring a padded, one-layer synthetic suede palm with 4-way stretch nylon top of hand. The glove offers wonderful breathability and comfort and is designed for a wide variety applications where dexterity and comfort are a priority.



Terry Thumb



Touchscreen Compatible

### FEATURES AND BENEFITS

- Touchscreen compatible - swipe and text with ease
- Padded, one-layer synthetic suede palm increases durability without sacrificing dexterity
- Directional top of hand fabric wicks away heat and moisture
- Internal knuckle protection on top of hand
- Terry cloth thumb for wiping away sweat and debris
- Adjustable Velcro closure with ID tag



SKU # 06-3020-60  
SIZES: S-2XL

# CARPENTER PLUS

## SKU # 03-3110-80

Durable performance work glove featuring shortened fingers and thumb for true fingertip dexterity. Ideal for assembly or handling nails, screws, wires and other small items.



### FEATURES AND BENEFITS

- Ultimate fingertip dexterity with shortened index, middle and thumb
- Directional top of hand wicks away heat and moisture
- Heavy duty non-slip palm reinforcement enhances grip and durability
- Reinforced non-slip saddle protects critical wear areas
- Terry cloth thumb for wiping away sweat and debris
- Supportive cuff with adjustable Velcro closure



SKU # 03-3110-80  
SIZES: M-2XL



Ultimate Dexterity



Terry Thumb

## SKU # 12-3180-70

Combines the innovation of advanced synthetic materials with the classic feel of traditional leather on the palm. The palm is made of a specially tanned goatskin that provides excellent grip and durability. The top of hand is made of a heat and moisture wicking stretch nylon designed to keep you cooler and more comfortable throughout the work day. This hybrid model is the best of both worlds and ideal for lighter duty work where comfort, dexterity and breathability are a required.



### FEATURES AND BENEFITS

- Stretch mesh directional top of hand wicks away heat and moisture
- Interior knuckle protection sewn into top of hand
- Comfortable and durable goat grain palm
- Precision sewing promotes superior dexterity and comfort
- Slip-fit cuff for easy on / off
- Ergonomic, 3D glove pattern
- Foam padding in palm for added comfort
- Terry cloth sweat wipe on thumb



Superior Dexterity



Breathable Top of Hand

SKU # 12-3180-70  
SIZES: S-2XL



# POINT-OF-SALE



**WINDOW STICKER**  
SKU # WINDOWSTICKER



**SIGN HOLDER** SKU # 109  
23.5" x 5" x 7.5"



**FLOOR DISPLAY** SKU # 115  
DOUBLE-SIDED to hold up to 144 Pairs  
30" x 71" x 22.25"



**FOUR-INCH STICKER**



**3' X 3' BANNER**  
SKU # 106



**COUNTER DISPLAY** SKU # 101  
Holds 24 Pairs of Gloves  
Also can be hung on Pegboard or Slatwall  
19" x 20" x 11.5"



**HANGING DISPLAY** SKU # 101  
Holds 48 Pairs  
19" x 35" x 11.5"

# ACCESSORIES



**GLOVE CLIP**  
SKU # GLOVECLIP



**AIRLOOP**  
SKU # 212-01



**BALL CAP**  
SKU # 03-1285-80-B



**16" LINEMAN BAG**  
SKU # 210-16



**YOUNGSTOWN  
BLACK SHIRT**  
SKU # 300-B



**YOUNGSTOWN  
YELLOW SHIRT**  
SKU # 300-Y

At Youngstown Glove Company our Mission is to make the very best in technical hand protection. We are unwavering in our commitment to superior craftsmanship, superb quality and excellent customer service. We were founded in 2002 with a small line-up of performance work gloves. Today, we offer over 45 styles of work gloves that exceed the demanding needs of professional workers. Every Youngstown style that is developed goes through extensive testing - both in the laboratory and in the field - prior to making it to our customers. Our thorough testing, proven patterns, innovative materials and meticulous quality control ensure that Youngstown is truly #1 in Durability.

---



***#1 IN DURABILITY***

Tel: 800-680-7177 or 818-889-4588

Fax: 818-889-4598 | [info@ytgloves.com](mailto:info@ytgloves.com)

[www.ytgloves.com](http://www.ytgloves.com)

The Coats Logo, COATS™, and Nymo® thread is owned or used under license by Coats Group plc or other members of the Coats Group of companies. | Clarino™ man-made leather is manufactured by Kuraray Co., Ltd. | The DuPont Oval Logo, DuPont™, and Kevlar® are registered trademarks or trademarks of E.I. du Pont de Nemours and Company or its affiliates | POLARTEC® is a trademark of Polartec, LLC. | Scotchlite™ and Thinsulate™ are registered trademarks of 3M™ | schoeller® is a registered trademark of Schoeller Textil AG, Switzerland