

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : Epoxy Damp Primer PART B - Clear
UFI : GW20-3046-X00S-W1CQ

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

No additional information available

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Britannia Paints Limited
Unit 7 and 8 King Street Trading Est
CW10 9LF Middlewich – Cheshire
United Kingdom
T 01606 834015 - F 01606 837006
sales@britanniapaints.co.uk - www.britanniapaints.co.uk

1.4. Emergency telephone number

Emergency number : 01606 834015 (Mon – Fri 08:30 – 16:30 only)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

| | |
|---|------|
| Acute toxicity (oral), Category 4 | H302 |
| Acute toxicity (inhalation:dust,mist) Category 4 | H332 |
| Skin corrosion/irritation, Category 1, Sub-Category 1B | H314 |
| Serious eye damage/eye irritation, Category 1 | H318 |
| Skin sensitisation, Category 1 | H317 |
| Reproductive toxicity, Category 2 | H361 |
| Hazardous to the aquatic environment — Chronic Hazard, Category 3 | H412 |

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05

GHS07

GHS08

Signal word (CLP) :

Danger

Contains :

Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine, Phenol, 4,4'-(1-methylethylidene)bis-, polymer with 5-amino-1,3,3-trimethylcyclohexanemethanamine and (chloromethyl)oxirane, benzyl alcohol, BISPHENOL A, m-phenylenebis(methylamine), N,N-dimethyl-1,3-diaminopropane, 2,4,6-tris(dimethylaminomethyl)phenol, BENZYL ALCOHOL

Epoxy Damp Primer PART B - Clear

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| | |
|--------------------------------|---|
| Hazard statements (CLP) | : H302+H332 - Harmful if swallowed or if inhaled. H314 - Causes severe skin burns and eye damage. H317 - May cause an allergic skin reaction. H361 - Suspected of damaging fertility or the unborn child. H412 - Harmful to aquatic life with long lasting effects. |
| Precautionary statements (CLP) | : P201 - Obtain special instructions before use. P202 - Do not handle until all safety precautions have been read and understood. P260 - Do not breathe dust/fume/gas/mist/vapours/spray. P264 - Wash hands, forearms and face thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P271 - Use only outdoors or in a well-ventilated area. P272 - Contaminated work clothing should not be allowed out of the workplace. P273 - Avoid release to the environment. P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. P301+P312 - IF SWALLOWED: Call a POISON CENTRE or doctor if you feel unwell. P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P302+P352 - IF ON SKIN: Wash with plenty of water. P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water . P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308+P313 - IF exposed or concerned: Get medical advice/attention. P310 - Immediately call a POISON CENTER or doctor. P312 - Call a POISON CENTRE or doctor if you feel unwell. P321 - Specific treatment (see supplemental first aid instruction on this label). P330 - Rinse mouth. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse. P405 - Store locked up. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. |

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---|--|-----------|---|
| m-phenylenebis(methylamine) | CAS-No.: 1477-55-0 EC-No.: 216-032-5 REACH-no: 01-2119480150-50 | 17.5 – 30 | Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Skin Corr. 1B, H314 Skin Sens. 1B, H317 Aquatic Chronic 3, H412 |
| Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine | CAS-No.: 68082-29-1 EC-No.: 500-191-5 REACH-no: 01-2119972320-44 | 12.5 – 25 | Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Chronic 2, H411 |

Epoxy Damp Primer PART B - Clear

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|--|--|------------|--|
| Phenol, 4,4'-(1-methylethylidene)bis-, polymer with 5-amino-1,3,3-trimethylcyclohexanemethanamine and (chloromethyl)oxirane | CAS-No.: 38294-64-3 | 12.5 – 25 | Skin Corr. 1B, H314 Skin Sens. 1, H317 Aquatic Chronic 3, H412 |
| BISPHENOL A substance listed as REACH Candidate substance with national workplace exposure limit(s) (GB); substance identified as having endocrine disrupting properties | CAS-No.: 80-05-7 EC-No.: 201-245-8 EC Index-No.: 604-030-00-0 | 7.5 – 20 | Eye Dam. 1, H318 Skin Sens. 1, H317 Repr. 2, H361 STOT SE 3, H335 |
| BENZYL ALCOHOL | CAS-No.: 100-51-6 EC-No.: 202-859-9 EC Index-No.: 603-057-00-5 | 5 – 15 | Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 |
| benzyl alcohol | CAS-No.: 100-51-6 EC-No.: 202-859-9 EC Index-No.: 603-057-00-5 | 5 – 12.5 | Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Oral), H302 |
| N,N-dimethyl-1,3-diaminopropane | CAS-No.: 109-55-7 EC-No.: 203-680-9 EC Index-No.: 612-061-00-6 REACH-no: 01-2119486842-27 | 1.25 – 2.5 | Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Skin Sens. 1, H317 |
| 2,4,6-tris(dimethylaminomethyl)phenol | CAS-No.: 90-72-2 EC-No.: 202-013-9 EC Index-No.: 603-069-00-0 REACH-no: 01-2119560597-27 | 1.25 – 2.5 | Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Skin Irrit. 2, H315 |

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|---------------------------------------|--|
| First-aid measures general | : IF exposed or concerned: Get medical advice/attention. Never give anything by mouth to an unconscious person. |
| First-aid measures after inhalation | : Remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Give oxygen or artificial respiration if necessary. |
| First-aid measures after skin contact | : Take off contaminated clothing. Gently wash with plenty of soap and water. |
| First-aid measures after eye contact | : Remove contact lenses, if present and easy to do. Continue rinsing. Rinse immediately with plenty of water. Get medical advice/attention. |
| First-aid measures after ingestion | : If swallowed, seek medical advice immediately and show this container or label. Do not induce vomiting. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|-------------------------------------|-------------------------------------|
| Symptoms/effects after inhalation | : May cause respiratory irritation. |
| Symptoms/effects after skin contact | : May cause moderate irritation. |
| Symptoms/effects after eye contact | : May cause eye irritation. |
| Symptoms/effects after ingestion | : May be harmful if swallowed. |

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Epoxy Damp Primer PART B - Clear

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO₂). Water spray.
Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

- Hazardous decomposition products in case of fire : Carbon dioxide. Carbon monoxide.

5.3. Advice for firefighters

- Firefighting instructions : Do not enter fire area without proper protective equipment, including respiratory protection. Evacuate area. Get the package away from the fire if this can be done without risk. Use water spray or fog for cooling exposed containers.
Protection during firefighting : Use self-contained breathing apparatus and chemically protective clothing. Wear fire/ flame resistant/retardant clothing. EN 469.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

- Protective equipment : Wear recommended personal protective equipment.
Emergency procedures : Act in accordance with local emergency plan. Evacuate unnecessary personnel. Do not touch or walk on the spilled product. Notify fire brigade and environmental authorities.

6.1.2. For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment.

6.2. Environmental precautions

Do not allow product to spread into the environment. Do not allow to enter drains or water courses. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

- For containment : Contain large spillage with sand or earth.
Methods for cleaning up : This material and its container must be disposed of in a safe way, and as per local legislation.

6.4. Reference to other sections

For further information refer to section 13. For further information refer to section 8: "Exposure controls/personal protection".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.
Precautions for safe handling : Avoid contact with skin and eyes. Use personal protective equipment as required.
Hygiene measures : Do not eat, drink or smoke when using this product. Take off immediately all contaminated clothing and wash it before reuse. Wear personal protective equipment.

7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Store in a well-ventilated place. Keep cool. Keep container closed when not in use. Direct sunlight.
Incompatible products : Oxidizing agent. Strong bases. Strong acids.

7.3. Specific end use(s)

No additional information available

Epoxy Damp Primer PART B - Clear

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

| BISPHENOL A (80-05-7) | |
|---|---------------------------------------|
| United Kingdom - Occupational Exposure Limits | |
| Local name | Bisphenol A |
| WEL TWA (OEL TWA) [1] | 2 mg/m ³ |
| Regulatory reference | EH40/2005 (Fourth edition, 2020). HSE |

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure that there is a suitable ventilation system. Provide adequate ventilation to minimize dust concentrations.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Chemical goggles or safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Chemical resistant safety shoes

| Hand protection | | | | | |
|-------------------|----------------------|-------------------|----------------|-------------|----------|
| Type | Material | Permeation | Thickness (mm) | Penetration | Standard |
| Disposable gloves | Nitrile rubber (NBR) | 6 (> 480 minutes) | | | EN 374-3 |

8.2.2.3. Respiratory protection

Respiratory protection:

Where exposure through inhalation may occur from use, respiratory protection equipment is recommended

| Respiratory protection | | | |
|------------------------|-------------|-----------------|----------|
| Device | Filter type | Condition | Standard |
| Disposable half mask | Type P2 | Dust protection | EN 143 |

Epoxy Damp Primer PART B - Clear

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Do not exceed the occupational exposure limits (OEL). Avoid creating or spreading dust.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|---|---------------------|
| Physical state | : Liquid |
| Colour | : clear. |
| Odour | : No data available |
| Odour threshold | : No data available |
| pH | : No data available |
| Relative evaporation rate (butylacetate=1) | : No data available |
| Melting point | : No data available |
| Freezing point | : No data available |
| Boiling point | : No data available |
| Flash point | : No data available |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Flammability (solid, gas) | : No data available |
| Vapour pressure | : No data available |
| Relative vapour density at 20 °C | : No data available |
| Relative density | : No data available |
| Solubility | : No data available |
| Partition coefficient n-octanol/water (Log Pow) | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| Explosive properties | : No data available |
| Oxidising properties | : No data available |
| Explosive limits | : No data available |

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions of use.

10.3. Possibility of hazardous reactions

None under normal use.

10.4. Conditions to avoid

Extremely high or low temperatures.

10.5. Incompatible materials

Oxidizing agent. Strong acids. Strong bases.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Epoxy Damp Primer PART B - Clear

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity (oral) : Harmful if swallowed.
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Harmful if inhaled.

| Epoxy Damp Primer PART B - Clear | |
|----------------------------------|---------------------------|
| ATE CLP (oral) | 1075.269 mg/kg bodyweight |
| ATE CLP (dust,mist) | 3.409 mg/l/4h |

Fatty acids, C18-unsatd., dimers,oligomeric reactionproducts with tall-oil fatty acids andtriethylenetetramine (68082-29-1)

| | |
|-----------------|--------------|
| LD50 oral rat | > 2000 mg/kg |
| LD50 dermal rat | > 2000 mg/kg |

m-phenylenebis(methylamine) (1477-55-0)

| | |
|-----------------------|--------------|
| LD50 oral rat | 930 mg/kg |
| LD50 dermal rabbit | > 3100 mg/kg |
| LC50 Inhalation - Rat | 1.34 mg/l |

Skin corrosion/irritation : Causes severe skin burns.
Serious eye damage/irritation : Causes serious eye damage.
Respiratory or skin sensitisation : May cause an allergic skin reaction.
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Suspected of damaging fertility or the unborn child.
STOT-single exposure : Not classified

BISPHENOL A (80-05-7)

| | |
|----------------------|-----------------------------------|
| STOT-single exposure | May cause respiratory irritation. |
|----------------------|-----------------------------------|

STOT-repeated exposure : Not classified
Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified
Hazardous to the aquatic environment, long-term (chronic) : Harmful to aquatic life with long lasting effects.
Not rapidly degradable

Fatty acids, C18-unsatd., dimers,oligomeric reactionproducts with tall-oil fatty acids andtriethylenetetramine (68082-29-1)

| | |
|----------------------|-----------|
| LC50 - Fish [1] | 10 mg/l |
| EC50 - Crustacea [1] | 10 mg/l |
| EC50 72h - Algae [1] | 4.34 mg/l |

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

Epoxy Damp Primer PART B - Clear

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

Component

| | |
|-----------------------|---|
| BISPHENOL A (80-05-7) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |
|-----------------------|---|

12.6. Other adverse effects

No additional information available






SECTION 13: Disposal considerations

13.1. Waste treatment methods

| | |
|--|---|
| Waste treatment methods | : Must follow special treatment according to local regulation. |
| Product/Packaging disposal recommendations | : Dispose in a safe manner in accordance with local/national regulations. |

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

| ADR | IMDG | IATA | ADN | RID |
|---|---|---|---|---|
| 14.1. UN number | | | | |
| UN 2735 | UN 2735 | UN 2735 | UN 2735 | UN 2735 |
| 14.2. UN proper shipping name | | | | |
| AMINES, LIQUID, CORROSIVE, N.O.S. (m-phenylenebis(methylamine)) | AMINES, LIQUID, CORROSIVE, N.O.S. (m-phenylenebis(methylamine)) | Amines, liquid, corrosive, n.o.s. (m-phenylenebis(methylamine)) | AMINES, LIQUID, CORROSIVE, N.O.S. (m-phenylenebis(methylamine)) | AMINES, LIQUID, CORROSIVE, N.O.S. (m-phenylenebis(methylamine)) |
| Transport document description | | | | |
| UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (m-phenylenebis(methylamine)), 8, II, (E) | UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (m-phenylenebis(methylamine)), 8, II | UN 2735 Amines, liquid, corrosive, n.o.s. (m-phenylenebis(methylamine)), 8, II | UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (m-phenylenebis(methylamine)), 8, II | UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (m-phenylenebis(methylamine)), 8, II |
| 14.3. Transport hazard class(es) | | | | |
| 8 | 8 | 8 | 8 | 8 |
|  |  |  |  |  |
| 14.4. Packing group | | | | |
| II | II | II | II | II |
| 14.5. Environmental hazards | | | | |
| Dangerous for the environment: No | Dangerous for the environment: No Marine pollutant: No | Dangerous for the environment: No | Dangerous for the environment: No | Dangerous for the environment: No |
| No supplementary information available | | | | |


Epoxy Damp Primer PART B - Clear

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.6. Special precautions for user

Overland transport

| | |
|---|---|
| Classification code (ADR) | : C7 |
| Special provisions (ADR) | : 274 |
| Limited quantities (ADR) | : 1I |
| Excepted quantities (ADR) | : E2 |
| Packing instructions (ADR) | : P001, IBC02 |
| Mixed packing provisions (ADR) | : MP15 |
| Portable tank and bulk container instructions (ADR) | : T11 |
| Portable tank and bulk container special provisions (ADR) | : TP1, TP27 |
| Tank code (ADR) | : L4BN |
| Vehicle for tank carriage | : AT |
| Transport category (ADR) | : 2 |
| Hazard identification number (Kemler No.) | : 80 |
| Orange plates | :  |
| Tunnel restriction code (ADR) | : E |
| EAC code | : 2X |

Transport by sea

| | |
|------------------------------------|--|
| Special provisions (IMDG) | : 274 |
| Limited quantities (IMDG) | : 1 L |
| Excepted quantities (IMDG) | : E2 |
| Packing instructions (IMDG) | : P001 |
| IBC packing instructions (IMDG) | : IBC02 |
| Tank instructions (IMDG) | : T11 |
| Tank special provisions (IMDG) | : TP1, TP27 |
| EmS-No. (Fire) | : F-A |
| EmS-No. (Spillage) | : S-B |
| Stowage category (IMDG) | : A |
| Segregation (IMDG) | : SGG18, SG35 |
| Properties and observations (IMDG) | : Colourless to yellowish liquids or solutions with a pungent odour. Miscible with or soluble in water. When involved in a fire, evolve toxic gases. Corrosive to most metals, especially to copper and its alloys. Reacts violently with acids. Cause burns to skin, eyes and mucous membranes. |

Air transport

| | |
|--|------------|
| PCA Excepted quantities (IATA) | : E2 |
| PCA Limited quantities (IATA) | : Y840 |
| PCA limited quantity max net quantity (IATA) | : 0.5L |
| PCA packing instructions (IATA) | : 851 |
| PCA max net quantity (IATA) | : 1L |
| CAO packing instructions (IATA) | : 855 |
| CAO max net quantity (IATA) | : 30L |
| Special provisions (IATA) | : A3, A803 |
| ERG code (IATA) | : 8L |

Inland waterway transport

| | |
|-----------------------------------|----------|
| Classification code (ADN) | : C7 |
| Special provisions (ADN) | : 274 |
| Limited quantities (ADN) | : 1 L |
| Excepted quantities (ADN) | : E2 |
| Carriage permitted (ADN) | : T |
| Equipment required (ADN) | : PP, EP |
| Number of blue cones/lights (ADN) | : 0 |

Rail transport

| | |
|---------------------------|------|
| Classification code (RID) | : C7 |
|---------------------------|------|

Epoxy Damp Primer PART B - Clear

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| | |
|---|---------------|
| Special provisions (RID) | : 274 |
| Limited quantities (RID) | : 1L |
| Excepted quantities (RID) | : E2 |
| Packing instructions (RID) | : P001, IBC02 |
| Mixed packing provisions (RID) | : MP15 |
| Portable tank and bulk container instructions (RID) | : T11 |
| Portable tank and bulk container special provisions (RID) | : TP1, TP27 |
| Tank codes for RID tanks (RID) | : L4BN |
| Transport category (RID) | : 2 |
| Colis express (express parcels) (RID) | : CE6 |
| Hazard identification number (RID) | : 80 |

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains a substance on the REACH candidate list in concentration $\geq 0.1\%$ or with a lower specific limit: BISPHENOL A (EC 201-245-8, CAS 80-05-7)

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of H- and EUH-statements:

| | |
|---------------------------|---|
| Acute Tox. 4 (Inhalation) | Acute toxicity (inhal.), Category 4 |
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 |
| Aquatic Chronic 2 | Hazardous to the aquatic environment — Chronic Hazard, Category 2 |
| Aquatic Chronic 3 | Hazardous to the aquatic environment — Chronic Hazard, Category 3 |
| Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 |
| Flam. Liq. 3 | Flammable liquids, Category 3 |
| H226 | Flammable liquid and vapour. |
| H302 | Harmful if swallowed. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |

Epoxy Damp Primer PART B - Clear

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Full text of H- and EUH-statements: | |
|-------------------------------------|--|
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H332 | Harmful if inhaled. |
| H335 | May cause respiratory irritation. |
| H361 | Suspected of damaging fertility or the unborn child. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |
| Repr. 2 | Reproductive toxicity, Category 2 |
| Skin Corr. 1B | Skin corrosion/irritation, Category 1, Sub-Category 1B |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 |
| Skin Sens. 1 | Skin sensitisation, Category 1 |
| Skin Sens. 1A | Skin sensitisation, category 1A |
| Skin Sens. 1B | Skin sensitisation, category 1B |
| STOT SE 3 | Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation |

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.