



Product Brochure

HABIT Hand Dryers



Ontwerpers van een beter leefklimaat

Hoofdkantoor & showroom

Pesetastraat 80

2988 CN Ridderkerk

0180 642070

info@habitatsolutions.eu

Habit Airflow mini



Future proof design with UV-coating, more air flow, high speed drying.

The Habit Airflow mini gives great value at a great price.

The high quality finish is protected by a UV-coating which incorporates antimicrobial protection and has a very robust IK10 rating. The sleek and modern compact design allows for outstanding hand drying performance and energy efficiency.

Compatible with our Airflow Docking Station,

Recommended usage:
Low and Medium

 IONPURE
Antimicrobial Dryer Cover

 High Gloss UV
Anti-Scratch Coating

 Compact

 IK Rating: IK10

 High-Speed Drying

 Plug & Play®

 P-Docking station compatible

Available Colours:



Product codes:

Habit Airflow mini - White

Habit Airflow mini - Black

Habit Airflow mini - Satin

Technical Specifications	
Voltage	220/240v /50 Hz
Rated Power	800w
Net Weight	1.78kg
D x W x H	134 x 230 x 264mm
Noise level	70dB at 1m
Cover material	Fireproof 94VO, ABS
Air Flow	96 m/s

Electrical Specifications	
Rated Current	4.0A
Motor Speed	30,000RPM
Heating Element	400W
Sensing Distance	15-25cms
Standby Power Consumption	< 0.5w
Drying Time	10-12 seconds



Drying time
(seconds)



Warranty
(years)



Cycles
(1000 hours)



Carbon Emission (kg)
(per year) **

Safety Features

Motor Protection
Thermal Element protection



* Based on an average of 150 uses per day over 365 days per year

BETTER



Comes with the
Habit Airflow
Docking Station.

HABIT Hand Dryers

Habit Airflow-UV



Available Colours:   

Technical Specifications	
Voltage	220/240v /50Hz
Rated Power	720w
Rated Power (Quiet mode)	130w
Net Weight	2.8kg
D x W x H	145 x 270 x 322mm
Noise level	72dB at 1m
Noise level (Quiet mode)	67dB at 1m
Cover material	Fireproof 94VO, ABS
Airflow	96 m/s
Airflow (Quiet mode)	65 m/s

Electrical Specifications	
Rated Current	4.0A
Motor Speed	30,000RPM
Heating Element (Switchable)	Off/400W
Sensing Distance	10-25cm
Standby Power Consumption	< 0.5w
Drying Time	10-12 seconds

The Habit Airflow-UV removes 99.9% of bacteria and viruses. In & around the Hand Dryer.

The airflow-UV has an ION particle generation which clears the local air. This incorporates our Advanced Hygienic Protocol.

TUV accredited, the Habit Airflow-UV benefits from intelligent Air Clean filtration (H13), UV-C light hygienic protocol. The cover is a IONPURE antimicrobial dryer cover.

Compatible with our Airflow Docking Station.












Recommended usage:
Low, Medium and High

Product codes:

Habit Airflow-UV - White

Habit Airflow-UV - Black

Habit Airflow-UV - Satin

-  Air Clean H13 Filter (Optional extra, sold separately)
-  UV Light Hygienic Protocol
-  Local air cleaning
-  Ion Generation
-  Quiet Mode
-  TUV Accredited
-  Brushless Motor
-  High-Speed Drying
-  IONPURE Antimicrobial Dryer Cover
-  Plug & Play®
-  P-Docking station compatible

Safety Features

- Motor Protection
- Thermal Element protection

10
12

Drying time
(seconds)

3

Warranty
(years)

1,5
million

Cycles
(1000 hours)

123

Carbon Emission (kg)
(per year) **



* Based on an average of 150 uses per day over 365 days per year

BEST



**Comes with the
Habit Airflow
Docking Station.**

HABIT Hand Dryers

Habit Airflow Docking Station

The Habit Airflow Docking Station allows for Plug & Play® integration.



Once installed, the Docking Station becomes the fit and forget product, allowing any of our Plug & Play® hand dryers to be easily installed, serviced or replaced within seconds.

Our docking station is simple to use and once installed can be operated by anyone; No electrical training required - Managing your hand dryer requirements has never been so easy.

The Airflow Docking Station is made from a material that gives outstanding durability, rigidity, abrasion resistance and thermal dimensional stability.

Fits with:

Airflow-UV



Airflow Mini



Easy Fit



Robust



Multi Product Feature



Compact




Plug & Play®



P-Docking station compatible



Airflow-UV
270mm x 320mm



Docking Station
196mm x 115mm

Airflow mini
230mm x 264mm

HABIT Hand Dryers

Habit Airflow F1



Available Colours:



Hand drying in 6 to 8 seconds. The only hand dryer certified with Microban antimicrobial technology.

12 Blades of air strategically placed, with water collection as standard.
The Airflow F1 is available in White and Black.

Microban antimicrobial protection is impregnated at the manufacturing stage, to inhibit growth of bacteria, mould and mildew. Microban treated products are tested for their efficiency in accordance with internationally recognised standards..

Recommended usage:
Low, Medium and High

Product codes:





Habit Airflow F1 - White

Habit Airflow F1 - Black

Habit Airflow F1 - Colors : On-demand *

Technical Specifications	
Voltage	220-240
Power output	1760w
Net Weight	9.55kg
D x W x H	195 x 305 x 615mm
Noise level	75dB at 1m
Cover material	ABS Polymer

Electrical Specifications	
Rated Current	8.0A
Motor Speed	30,000 RPM
Heating Element	N/A no element
Sensing Distance	N/A hands in
Standby Power Consumption	1w
Drying Time	6-8 seconds



Drying time
(seconds)



Warranty
(years)



Cycles
(1000 hours)



Carbon Emission (kg)
(per year) **

Safety Features
Motor Protection



* Ask for estimated delivery time

** Based on an average of 150 uses per day over 365 days per year

BEST




MICROBAN[®]
ANTIMICROBIAL TECHNOLOGY

HABIT Hand Dryers

Habit Guard

The antibacterial hand dryer backboard.



Habit Guard is a lightweight antibacterial backboard that protects walls and assists with reducing the spread of bacteria, maintaining a cleaner and safer washroom environment for users. It also covers old holes in the wall

Habit Guard antibacterial additive prevents bacteria surviving. Our formulation is proven to kill 99.9% of almost all species of bacteria including CDIFF, MRSA, E.Coli, Listeria and Klebsiella, and reduces risk of infection. Air Guard is compatible with all of our hand dryers and continues to work for up to 10 years. It is also moisture resistant, non staining and flame retardant.

Approved by:

- FDA (Food and Drug Administration)
- HSE (Health and Safety Executive)
- EPA (Environmental Protection Agency)
- BPR (Biocidal Products Regulation)


Product codes:

Habit Guard - Large - White

Habit Guard - Large - Grey

Habit Guard - Medium - White

Habit Guard - Medium - Grey



Available Colours:



Technical Specifications

AIRGUARD Large	
Dimensions (L x W x D)	900 x 347 x 2mm
Colours available	White or Grey

AIRGUARD Medium	
Dimensions (L x W x D)	600 x 300 x 2mm
Colours available	White or Grey




Air Clean H13 Filters, Air Screen

Air Clean H13 Filter Replacement

Need an Air Clean H13 Filter replacement for your dryer?
No problem. Contact us and we can organise getting you a fresh one once the time comes to replace.

Airflow UV
3x Air Clean H13 Filter




Airflow F1
1x set Air Clean H13 Filter



Air Screen (Airflow F1)

A Premium fragrance that neutralizes odors and releases a premium fragrance which lasts 30 days.
The Air Screen functions with airflow from the hand-dryer.



Fragrances:
Mango
Ocean Mist
Single Packed: Box of 25 pcs.



habitat **Solutions**

Ontwerpers **van een beter leefklimaat**

Hoofdkantoor & showroom

Pesetastraat 80
2988 CN Ridderkerk
0180 642070
info@habitatsolutions.eu