

Product Catalogue 2022/2023



# Contents

Nero 1500	3-4
Nero 780	5-6
Nero 780S	7-8
Ethos Landscape	9-10
Ethos Portrait	11-12
Ethos Super Portrait	13-14
Ethos 550	15-16
Ethos 400	17-18
Ethos 3S	19-20
Ethos 400 Stove	21-22
Evora	23-24
Evora 4-sided	25-26
Vantage	27-28
Vantage 4-sided	29-30
Virage	31-32
Virage 4-sided	33-34
Spirit	35-36
Spirit Superslim	37-38
Mirage	39-40
Sintra	41-42
Heritage	43-44
Wraith	45-46
The Garden Cube	47-48
Legends of Instagram	49-50
Technical Specifications	51-52
Options	53-54

# Quality, style and choice are our hallmarks.









Legend Fires was established in 1996 and has become one of the leading names in the development and manufacture of living flame gas appliances, electric media wall fires & outdoor wood burners.

Situated close to the Ribble Valley, an area of outstanding natural beauty, Legend has an unrivalled manufacturing and service reputation in the gas appliance industry. Quality, style and choice is our 'ethos' and we only supply dedicated fireplace retailers who can offer you a similar service. At Legend, we understand that everyone is individual. We have designed our products to be as bespoke to the individual as possible. We are extremely proud that we design, produce and assemble at our headquaters based in Lancashire.

"A vast selection of control, frame and fuel options are available and are featured in the website making the Legend Fires range of products one of the most versatile on the market today. We strongly believe our responsibility to our product does not end once it has left our factory. At Legend, we pride ourselves on our after sales and customer support, we firmly believe that this support, is the best in the industry. If you have any technical enquiries with regard to any of our products and services, please feel free to call our sales team, who will be willing and able to answer your questions."

John Stone and Susan Calvert Directors

# **NERO 1500**

## Configurations

1 sided, 2 sided, 3 sided


## Fuel Bed Options


REAL logs, ceramic logs

## Control Options

Remote control

## **Technical Drawings**





Scan the QR code below to order your **FREE** NERO 1500 template





# **NERO 780**

Fuel Type

Electric

Configurations


1 sided, 2 sided, 3 sided


Fuel Bed Options

REAL logs, ceramic logs

**Control Options** 

Remote control









# **NERO 780 SLIMLINE**

Fuel Type

Electric

Configurations


1 sided, 2 sided, 3 sided


Fuel Bed Options

REAL logs

**Control Options** 

Remote control









# **ETHOS LANDSCAPE**

Fuel Type

Gas (NG)

Flue Type

Conventional Flue

Fuel Bed Options

Logs, Split Logs

**Control Options** 

Remote control

#### Frames

Profile Satin, Profile Bronze, Profile Black, Frameless Edge Kit, Landscape Black, Black Nickel

## **Interior Options**


Natural, Black, Brick, Black Glass

#### Accessories


Mains Adaptor

## **Technical Drawings**





INPUT	ОИТРИТ	EFFICIENCY	ENERGY RATING
6.0kW	4.71kW	87.2%	C A





# **ETHOS PORTRAIT**

Fuel Type

Gas (NG)

Flue Type

Conventional Flue

Fuel Bed Options

Logs, Split Logs

**Control Options** 

Remote control

Frames

Frameless Edge Kit, Flat Black

**Interior Options** 


Natural, Black, Brick, Black Glass

Accessories

Mains Adaptor

## **Technical Drawings**





INPUT	OUTPUT	EFFICIENCY	ENERGY RATING
7.4kW	5.48kW	82.3%	D A





# **ETHOS SUPER PORTRAIT**

Fuel Type

Gas (NG)

Flue Type

Conventional Flue

Fuel Bed Options

Logs, Split Logs

**Control Options** 

Remote control

**Interior Options** 

Natural, Black, Brick, Black Glass

Accessories

Mains Adaptor

## **Technical Drawings**





INPUT	OUTPUT	EFFICIENCY	ENERGY RATING
7.4kW	5.2kW	82.3%	D G





# **ETHOS 550**

Fuel Type

Gas (NG)

Flue Type

Conventional Flue

Fuel Bed Options

Logs, Split Logs

Control Options

Remote control

Frames

Profile Black, Frameless Edge Kit, Landscape Black, Black Nickel


**Interior Options** 


Natural, Black, Brick, Black Glass

Accessories

Mains Adaptor

## **Technical Drawings**





INPUT	OUTPUT	EFFICIENCY	ENERGY RATING
5.5kW	4.2kW	80.6%	D A





# **ETHOS 400**

Fuel Type

Gas (NG)

Flue Type

Conventional Flue

Fuel Bed Options

Logs

Control Options

Remote control

#### Frames

Brass, Chrome, Brushed, Black, Black/Nickel, Black/Brass, Black/Chrome, Frameless Edge Kit, Flat Black


## **Interior Options**


Natural, Black, Brick, Black Glass

#### Accessories

Mains Adaptor, Hearth Mounting Kit

## **Technical Drawings**





INPUT	OUTPUT	EFFICIENCY	ENERGY RATING
5.5kW	4.0kW	81%	D G





# ETHOS 3S

Fuel Type

Gas (NG)

Flue Type

Conventional Flue

Fuel Bed Options

Logs

**Control Options** 

Remote control


Interior Options


Natural, Black,

Accessories

Mains Adaptor

**Technical Drawings** 





INPUT	OUTPUT	EFFICIENCY	ENERGY RATING
5.5kW	4.62kW	84.0%	C A



# **ETHOS 400 STOVE**

Fuel Type

Gas (NG)

Flue Type

Conventional Flue

Fuel Bed Options

Logs

**Control Options** 

Remote control

**Interior Options** 


Natural, Black, Brick, Black Glass

Accessories

Mains Adaptor

## **Technical Drawings**





INPUT	OUTPUT	EFFICIENCY	ENERGY RATING
5.5kW	4.45kW	81.0%	D A





# **EVORA**

## Fuel Type

Gas (NG)

## Flue Type

Conventional Flue, Balanced Flue

## Fuel Bed Options

Modular Coal, Modular Pebble

## **Control Options**

Manual Control, Slide Control (CF only), Remote Control


## **Interior Options**

Plain

#### Frames

Brass, Chrome, Brushed, Black, Black/Nickel, Black/Brass, Black/Chrome, V2 Brushed, V2 Black, V2 Chrome, V2 Black Nickel

## **Technical Drawings**



## **Technical Information**

#### EVORA CF

INPUT	ОИТРИТ	EFFICIENCY	ENERGY RATING
5.5kW	4.45kW	81.0%	D G

#### EVORA BF

INPUT	OUTPUT	EFFICIENCY	ENERGY RATING
4.5kW	3.8kW	83.0%	C   Î





# **EVORA 4-SIDED**

Fuel Type

Gas (NG)

Flue Type

Conventional Flue, Balanced Flue

Fuel Bed Options

Modular Coal, Modular Pebble

**Control Options** 

Manual Control, Slide Control (CF Only), Remote Control

**Interior Options** 

Plain


Frames

Chrome, Brushed, Black, Brushed, Profile Satin, Profile Brass

Accessories

Backplate

## **Technical Drawings**



## **Technical Information**

#### EVORA CF

INPUT	OUTPUT	EFFICIENCY	ENERGY RATING
5.5kW	4.45kW	81.0%	D   A

#### EVORA BF

INPUT	OUTPUT	EFFICIENCY	ENERGY RATING
4.5kW	3.8kW	83.0%	C





# **VANTAGE**

## Fuel Type

Gas (NG)

## Flue Type

Conventional Flue

## Fuel Bed Options

Coal, Pebble, Ripped Coal, Modular Coal, Modular Pebble, Deluxe Pebble, Driftwood, Logs

## Control Options


Manual Control, Slide Control, Remote Control


## Interior Options

Plain, Brick

#### Frames

Brass, Chrome, Brushed, Black, Black/Nickel, Black/Brass, Black/Chrome, V2 Brushed, V2 Black, V2 Chrome, V2 Black Nickel









# **VANTAGE 4 SIDED**

## Fuel Type

Gas (NG)

## Flue Type

Conventional Flue

## Fuel Bed Options

Coal, Pebble, Ripped Coal, Modular Coal, Modular Pebble, Deluxe Pebble, Driftwood, Logs

## **Control Options**

Manual Control, Slide Control, Remote Control

#### Frames


Brushed, Chrome, Black

## **Interior Options**


Plain, Brick


#### Accessories

Backplate



# 725mm 870mm







## **VIRAGE**

Fuel Type

Gas (NG)

Flue Type

Conventional Flue

## Fuel Bed Options

Coal, Pebble, Ripped Coal, Modular Coal, Modular Pebble, Deluxe Pebble, Driftwood, Logs

## **Control Options**

Manual Control, Slide Control, Remote Control


## **Interior Options**

Plain

#### Frames

Brass, Chrome, Brushed, Black, Black/Nickel, Black/Brass, Black/Chrome, V2 Brushed, V2 Black, V2 Chrome, V2 Black Nickel

## **Technical Drawings**



INPUT	OUTPUT	EFFICIENCY	ENERGY RATING
5.5kW	4.6kW	67%	F G





# **VIRAGE 4-SIDED**

## Fuel Type

Gas (NG)

## Flue Type

Conventional Flue

## Fuel Bed Options

Coal, Pebble, Ripped Coal, Modular Coal, Modular Pebble, Deluxe Pebble, Driftwood, Logs

## **Control Options**

Manual Control, Slide Control, Remote Control

## **Interior Options**

Plain


#### Frames


Chrome, Brushed, Black, Profile Satin, Profile Brass


#### Accessories

## **Technical Drawings**

106r







INPUT	OUTPUT	EFFICIENCY	ENERGY RATING
5.5kW	4.6kW	67%	F A





# **SPIRIT**

Fuel Type

Gas (NG)

Flue Type

Conventional Flue

## Fuel Bed Options

Coal, Pebble, Modular Coal, Modular Pebble, Deluxe Pebble

## **Control Options**


Manual Control, Slide Control, Remote Control


## **Interior Options**

Plain, Brick

#### Frames

Brass, Chrome, Brushed, Black, Black/Nickel, Black/Brass, Black/Chrome, V2 Brushed, V2 Black, V2 Chrome, V2 Black Nickel









### **SPIRIT SUPERSLIM**

Fuel Type

Gas (NG)

Flue Type

Conventional Flue

Fuel Bed Options

Modular Coal, Modular Pebble

**Control Options** 


Manual Control, Slide Control, Remote Control


**Interior Options** 

Plain

Frames

Brass, Chrome, Brushed, Black, Black/Nickel, Black/Brass, Black/Chrome, V2 Brushed, V2 Black, V2 Chrome, V2 Black Nickel









### **MIRAGE**

Fuel Type

Gas (NG)

Flue Type

Conventional Flue

### Fuel Bed Options

Coal, Pebble, Ripped Coal, Modular Coal, Modular Pebble, Deluxe Pebble, Driftwood, Logs

### **Control Options**


Manual Control, Remote Control

#### **Interior Options**

Plain

Frame Options

Piano Black







### **SINTRA**

Fuel Type

Gas (NG)

Flue Type

Conventional Flue

Fuel Bed Options

Coal, Pebble, Ripped Coal, Modular Coal, Modular Pebble, Deluxe Pebble, Driftwood, Logs

**Control Options** 


Manual Control, Remote Control

**Interior Options** 

Plain

Frame Options

Piano Black





### **HERITAGE**

Fuel Type

Gas (NG)


Fuel Bed Options


Coal

Control Options

Manual Control











### **WRAITH**

Fuel Type

Electric

Fuel Bed Options

Coal, Pebble, Logs

**Control Options** 


Manual Control


Frames

V2 Brushed, V2 Black, V2 Chrome

Accessories

Matching Canopy, 1" Spacer, 2" Spacer, 3" Spacer










### The Garden Cube

Say hello long Summer nights and making the most of your garden in the Winter

Enjoy your garden whatever the weather with our stunning wood burning outdoor patio & garden heater. The warmth of real flames radiate from all 4 sides of the Garden Cube and the view is captivating from all angles.

Featuring a contemporary glass encased cabinet with extended chimney, the Garden Cube is designed with performance as well as beauty in mind, creating peace of mind by offering a safer alternative to traditional fire pits or chimineas. The extended chimney draws smoke up and away from the area you sit, so you no longer have to worry about that powerful smoke scent lingering in your hair and skin for days. Better still, an ingenious ash collection tray ensures there is no mess.

A robust and fully powder coated steel body guarantees the Garden Cube can stand the elements outdoors allowing you to enjoy season after season with minimal effort. The Garden Cube is designed, manufactured and assembled at our headquarters based in Lancashire, UK.







## **LEGENDS**

# Instagram






# Share your story..

We always enjoy seeing where our fires end up. So please tag us in your pictures using #legendfires or you can find us @legendfires and most social media platforms.

#legendfires

### **Technical Specifications**



Product Ethos	Landscape	Portrait	SP	550	400	400 Stove	3S stove
Usefull Efficiency							
	87.20%	82.30%	78%	80.60%	80.90%	80.90%	84%
Flue Types							
Class I	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Class II	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Precast Flue *	No	No	No	No	No	No	No
Controls							
Remote Control	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Heat Output KW							
High	4.7	5.5	5.2	4	4	4	4.2
Low	1.9	1.8	1.7	1.4	1.4	1.4	1.3
Heat Input KW							
High	6.0	7.4	7.4	5.5	5.5	5.5	5.5
Low	2.5	2.5	2.5	1.9	1.9	1.9	1.9
Gas Type							
Natural Gas	Yes	Yes	Yes	Yes	Yes	Yes	Yes

Product	16" Vantage	18" Vantage	22" Vantage	16" Low Lintel Vantage	Virage	Evora CF	Evora BF	Spirit	Spirit Superslim
Flue Types									
Class I	Yes	Yes	Yes	Yes	Yes	Yes	NA	Yes	Yes
Class II	Yes	No	No	Yes	Yes	Yes	NA	Yes	Yes
Precast Flue	No	No	No	No	No	Yes	NA	Yes	Yes
Balanced Flue	No	No	No	No	No	No	Yes	No	No
Heat Output KW									
High	Ξ	-	=	-	4.1	3.3	3.6	-	=
Low	-	-	-	-	2.5	1.8	1.1	-	-
Heat Input KW gros	s								
High	6.9	9.6	13	6.9	6.9	4.6	4.5	6.2	5.5
Low	4.2	4.5	5.0	4.2	4.2	2.5	2.5	4	3.6
Gas Type									
Natural Gas	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Propane (LPG)	Yes	No	No	Yes	No	No	No	No	No

Vantage/Spirit/Superslim figures quoted are indicative.

No Additional Ventilation is usually required with the above appliances that are rated at less than 7kw.

We recommend that a fireguard be used where children, the elderly and infirm are present Legend Fires Policy is one of constant development.

We reserve the right to change the design and specification of our products without formal notice.

All Legend Fires products are fitted with Oxygen Depletion sensing pilots and Flame Supervision Device as Standard.

We recommend that all Legend Products are installed and annually serviced by Gas Safe Registered Installers.

### Options

### Ethos Range

#### Frames



#### Interiors



#### Fuel Beds





### Options

### Legend Range

#### Frames



#### Frets



other frets available on request

#### Liners



#### Fuel Beds





logs



#### Legend Fires Ltd

Unit 404, Glendfield Business Centre, Blakewater Road, Blackburn, Lancashire, BB1 5QH

T: 01254 695244 E: info@legend-fires.com W: www.legend-fires.com

@legendfires
@legendfires

**f** legendfires