
Sonos One Speaker Stand

Instruction Manual



Safety Caution

BEFORE ASSEMBLY


- Layout all components and hardware. Check all parts are included and undamaged.
- Should anybody intends to install or use this mount, please read and understand this manual carefully.
- If you do not understand these instructions or have any doubt about the safety instructions, assembly or use of this product, please contact our customer service.

WARNING

- This product contains small items that could be a choking hazard if swallowed.
- KEEP AWAY FROM CHILDREN UNDER 3 YEARS OLD. ADULT SUPERVISION IS REQUIRED.
- Improper installation, such as using the product for monitors over its load capacity or for any purpose not explicitly specified, may cause damage or serious injury. We would not be liable for any damage or injury caused by improper mounting or inappropriate use.

CAUTION AND MAINTENANCE

- Never allow children to climb, stand, hang, or play on any part of monitor or stand.
- This product is intended for indoor use only. Using this product outdoors could lead to product failure and personal injury.
- Check that the bracket is secure and safe to use at regular intervals (at least every three months).




ASSEMBLY STEPS


STEP 1: Install the base foot pad

Choose rubber feet or carpet nails according to your floor type.

Option One:If the stand is placed on wooden, cement, tile or other hard floor, install the foot pad adjust them to level if the base is not level.




Option Two: If the stand is placed on carpet, install the carpet nail **G** and adjust them to level if the base is not level.




STEP 2: Install the bottom tube

1) Insert Bottom tube 3 into Base 2, then fasten Bolt B by using Allen key E.




2) Insert Plastic cover 5 into Base 2.




STEP 3:Install the upper tube

- 1.Loosen the knob, pull out the pipe, and then tighten the knob to make two screw holes leak out.
- 2.Insert the plug into the circular hole and thread it out of the base.
- 3.Insert Upper tube 4 into Bottom tube 3, then fasten Bolt A by using Allen key




STEP 4: Install the plastic tray


Insert Plastic tray 1 onto Upper tube 4, then fasten Bolt A by using Allen key E.



STEP 5: Height adjuesment



STEP 6: Installing Speakers



Product Dimensions MAX:43.4"(1103mm) MIN:34.2"(868mm)