Preparation date: 02/23/2021

Revision 0



## **SAFETY DATA SHEET**

## 622 Racing Brake Fluid

## **SECTION 1: Identification**

Product identifier Tradename

## 622 Racing Brake Fluid

Relevant identified uses of the substance or mixture Hydraulic fluid

Uses advised against No special

Distributed by

VP Racing Fuels, Inc. 7124 Richter Road

Elmendorf, TX 78112

210.635.7744

Emergency telephone number: 800-424-9300

Details of the supplier of the safety data sheet Company and address

Orthene Chemicals .Ltd Brember Road HA2 8UJ Harrow United Kingdom +44 (0)20 8864 4414

**Contact Person** 

Email technical@orthene.co.uk

SDS date 2020-09-18

Emergency telephone number

Contactthepoisoncontrolat1-800-222-1222(24/7

Distributed by

VP Racing Fuels Pty Ltd,

Unit 24 85-115 Alfred Road, Chipping Norton, NSW 2170,

Australia 02 9723 4233,

Emergency Telephone: 0421 116 838.

CHEMTREC Australia (Sydney) +(61) 290372994

Poison Control Centre: 13 11 26, 24 hours a day from anywhere

in Australia.

## **SECTION 2: Hazard(s) identification**

OSHA/HCS status

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200) Classification of the substance or mixture

Repr. 2; H361d, Suspected of damaging the unborn child.

Label elements

Hazard pictogram(s)



622 Racing Brake Fluid Page 1of 9

## Preparation date: 02/23/2021

#### **Revision 0**



Suspected of damaging the unborn child.

Safety statement(s) General

P101, If medical advice is needed, have a product container or label at hand.

#### Prevention

P201 Obtain special instructions before use, P202, Donothandleuntilallsafety precautions have been read and understood. P280, Wear protective gloves/protective clothing/eye protection/face protection.

#### Response

P301+P310, IF SWALLOWED: Immediately call a POISON CENTER/doctor. P308+P313: IF exposed or concerned: Get medical attention P305+P351+P338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present, and easy to do. Continue rinsing.

#### Storage

P405, Store locked up.

#### Disposal

P501, Dispose of contents/container to an approved waste disposal plant.

Hazardous substances Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate

Other hazards

Additional labeling Not applicable

#### Additional warnings

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and vPvB.

The product is not classified as combustible but will burn.

## **SECTION 3: Composition/Information on Ingredients**

#### Mixtures

	Product/Ingredient name	Identifiers	%w/w	Classification	Note
2-(2-	-ethoxyethoxy)ethanol	111-90-0	85	Not classified	Mixture
2-(2-	-methoxyethoxy)ethanol	111-77-3	85	H361 Repr. 2	Mixture
2-(2-	-butoxyethoxy)ethanol	112-34-5	85	H319 Eye Irrit.	Mixture
Poly	ethylene glycol	25322-68-3	12	Not classified	Mixture
Poly	propylene glycol	25322-69-4	12	Not classified	Mixture
Pol	yalkylene glycol	9038-95-3	<2	Not classified	
Additives including copper deactivators,			<2		

antioxidants, pH regulators and other 9038-

corrosion inhibitors.

 $Seefull text of \ H-phrases in section 16. Occupational exposure limits are listed in section \ 8 if the sear eavailable.$ 

Other information No special

## **SECTION 4: First-aid measures**

## Description of first aid measures General

## information

If breathing is irregular, drows in ess, loss of consciousness, or cramps: Call 911 and give immediate treatment (first aid). Contact a doctor if indoubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or another drink.

#### Inhalation

Uponbreathing difficulties or irritation of the respiratory tract: Bring the person into the freshair and stay with him/her. If recovery is not rapid, seek medical attention

#### Skin contact

Immediately remove contaminated clothing and shoes. Ensure that skin, which has been exposed to the material, is washed thoroughly withwater and so apsociate the same of th

#### Eye contact

 $Remove contact lenses and open eyes widely. Flush eyes with water or saline water (20-30 ^{\circ}C) for at least 5 \ minutes. If any irritation persists, seek medical assistance and continue flushing during transport.$ 

622 Racing Brake Fluid Page 2of 9

## Preparation date: 02/23/2021

## Revision 0



#### Ingestion

Provide plenty of water for the person to drink and stay with him/her. Seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting unless recommended by the doctor. Have the victim lean forward with head down to avoid inhalation of - or choking on vomited material. If medical attention is delayed, give a dults 90-120 ml hard liquor such as 40% v/vs pirits. Give children proportion at ely less at a rate of 2 ml/kg body weight.

**Burns Not applicable** 

The most important symptoms and effects, both acute and delayed The most important symptoms are described in sections 2 and 11.

Indication of any immediate medical attention and special treatment needed No special

Information to medics Hasthissafetydatasheetorthelabelfromthisproduct. Treatsymptomatically. Thereis no specificantidote.

## **SECTION 5: Fire-fighting measures**

#### Extinguishing media

Recommended: alcohol-resistant foam, carbonic acid, powder, water mist. Waterjets should not be used, since they can spread the fire. However, they may be used to cool adjacent containers.

#### Special hazards arising from the substance or mixture

Fire will result indenses moke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g., dangerous decomposition compounds are produced in the event of a fire. These are Carbon oxides (CO / CO2).

#### Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure, contact the Poison Help Line on 1-800-222-1222 (24/7) to obtain further advice.

## **SECTION 6: Accidental release measures**

#### Personal precautions, protective equipment, and emergency procedures

Preventunnecessarypersonnel forentering the reaofspillage. When cleaning up, large spills appropriate protective clothing should be worn-see section 8. Avoid direct contact with spilled substances. Avoid inhalation of vapors from spilled material.

## **Environmental precautions**

Avoid discharge to lakes, streams, sewers, etc.

## Methods and material for containment and cleaning up

 $Limit spillage and collect using granular absorbent or similar materials\ and dispose of it following dangerous\ was terregulations.$ 

Use sand, sawdust, earth, vermiculite, and diatomaceous earth to contain and collect non-combustible absorbent materials and places in containers for disposal, according to local regulations. Wherever possible, cleaning should be performed with normal cleaning agents. Avoid the use of solvents.

## Reference to other sections

See section on "Disposal considerations" concerning the handling of waste.

See section on 'Exposure controls/personal protection' for protective measures.

622 Racing Brake Fluid Page 3of 9

## Preparation date: 02/23/2021

Revision 0



## **SECTION 7: Handling and storage**

## Precautions for safe handling

 $A void any method of handling that generates mist so rae rosols. \ A void direct contact with the$ 

product. Do not eat, drink, or smoke when handling this product.

See section on 'Exposure controls/personal protection' for information on personal protection.

## Conditions for safe storage, including any incompatibilities

Always store in containers of the same material as the original container.

Containers that have been opened must be carefully resealed and kept upright to prevent leakage. It must be stored in a cool and well-ventilated area, away from possible sources of ignition.

## Storage temperature

Roomtemperature 15 to 30°C

#### Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

#### Specific end use(s)

This product should only be used for applications quoted in section 1.2

Users are referred to the specification SAE J1707 "Service maintenance of brake fluids."

## **SECTION 8: Exposure controls/personal protection**

#### Control parameters

No substances are listed with a permissible exposure limit (ref: 29 CFR 1910.1000 TABLE Z-1)

## **Exposure controls**

Control is unnecessary if the product is used as intended.

## General recommendations

Donoteat, drinkors moke in the work place

## Exposure scenarios

There are no exposure scenarios implemented for this product.

#### **Exposure limits**

Occupational exposure limits have not been defined for the substances in this product.

## Appropriate technical measures

Apply standard precautions during the use of the product. Avoid inhalation of gas or dust.

#### Hygiene measures

In between the use of the product and the working day, all exposed are as of the body must be washed thoroughly. Always wash hands, for earms, and face.

## Measures to avoid environmental exposure

Keep spill absorbent materials available in the workplace. If possible, clean up any spills immediately.

## Individual protection measures, such as personal protective equipment

#### Generally

Use only protective equipment with a recognized certification mark, e.g., the UL mark.

## **Respiratory Equipment**

No specific requirements

Skin protection

No specific requirements

622 Racing Brake Fluid Page 4of 9

## Preparation date: 02/23/2021

#### Revision 0

Hand protection



Worksituation	Material Glove thickness (mm)		Breakthroughtime (min.)	Standards		
	Nitrile	0.2	>480	EN374-2, EN374- 3, EN388		
	Butyl	0.3	>480	EN374-2, EN374- 3, EN388		

## Eye protection

Worksituation	Recommended	Standards	
	Wearsafetyglasses with side shields.	EN166	

## **SECTION 9: Physical and chemical properties**

Information on basic physical and chemical properties

Physical state Liquid

Color Amber

Odour Mild

Odor threshold (ppm) Testing not relevant or not possible due to the nature of the product.

pH 7-9.5

Density (g/cm3) 1.04-1.09 (20.00 °C)

Viscosity (40°C) 5-15 centistokes (20.00 °C)

Phase changes

Melting point (°C) < -50

Boiling point (°C) >300 °C

Vapor pressure 1.00 millibar (20.00 °C)

Vapor density Testing not relevant or not possible due to the nature of the product.

Decomposition temperature (°C) 300

Evaporation rate (n-butylacetate = 100) 0.01

Dataonfireandexplosionhazards Flash point(°C)>120 °C

Ignition (°C) >280 °C

Auto flammability (°C) Testing is not relevant or not possible due to the product's nature.

Explosion limits (% v/v) Testing is not relevant or not possible due to the product's nature.

Solubility

Solubility in water Soluble

n-octanol/water coefficient of 1.50

Other information Solubilityinfat(g/L) Testing not relevant or not possible due to the nature of the product

622 Racing Brake Fluid Page 5of 9

## Preparation date: 02/23/2021

Revision 0



## **SECTION 10: Stability and reactivity**

#### Reactivity

No hazardous reactions if stored and handled as indicated.

Chemical stability

The product is stable under the conditions noted in the section "Handling and storage."

Possibility of hazardous reactions No special

Conditions to avoid No special

Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

Hazardous decomposition products

The product is not degraded when used as specified in section 1.

#### **SECTION 11: Toxicological information**

## Information on toxicological effects of Acute toxicity

Based on available data, the classification criteria are not met.

Oral Based on read-across data, toxicity is low (LD 50 Rat >5000 mg/kg). Sparse experience indicates toxicity in man could begreater.

Inhalation - Not applicable due to the low vapor pressure of the product.

Dermal - Based on read-across data, toxicity is low (LD 50 Rabbit >3000 mg/kg.

General-Although this product's acute toxicity is low if significant amounts are absorbed, there is a risk of renal damage, leading tokidney failure or even death.

Otheroverexposure symptoms include Central Nervous System effects, abdominal discomfort, metabolic acidosis, headaches, ornausea.

#### Skin corrosion/irritation

Basedonavailabledata, the classification criteria are not met. However, repeated contact may de-fat the skin and cause dermatitis.

Serious eye damage/irritation

Based on available data, the classification criteria are not met.

Respiratory or skin sensitization

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Suspected of damaging the unborn child.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Long term effects No special

Otherinformation No special

622 Racing Brake Fluid Page 6of 9

## Preparation date: 02/23/2021

Revision 0



#### **SECTION 12: Ecological information**

#### Toxicity

The product is of low ecotoxicity

Fish 96h LC50 >100mg/I (Oncorhynchus Mykiss)

Daphnia 48 hEC50 Not determined but expected to be virtually non-toxic Algae 72 hEC50 Not determined but expected to be virtually non-toxic Algae 72 hEC50 Not determined but expected to be virtually non-toxic Algae 72 hEC50 Not determined but expected to be virtually non-toxic Algae 72 hEC50 Not determined but expected to be virtually non-toxic Algae 72 hEC50 Not determined but expected to be virtually non-toxic Algae 72 hEC50 Not determined but expected to be virtually non-toxic Algae 72 hEC50 Not determined but expected to be virtually non-toxic Algae 72 hEC50 Not determined but expected to be virtually non-toxic Algae 72 hEC50 Not determined but expected to be virtually non-toxic Algae 72 hEC50 Not determined but expected to be virtually non-toxic Algae 72 hEC50 Not determined but expected to be virtually non-toxic Algae 72 hEC50 Not determined but expected to be virtually non-toxic Algae 72 hEC50 Not determined but expected to be virtually non-toxic Algae 72 hEC50 Not determined but expected to be virtually non-toxic Algae 72 hEC50 Not determined but expected to be virtually non-toxic Algae 72 hEC50 Not determined but expected to be virtually non-toxic Algae 72 hEC50 Not determined but expected to be virtually non-toxic Algae 72 hEC50 Not determined but expected to be virtually non-toxic Algae 72 hEC50 Not determined but expected to be virtually non-toxic Algae 72 hEC50 Not determined but expected to be virtually non-toxic Algae 72 hEC50 Not determined but expected to be virtually non-toxic Algae 72 hEC50 Not determined but expected to be virtually non-toxic Algae 72 hEC50 Not determined but expected to be virtually non-toxic Algae 72 hEC50 Not determined but expected to be virtually non-toxic Algae 72 hEC50 Not determined but expected to be virtually non-toxic Algae 72 hEC50 Not determined but expected to be virtually non-toxic Algae 72 hEC50 Not determined but expected to be virtually non-toxic Algae 72 hEC50 Not determined but expected to be virtually non-toxic Algae 72 hEC50 Not determined but expecte

#### Persistence and degradability

The product is inherently biodegrad able and is expected to be readily biodegrad able based on ingredients (OECD 302B).

If admitted into adapted biological water treatment plants, no adverse effects of the degrading action of the live sludge are expected

#### Bioaccumulative potential

NotexpectedtoBio-accumulate.LogPOWforallmainingredients<2.0

Mobility insoil

The product is soluble in water and will be mobile in the soil until degraded. Volatilization from water to air in otex pected.

Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and vPvB.

Other adverse effects No special

## **SECTION 13: Disposal considerations**

#### Waste treatment methods

The regulations on hazardous waste cover the product.

Dispose of in accord with local and national regulations. Recycling or controlled incineration with energy recovery is recommended.

RCRA Hazardous waste ("P" and "U" list) (40 CFR 261) None of the components are listed

Specific labeling

Not applicable

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

## **SECTION 14: Transport information**

DOT

Not Regulated

## **SECTION 15: Regulatory information**

Safety, health, and environmental regulations/legislation specific for the substance or mixture

U.S. Federal regulations TSCA

All ingredients are listed on the non-confidential portion of the TSCA.

Clean Air Act

Glycol ethers are regulated as a generic class under this legislation.

EPCRASection302

Noneofthecomponentsarelisted

EPCRA Section304

Noneofthecomponentsarelisted

EPCRA section313

Glycol ethers are regulated as a generic class under this legislation.

**CERCLA** 

Glycol ethers are regulated as a generic class under this legislation.

State regulations California

Prop. 65

Noneofthecomponentsarelisted

622 Racing Brake Fluid Page 7of 9

## Preparation date: 02/23/2021

#### **Revision 0**



**Restrictions forapplication** 

No special

Demands for specific education No specific requirements

Additional information Not applicable

Chemical safety assessment No

Sources OSHA Hazard Communication Standard (29 CFR 1910.1200)

## **SECTION 16: Other information**

#### Full text of H-phrases as mentioned in section 3

H361d, Suspected of damaging the unborn child.

Abbreviations and acronyms

ACGIH = American Conference of Governmental Industrial Hygienists

 $ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway\ ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road$ 

ATE = Acute Toxicity Estimate BCF = Bioconcentration

 ${\tt Factor\ CAS=ChemicalAbstractsService}$ 

CERCLA = Comprehensive Environmental Response Compensation and Liability Act EINECS = European Inventory of Existing

Commercial chemical Substances

EPCRA = Emergency Planning and Community Right-To-Know Act

GHS = Globally Harmonized System of Classification and Labelling of Chemicals HCIS = Hazardous Chemical Information System

IARC = International Agency for Research on Cancer IATA = International Air Transport

Association IMDG = International Maritime Dangerous Goods

Log Pow = logarithm of the octanol/water partition coefficient

622 Racing Brake Fluid Page 8of 9

## Preparation date: 02/23/2021

#### Revision 0



MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) and the protocol of 1978 are the protocol of 1978. ("Marpol" = marine pollution) are the protocol of 1978. ("Marpol" = marpol = marine pollution) are the protocol of 1978. ("Marpol" = marpol = marp

NFPA = National Fire Protection Association

NIOSH = National Institute for Occupational Safety and Health OECD=OrganizationforEconomic

 $Co-operation and Development\ OSHA=Occupational Safety and\ Health\ Administration$ 

RCRA = Resource Conservation and Recovery Act

 $RID=The Regulations concerning the International Carriage of Dangerous Goods by Rail\,RRN=REACH\,Registration\,Number\,RID=The Regulations and Registration Registr$ 

SARA = Superfund Amendments and Reauthorization Act SCL = A specific concentration limit.

STEL = Short-term exposure limits

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure STOT-SE=Specific Target Organ

Toxicity-SingleExposure TSCA=The Toxic Substances Control Act

TWA=Timeweightedaverage UN = United Nations

UVCB = Complex hydrocarbon substance VOC = Volatile Organic

Compound

#### Additional information

Following OSHACFR 1910. 1200, the evaluation of the classification of the mixture is based on: the classification of the mixture is based on the classification of the classificatio

The classification of the mixture regarding health hazards follows the calculation methods given by HCS (29 CFR 1910.1200).

Theinformation contained herein is based on the present knowledge and experience of Orthene Chemicals Ltd. In noway constitutes the user's assessment of workplacer is kas required by other Health and Safety legislation.

Orthene Chemicals Ltd. does not, by supplying this information, guarantee or warrant any specific properties or qualities of goods supplied. It is the purchaser's responsibility to determine whether the goods or deredare fit for any purpose for which they may be required.

This information is provided subject to Orthene Chemicals Limited's Conditions of Sale and, in particular, Conditions 9 and 14 thereof.

SJW validates the safety data sheet

#### Other

Achange(inproportiontothelastessentialchange(the firstcipherintesDSversion,seesection1))ismarkedwitha blue triangle.

This safety data sheet's information applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products. It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

622 Racing Brake Fluid Page 9of 9