



## Safety Data Sheet

Conforms to the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) in Australia  
Date of Revision: 09/17/2020 Revision: 01

### Section 1 - Chemical Product and Company Identification

1.1 Product Name: **MR Pro6 reg**

1.2 Synonyms: Blend

1.3 Manufacture: VP Racing Fuels, Inc., 7124 Richter Road, Elmendorf, TX 78112, 210.635.7744

1.4 Supplier: VP Racing Fuels Pty Ltd, Unit 24 85-115 Alfred Road, Chipping Norton, NSW 2170, Australia 02 9723 4233, **Emergency Telephone:** 0421 116 838.

1.5 Recommended Use: Racing Fuels

1.6 **RESTRICTIONS on USE** **THIS FUEL IS FOR RACING VEHICLE USE ONLY!**

**NOT LEGAL FOR STREET DRIVEN MOTOR VEHICLE.**

1.7 Emergency Response Number: **CHEMTREC 800-424-9300**

International Emergency Telephone Number: **+1-703-527-3887**

CHEMTREC Australia (Sydney) **+(61) 290372994**

1.8 Poison Control Centre: 13 11 26, 24 hours a day from anywhere in Australia.

### Section 2 - Hazards Identification

#### 2.1 GHS HAZARD

##### Hazard Classes

**Highly Flammable liquid/vapor**

**Specific Target Organ Toxicity single exposure**

**Acute Toxicity Dermal**

**Eye Irritation**

**Skin Irritation**

**Mutagenicity**

**Carcinogen**

**Aspiration Hazard**

**Toxic to aquatic life with long lasting affects**

##### Hazard Categories

**Category 2**

**Category 3**

**Category 4**

**Category 2A**

**Category 2**

**Category 2**

**Category 1A**

**Category 1**

**Category 2**

2.2 Signal Word: **Danger**

# MR Pro6 reg

Conforms to the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) in Australia



Flam

Irritant

Health

Aquatic

## 2.3 Pictograms:

## 2.4 Hazard Statements

### PHYSICAL HAZARDS:

H225: Highly flammable liquid and vapor.

### HEALTH HAZARDS:

H304: May be fatal if swallowed and enter the airway.

H312: Harmful in contact with skin.

H315: Causes skin irritation.

H335: May cause respiratory irritation.

H336: May cause drowsiness or dizziness.

H341: Suspected of causing genetic defects.

H350: May cause cancer.

H370: May cause damage to organs.

### ENVIRONMENTAL HAZARDS:

H411: Toxic to aquatic life with long-lasting effects.

### PRECAUTIONARY STATEMENTS:

P102: Keep out of reach of children.

P201: Obtain special instructions before use.

**READ SDS BEFORE USE.**

P202: Do not handle until all safety precautions have been read and understood.

P210: Keep away from sparks, hot surfaces, and open flames- No smoking.

P233: Keep the container tightly closed.

P240: Ground or bond container and receiving equipment.

P241: Use explosion-proof equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P260: Do not breathe vapors.

P264: Wash hands thoroughly after handling.

P270: Do not eat, drink, or smoke when using this product.

P271: Use only outdoors or in a well-ventilated area.

P273: Avoid release to the environment.

P280: Wear protective gloves, clothing, and eye protection.

# MR Pro6 reg

Conforms to the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) in Australia

## RESPONSE STATEMENTS:

**P301 +P310+ P331: IF SWALLOWED:**  
Immediately call a poison center or doctor. DO NOT induce vomiting.  
**P303+P361+P353: IF ON SKIN:** Take off immediately all contaminated clothing. Rinse skin with water.  
**P308+P313:** If exposed or concerned, get medical attention.  
**P313+P332:** If skin irritation persists, get medical attention  
**H314:** Get medical attention if you feel unwell.  
**P362+P363+P364: IF ON CLOTHING,** take off contaminated clothing and wash it before reuse.  
**P370+P378:** In case of fire, use foam, carbon dioxide, dry chemical to extinguish a fire  
**P391** Collect spillage.

## STORAGE STATEMENTS:

**P403+P235:** Store in a well-ventilated place. Keep cool.  
**P405:** Store locked up.

## DISPOSAL STATEMENTS:

**P501:** Dispose of content and container following local, regional, national or international regulations.

**2.5 Hazards not otherwise classified (HNOC) or not covered by GHS: AUH066** Repeated exposure may cause skin dryness and cracking.

## Section 3 - Composition / Information on Ingredients

### 3.1

CAS#	EC#	Chemical Names	Percent	Classification
N/A	N/A	Blend of Aliphatic and Aromatic Hydrocarbons C-2 to C-20	76-83%	None
1634-04-4	216-653-1	2-Methoxy-2-methylpropane	17-24%	Flam. Liq. 2 H225, Skin Irrit. 2 H315

# MR Pro6 reg

Conforms to the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) in Australia

## 3.2 Blend Contains

Chemical Names	CAS#	EC#	GHS Harmonized Classification
2, 2, 4-Trimethylpentane	540-84-1	208-759-1	Flam. Liq. 2 H225, Asp. Tox. 1 H304, Skin Irrit. 2 H315, Eye Irrit 2, H319, STOT SE 3 H336, Aquatic Chronic 1 H410, Aquatic Acute 1 H400
2-Methylbutadiene	78-79-5	201-143-3	Flam. Liq. 1 H224, Muta 2 H341, Carc.1B H350, Aquatic Chronic 2 H411
Mesitylene	108-67-8	203-604-4	Flam. Liq. 3 H226, Skin Irrit. 2 H315, STOT SE 3 H335, Aquatic Chronic 2 H411

**3.3 Trade Secret Provision and Chemical Concentration Disclosure:** In accordance with GHS Regulations, we have withheld specific percentages of the chemicals in this mixture. The chemical concentrations have been disclosed as a blend and apply to the hazards identified in this Safety Data Sheet.

## Section 4 - First Aid Measures

**4.1 Eye:** Contact with the eyes can cause serious irritation. Symptoms may include discomfort or pain and redness. Severe overexposure can result in swelling of the conjunctiva along with tissue damage.

**Eyes:** Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid.

**4.2 Skin:** Prolonged and repeated liquid contact can cause defatting and drying of the skin and lead to irritation and dermatitis.

**Skin:** Flush skin with plenty of soap and water for at least 15 minutes while removing contaminated clothing and shoes. Get medical aid immediately and wash clothing before reuse.

**4.3 Ingestion:** Liquid ingestion can cause inebriation, headache, gastrointestinal pain, nausea, and vomiting leading to central nervous system depression. Aspiration of liquid into the lungs must be avoided as even small quantities in the lungs can produce chemical pneumonia, pulmonary edema, and even death.

**Ingestion:** Do NOT induce vomiting. Get medical aid immediately.

**4.4 Inhalation:** Prolonged breathing of high vapor concentrations can produce headaches, dizziness, nausea, and impaired vision. Extreme overexposure can cause central nervous system depression, loss of consciousness, liver damage, and death resulting from respiratory failure.

**Inhalation:** Remove from exposure to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult and **IF TRAINED**, give oxygen. Get medical aid. Do NOT use mouth-to-mouth resuscitation without protection.

**4.5 After first aid, get appropriate paramedic or community medical support.** The severity of outcome following exposure may be related to the time between the exposure and treatment, rather than the amount of exposure. Therefore, there is a need for rapid treatment of any exposure.

# MR Pro6 reg

Conforms to the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) in Australia

**4.6 Note to Physicians:** If you determine that a medical emergency exists and the specific chemical identity is necessary for emergency or first-aid treatment, we will immediately disclose the specific chemical identity. Call CHEMTREC 800-424-9300 or 703-527-3887. We will require a written statement of need and confidentiality agreement as soon as circumstances permit. In non-emergency situations, we will, upon written request, disclose a specific chemical identity.

## Section 5 - Fire-Fighting Measures

**5.1 General Fire Hazards:** Use water to cool containers exposed to fire.

**5.2 Hazardous Combustion Products:** Avoid fumes of burning products.

**5.3 Extinguishing Media:** Carbon dioxide, dry chemical, foam.

**5.4 Fire Fighting Equipment/Instructions:** Firefighters should wear full-face, self-contained breathing apparatus, and impervious protective clothing. Firefighters should avoid inhaling any combustion products.

## Section 6 - Accidental Release Measures

**6.1 Spill /Leak Procedures:** Ventilate area highly flammable. Spillages of the liquid product will create a fire hazard and may form an explosive atmosphere. Keep all sources of ignition away from the spill.

**6.2 Spills:** Avoid direct contact with the material. Stop leak if without risk. Move containers from the spill area. Prevent entry into sewers or waterways. Contain and collect spillage with non-combustible, absorbent material such as sand, earth, vermiculite, or diatomaceous earth and place in a container for disposal.

## Section 7 - Handling and Storage

**7.1 Handling Precautions:** Wash hands and exposed skin thoroughly after handling. Remove contaminated clothing and wash before reuse. Use with adequate ventilation. Avoid ingestion and contact with eyes, skin, or clothing. Keep the container tightly closed. Avoid inhalation.

**7.2 Storage Requirements:** Store in a tightly closed container in a cool, dry, and well-ventilated area.

## Section 8 - Exposure Controls / Personal Protection

### 8.1

Chemical Names	ACGIH- TLV	OEL
Blend of Aliphatic and Aromatic Hydrocarbons C-2 to C-20	2-300 ppm TWA	2-300 ppm TWA
2-Methoxy-2-methylpropane	50 ppm TWA	25 ppm TWA

### 8.2

ACGIH® = American Conference of Governmental Industrial Hygienists. TLV® = Threshold Limit Value.

OEL = Occupational Exposure Limits.

NOTE: TWA Means "TWA is the employee's average airborne exposure in any 8-hour work shift of a 40-hour workweek which shall not be exceeded.

# MR Pro6 reg

Conforms to the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) in Australia

**8.3 Ventilation:** Provide general or local exhaust ventilation systems to maintain airborne concentrations below TLV/PELs. Local exhaust ventilation is preferred because it prevents contaminant dispersion into the work area by controlling it at its source.

**8.4 Contaminated Equipment:** Separate contaminated work clothes from street clothes and launder before reuse. Remove this material from your shoes and clean personal protective equipment.

## 8.5 Personal protective equipment

### 8.5.1 Respiratory protection

Where risk assessment shows, air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied-air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### 8.5.2 Hand protection

Handle with gloves. Gloves must be inspected before use. Use proper glove removal techniques to avoid skin contact with this product. Dispose of contaminated gloves after use. Select gloves tested to the **ANSI/ISEA 105-2011** or European EN374 Standard.

Full contact: Viton

Splash contact: Viton

Registered trademark of The Chemours Company FC, LLC.

### 8.5.3 Eye protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

### 8.5.4 Skin and body protection

Impervious clothing flame retardant antistatic protective clothing, the type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

## 8.6 Protective Clothing Pictograms



# MR Pro6 reg

Conforms to the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) in Australia

## Section 9 - Physical and Chemical Properties

### 9.1

**Physical State:** Liquid

**Appearance:** Various

**Odor:** Aromatic Hydrocarbon Odor

**Vapor Pressure:** Not Available

**Vapor Density (Air=1):** >1

**Specific Gravity (H<sub>2</sub>O=1,):** 0.72

**Relative Density:** Not Available

**Odor Threshold:** Not Available

**Flammability (solid, gas):** Not applicable.

**Evaporation rate:** Not Available

**Partition coefficient octanol/water:** Not Available

**Water Solubility:** Insoluble

**Flash Point:** -40 °C

**Boiling Point/Range:** 36.5 – 205.6°C

**Freezing/Melting Point::** Not Available

**Viscosity:** Not Available

**Autoignition Temperature:** Not Available

**LEL:** 1%

**UEL:** 10%

**Viscosity:** <20.5mm<sup>2</sup>/s @ 40°C

**Decomposition temperature:** Not Available

**pH:** None

## Section 10 - Stability and Reactivity

**10.1 Stability:** Stable under ordinary conditions of use and storage.

**10.2 Polymerization:** Hazardous polymerization has not been reported.

**10.3 Chemical Incompatibilities:** Strong oxidizing agents.

**10.4 Hazardous Decomposition Products:** Combustion produces carbon monoxide and carbon dioxide.

**10.5 Conditions to Avoid:** Avoid heat, sparks, open flames, and other ignition sources.

## Section 11- Toxicological Information

### 11.1

Acute Toxicity Estimate for this blend (ATE)

ATE (Oral): 2631 mg/kg

ATE (Dermal): 1886 mg/kg

ATE (Inhalation vapor/mist): 32.5 mg/l vapor

**11.1.1** OECD Guideline Test results found in the European Chemical Agency Data Base shows that no components of this product to cause Toxic Oral Toxicity.

**11.1.2** OECD Guideline Test results found in the European Chemical Agency Data Base shows that components of this product to cause Harmful Dermal Toxicity.

**11.1.3** OECD Guideline Test results found in the European Chemical Agency Data Base shows no that components of this product to cause Harmful Inhalation Toxicity.

**11.2 Route of Entry:** Inhalation, Ingestion, Absorption, Skin, and Eye Contact.

**11.3 Aspiration Hazard:** European Chemical Agency Data Base shows that components of this product may be fatal if swallowed and enters the airways.

**11.4 Mutagenicity:** OECD Guideline Test results found in the European Chemical Agency Database show components of this product to cause genetic defects.

# MR Pro6 reg

Conforms to the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) in Australia

**11.5 Skin Corrosion/Irritation:** OECD Guideline Test results found in the European Chemical Agency Data Base shows that components of this product to cause skin irritation. Repeated exposure may cause skin dryness or cracking.

**11.6 Serious Eye Damage/Irritation:** OECD Guideline Test results found in the European Chemical Agency Data Base shows that components of this product to cause serious eye irritation.

**11.7 Reproductive toxicity:** OECD Guideline Test results found in the European Chemical Agency Database show no components of this product to cause damage to fertility or the unborn child.

**11.8 Skin Sensitization** OECD Guideline Tests results found in the European Chemical Agency Database show no components of this product to cause skin sensitivity.

**11.9 Respiratory Sensitization** OECD Guideline Test results found in the European Chemical Agency Database show no components of this product to cause respiratory sensitivity.

**11.10 Specific Target Organ Toxicity (Single Exposure):** European Chemical Agency Data Base shows that components of this product may cause damage to the central nervous system (CNS).

**11.11 Specific Target Organ Toxicity (Repeated Exposure):** European Chemical Agency Data Base shows that no components of this product may cause damage organs due to repeat exposure. However may damage the following organs: kidneys, lungs, liver, upper respiratory tract, skin, eyes, central nervous system (CNS).

**11.12 Signs and Symptoms:** Effects due to exposure may include: Headache, Dizziness, Drowsiness, Metabolic Acidosis, Coma, Seizures. Symptoms may be delayed.

**11.13 Carcinogenicity:** OECD Guideline Test results found in the European Chemical Agency Data Base shows that components of this product to cause cancer.

## Section 12 - Ecological Information

### 12.1

Product Name	Results	Species	Exposure
Blend of Aliphatic and Aromatic Hydrocarbons C-2 to C-20	Expected to be toxic to aquatic organisms. May cause long-term adverse effects in the environment		
2-Methoxy-2-methylpropane	LC50 672 mg/l	Fish	96 hours

**Toxicity:** OECD Guideline Test results found in the European Chemical Agency DataBase show components of this product to cause long-term toxicity to aquatic life.

**12.2 Mobility:** Floats on water.

**12.3 Persistence/degradability:** Inconclusive technical data.

**12.4 Bioaccumulation:** Inconclusive technical data.

**12.5 Other adverse effects:** Inconclusive technical data.



# MR Pro6 reg

Conforms to the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) in Australia

## Section 13 - Disposal Considerations

**13.1 Disposal: DO NOT REUSE EMPTY CONTAINER!** The container should be completely emptied before discard. Contact a licensed contractor for detailed recommendations. Follow applicable federal, state, and local regulations.

## Section 14 - Transport Information

### 14.1 Australian Transport Information



**ID No.:** UN 1203

**Shipping Name:** Gasoline

**Hazard Class:** 3

**Packing Group:** II

**Label:** Flammable

**Placard:** Flammable

**Marking:** MARINE POLLUTANT 2, 2, 4-Trimethylpentane

**HAZCHEM Code:** 3YE, HIN 33

### 14.2 IMDG Transport Information



**ID No.:** UN 1203

**Shipping Name:** GASOLINE

**Hazard Class:** 3

**Packing Group:** II

**Flash Point:** (-4°C c.c.)

**EmS Number:** F-E, S-E

**Label:** Flammable

**Placard:** Flammable

**Marking:** Marine Pollutant 12, 2, 4-Trimethylpentane

# MR Pro6 reg

Conforms to the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) in Australia

## 14.3 UN Dangerous Goods Transport Information.



**ID No.:** UN1203

**Shipping Name:** Gasoline

**Hazard Class:** 3

**Packing Group:** II

**Label:** Flammable

**Placard:** Flammable **Marking:** Marine Pollutant 2, 2, 4-Trimethylpentane

## Section 15 - Regulatory Information

### 15.1

**Australian manufacturers' and importers' obligations:** The components of this blend can be imported into Australia for commercial purposes without first notifying The Australian Government and State or Territory Government as listed in the **Australian Industrial Chemicals Introduction Scheme (AICIS)**.

## Section 16 - Other Information

**16.1 Disclaimer:** The information presented in this Safety Data Sheet is based on data believed to be accurate as of the date this Safety Data Sheet was prepared. HOWEVER, NO responsibility is assumed for any damage or injury resulting from abnormal use or failure to adhere to recommended practices. The information provided above is furnished on the condition that the person receiving them shall make their own determination as to the suitability of the product for their particular purpose and on the condition that they assume the risk of their use.

**16.2 References:** CHEMpendium database of the Canadian Centre for Occupational Health and Safety (CCOHS), JJ Keller online, European Chemical Agency Data Base, and MSDS and SDS of chemicals in this mixture.

**16.3 SDS Preparation Date** 12/09/2015

**SDS Previous issue Date:** None

**SDS Revision Date:** 09/17/2020

Revised Sections: 1,2,3,4,8,9,11,12,13,14,15,16

Prepared by SJC Compliance Education, Inc  
1319 Varese Dr.  
Pearland, TX 77581  
[steve@sjcedu.org](mailto:steve@sjcedu.org)

END OF SAFETY DATA SHEET

