



## Safety Data Sheet

Conforms to the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) in Australia  
Date of Revision: None Revision: 0

### Section 1 - Chemical Product and Company Identification

**1.1 Product Name: QM 25+reg**

**1.2 Synonyms:** Blend

**1.3 Manufacture:** VP Racing Fuels, Inc., 7124 Richter Road, Elmendorf, TX 78112, 210.635.7744

**1.4 Supplier:** VP Racing Fuels Pty Ltd, Unit 24 85-115 Alfred Road, Chipping Norton, NSW 2170, Australia 02 9723 4233, **Emergency Telephone:** 0421 116 838.

**1.5 Recommended Use:** Racing Fuels

**1.6 RESTRICTIONS on USE THIS FUEL IS FOR RACING VEHICLE USE ONLY!**

**NOT LEGAL FOR STREET DRIVEN MOTOR VEHICLE.**

**1.7 Emergency Response Number: CHEMTREC 800-424-9300**

**International Emergency Telephone Number: +1-703-527-3887**

**CHEMTREC Australia (Sydney) +(61) 290372994**

**1.8 Poison Control Centre:** 13 11 26, 24 hours a day from anywhere in Australia.

### Section 2 - Hazards Identification

#### 2.1 GHS HAZARD

##### Hazard Classes

##### Hazard Categories

**Highly Flammable liquid/vapor**

**Category 2**

**Specific Target Organs toxicity single exposure**

**Category 3**

**Specific Target Organs toxicity repeated exposure**

**Category 2**

**Eye Irritation**

**Category 2A**

**Skin Irritation**

**Category 2**

**Acute Toxicity (Inhalation)**

**Category 4**

**Reproductive Toxicity**

**Category 2**

**Aspiration Hazard**

**Category 1**

**Toxic to Aquatic Life Long Lasting Effects**

**Category 2**

# QM25+reg

Conforms to the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) in Australia

## 2.2 Signal Word: **Danger**



Irritant

## 2.3 Pictograms:

## 2.4 Hazard Statements

### PHYSICAL HAZARDS:

H225: Highly flammable liquid and vapor.

### HEALTH HAZARDS:

H304: May be fatal if swallowed and enter the airway.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

H332: Harmful if inhaled.

H336: May cause drowsiness or dizziness.

H361: Suspected of damaging fertility or the unborn child.

H373: May causes damage to organs through prolonged or repeated exposure.

### ENVIRONMENTAL HAZARDS:

H411: Toxic to aquatic life with long-lasting effects.

### PRECAUTIONARY STATEMENTS:

P102: Keep out of reach of children.

P201: Obtain special instructions before use.  
**READ SDS BEFORE USE.**

P202: Do not handle until all safety precautions have been read and understood.

P210: Keep away from sparks and open flames-  
No smoking.

P240: Ground or bond container and receiving equipment.

P241: Use explosion-proof equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P260: Do not breathe vapors.

P264: Wash hands thoroughly after handling.

P270: Do not eat, drink, or smoke when using this product.

P271: Use only outdoors or in a well-ventilated area.

P273: Avoid release to the environment.

## QM25+reg

Conforms to the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) in Australia

**P280: Wear protective gloves, clothing, and eye protection.**

### RESPONSE STATEMENTS:

**P303+P361+353: IF ON SKIN: Take off immediately all contaminated clothing. Rinse skin with water.**  
**P304+340: IF INHALED: Remove to fresh air and keep comfortable for breathing.**  
**P305+P351: IF IN EYES: Rinse cautiously with water for at least 15 minutes.**  
**P308+P313: If exposed or concerned, get medical attention.**  
**P362+P364: IF ON CLOTHING, take off contaminated clothing and wash it before reuse.**  
**P313+P332+P337: If skin or eye irritation persists get medical attention.**  
**H314: Get medical attention if you feel unwell.**  
**P370: In case of fire use foam, carbon dioxide, dry chemical to extinguish the fire.**  
**P391: Collect spillage.**

### STORAGE STATEMENTS:

**P403+P235: Store in a well-ventilated place. Keep cool.**  
**P405: Store locked up.**

### DISPOSAL STATEMENTS:

**P501: Dispose of content and/or container in accordance with local, regional, national or international regulations.**

**2.5 Hazards not otherwise classified (HNOC) or not covered by GHS:**  
**AUH066** Repeated exposure may cause skin dryness and cracking.

## Section 3 - Composition / Information on Ingredients

### 3.1

CAS#	EC#	Chemical Names	Percent	Classifications
N/A	N/A	Blend of Aliphatic and Aromatic Hydrocarbons C-2 to C-20	60-65%	None
1634-04-4	216-653-1	2-Methoxy-2-methylpropane	35-40%	Flam. Liq. 2 H225, Skin Irrit. 2 H315

# QM25+reg

Conforms to the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) in Australia

## 3.2 Blend Contains

Chemical Names	CAS#	EC#	Classification
2, 2, 4-Trimethylpentane	540-84-1	208-759-1	Flam. Liq. 2 H225, Asp. Tox. 1 H304, Skin Irrit. 2 H315, Eye Irrit 2, H319, STOT SE 3 H336, Repr. 2 H361, Aquatic Chronic 1 H410, Aquatic Acute 1 H400
Phenylmethane	108-88-3	203-625-9	Flam. Liq. 2 H225, Asp. Tox. 1 H304, Skin Irrit. 2 H315, Eye Irrit 2, H319, STOT SE 3 Central nervous Sys Inhalation H336, Repr. 2 H361, STOT RE 2 Central nervous sys H373

**3.3 Trade Secret Provision and Chemical Concentration Disclosure:** In accordance with OSHA and GHS Regulations, we have withheld specific percentages of the chemicals in this mixture. The chemical concentrations have been disclosed as a range and apply to the hazards as identified in this Safety Data Sheet.

## Section 4 - First Aid Measures

**4.1 Eye:** Contact with the eyes can cause serious irritation. Symptoms may include discomfort or pain and redness. Severe overexposure can result in swelling of the conjunctiva along with tissue damage.

**Eyes:** Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid.

**4.2 Skin:** Prolonged and repeated liquid contact can cause defatting and drying of the skin and can lead to irritation and dermatitis.

**Skin:** Flush skin with plenty of soap and water for at least 15 minutes while removing contaminated clothing and shoes. Get medical aid immediately. Wash clothing before reuse.

**4.3 Ingestion:** Liquid ingestion can cause inebriation, headache, gastrointestinal pain, nausea, and vomiting leading to central nervous system depression. Aspiration of liquid into the lungs must be avoided as even small quantities in the lungs can produce chemical pneumonia, pulmonary edema, and even death.

**Ingestion:** Do NOT induce vomiting. Get medical aid immediately.

**4.4 Inhalation:** Prolonged breathing of high vapor concentrations can produce headache, dizziness, nausea, and impaired vision. Extreme overexposure can cause central nervous system depression, loss of consciousness, liver damage, and death resulting from respiratory failure.

**Inhalation:** Remove from exposure to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult and **IF TRAINED**, give oxygen. Get medical aid. Do NOT use mouth-to-mouth resuscitation without protection.

**4.5 After first aid, get appropriate paramedic, or community medical support.** The severity of outcome following ingestion may be more related to the time between ingestion and treatment, rather than the amount ingested. Therefore, there is a need for rapid treatment of any ingestion exposure.

**4.6 Note to Physicians:** If you determine that a medical emergency exists, and the specific chemical identity is necessary for emergency or first-aid treatment, we will immediately disclose the specific chemical identity. Call CHEMTREC 800-424-9300 or 703-527-3887. We will require a written statement of need and confidentiality agreement, in accordance with OSHA's Trade Secret Regulations as soon as circumstances permit. In non-emergency situations, we will, upon written request, disclose a specific chemical identity.

# QM25+reg

Conforms to the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) in Australia

## Section 5 - Fire-Fighting Measures

**5.1 General Fire Hazards:** Use water to cool containers exposed to fire.

**5.2 Hazardous Combustion Products:** Avoid fumes of burning product.

**5.3 Extinguishing Media:** Carbon dioxide, dry chemical, foam.

**5.4 Fire Fighting Equipment/Instructions:** Firefighters should wear full-face, self-contained breathing apparatus, and impervious protective clothing. Firefighters should avoid inhaling any combustion products.

## Section 6 - Accidental Release Measures

**6.1 Spill /Leak Procedures:** Ventilate area highly flammable. Spillages of the liquid product will create a fire hazard and may form an explosive atmosphere. Keep all sources of ignition away from the spill.

**6.2 Spills:** Avoid direct contact with the material. Stop leak if without risk. Move containers from the spill area. Prevent entry into sewers or waterways. Contain and collect spillage with non-combustible, absorbent material such as sand, earth, vermiculite or diatomaceous earth and place in a container for disposal.

## Section 7 - Handling and Storage

**7.1 Handling Precautions:** Wash hands and exposed skin thoroughly after handling. Remove contaminated clothing and wash before reuse. Use with adequate ventilation. Avoid ingestion and contact with eyes, skin, or clothing. Keep container tightly closed. Avoid inhalation.

**7.2 Storage Requirements:** Store in a tightly closed container in a cool, dry, and well-ventilated area.

## Section 8 - Exposure Controls / Personal Protection

### 8.1

Chemical Names	ACGIH- TLV	OSHA - PEL
Blend of Aliphatic and Aromatic Hydrocarbons C-2 to C-20	20-300 ppm TWA	20-300 ppm TWA
2-Methoxy-2-methylpropane	50 ppm TWA	50 ppm TWA

### 8.2

**ACGIH® = American Conference of Governmental Industrial Hygienists. TLV® = Threshold Limit Value.**

**OSHA = US Occupational Safety and Health Administration. PEL = Permissible Exposure Limits.**

**NOTE: TWA Means** "TWA is the employee's average airborne exposure in any 8-hour work shift of a 40-hour workweek which shall not be exceeded.

**8.3 Ventilation:** Provide general or local exhaust ventilation systems to maintain airborne concentrations below TLV/PELs Local exhaust ventilation are preferred because it prevents contaminant dispersion into the work area by controlling it at its source.

**8.4 Contaminated Equipment:** Separate contaminated work clothes from street clothes and launder before reuse. Remove this material from your shoes and clean personal protective equipment.

## QM25+reg

Conforms to the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) in Australia

### 8.5 Personal protective equipment

#### 8.5.1 Respiratory protection

Where risk assessment shows, air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied-air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### 8.5.2 Hand protection

Handle with gloves. Gloves must be inspected before use. Use proper glove removal technique to avoid skin contact with this product. Dispose of contaminated gloves after use. Select gloves tested to the **ANSI/ISEA 105-2011** or European EN374 Standard.

Full contact: Viton

Splash contact: Viton

Registered trademark of The Chemours Company FC, LLC.

#### 8.5.3 Eye protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### 8.5.4 Skin and body protection

Impervious clothing flame retardant antistatic protective clothing, the type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### 8.6 Protective Clothing Pictograms



Splash Goggles



Gloves



Protective Apron



Vapor Respirator

## Section 9 - Physical and Chemical Properties

### 9.1

**Physical State:** Liquid

**Appearance:** Clear

**Odor:** Aromatic Petroleum Odor

**Vapor Pressure:** Not Available

**Vapor Density (Air=1):** >1

**Specific Gravity (H<sub>2</sub>O=1,):** 0.73

**Odor Threshold:** Not Available

**Flammability (solid, gas):** Not applicable.

**Evaporation rate:** Not Available

**Partition coefficient octanol/water:** Not Available

**Water Solubility:** Insoluble

**Flash Point:** -12°C

**Boiling Point:** 210°F (99°C)

**Lower Explosive Limits (vol % in air):** 1%

**Upper Explosive Limits (vol % in air):** 6%

**Viscosity:** <20.5mm<sup>2</sup>/s @ 40°C

**Auto ignition Temperature:** Not Available

**Decomposition temperature:** Not Available

**pH:** None

## Section 10 - Stability and Reactivity

**10.1 Stability:** Stable under ordinary conditions of use and storage.

**10.2 Polymerization:** Hazardous polymerization has not been reported.

**10.3 Chemical Incompatibilities:** Strong oxidizing agents.

## QM25+reg

Conforms to the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) in Australia

**10.4 Hazardous Decomposition Products:** Combustion produces carbon monoxide and carbon dioxide.

**10.5 Conditions to Avoid:** Avoid heat, sparks open flames, and other ignition sources.

### Section 11- Toxicological Information

#### 11.1

Acute Toxicity Estimate for this blend (ATE)

ATE (Oral): 2361 mg/kg

ATE (Dermal): 4347 mg/kg

ATE (Inhalation vapor/mist): 18.9 mg/l vapor

**11.1.1 OECD Guideline Test results found in the European Chemical Agency Data Base shows that no components of this product to cause Toxic Oral Toxicity.**

**11.1.2 OECD Guideline Test results found in the European Chemical Agency Data Base shows that no components of this product to cause Harmful Dermal Toxicity.**

**11.1.3 OECD Guideline Test results found in the European Chemical Agency Data Base shows that components of this product to cause Harmful Inhalation Toxicity.**

**11.2 Route of Entry:** Inhalation, Ingestion, Absorption, Skin, and/or Eye Contact.

**11.3 Aspiration Hazard:** European Chemical Agency Data Base shows that components of this product may be fatal if swallowed and enters airways.

**11.4 Mutagenicity:** OECD Guideline Test results found in the European Chemical Agency DataBase show no components of this product to cause genetic defects.

**11.5 Skin Corrosion/Irritation:** OECD Guideline Test results found in the European Chemical Agency Data Base shows that components of this product to cause skin irritation. Repeated exposure may cause skin dryness or cracking.

**11.6 Serious Eye Damage/Irritation:** OECD Guideline Test results found in the European Chemical Agency Data Base shows that components of this product to cause serious eye irritation.

**11.7 Reproductive toxicity:** OECD Guideline Test results found in the European Chemical Agency DataBase show components of this product to cause damage to fertility or the unborn child.

**11.8 Skin Sensitization** OECD Guideline Tests results found in the European Chemical Agency DataBase show no components of this product to cause skin sensitivity.

**11.9 Respiratory Sensitization** OECD Guideline Tests results found in the European Chemical Agency DataBase show no components of this product to cause respiratory sensitivity.

**11.10 Specific Target Organ Toxicity (Single Exposure):** European Chemical Agency Data Base shows that components of this product may cause damage to the central nervous system (CNS).

**11.11 Specific Target Organ Toxicity (Repeated Exposure):** Contains material which may cause damage to the following organs: kidneys, lungs, liver, upper respiratory tract, skin, eyes, central nervous system (CNS).

## QM25+reg

Conforms to the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) in Australia

**11.12 Signs and Symptoms:** Effects due to exposure may include: Headache, Dizziness, Drowsiness, Metabolic Acidosis, Coma, Seizures. Symptoms may be delayed.

**11.13 Carcinogenicity:** OECD Guideline Test results found in the European Chemical Agency Data Base shows that no components of this product to cause cancer.

### Section 12 - Ecological Information

#### 12.1

Product Name	Results	Species	Exposure
Blend of Aliphatic and Aromatic Hydrocarbons C-2 to C-20	Expected to be harmful to aquatic organisms. May cause long-term adverse effects in the environment		
2-Methoxy-2-methylpropane	LC50 672 mg/l	Fish	96 hours

**Toxicity:** OECD Guideline Test results found in the European Chemical Agency DataBase show components of this product to cause long-term toxicity to aquatic life.

**12.2 Mobility:** Floats on water.

**12.3 Persistence/degradability:** Inconclusive technical data.

**12.4 Bioaccumulation:** Inconclusive technical data.


**12.5 Other adverse effects:** Inconclusive technical data.

### Section 13 - Disposal Considerations

**13.1 Disposal: DO NOT REUSE EMPTY CONTAINER!** The container should be completely emptied before discard. Contact a licensed contractor for detailed recommendations. Follow applicable federal, state, and local regulations.

### Section 14 - Transport Information

#### 14.1 Australian Transport Information



**ID No.:** UN 1203

**Shipping Name:** Gasoline

**Hazard Class:** 3

**Packing Group:** II

**Label:** Flammable

**Placard:** Flammable

**Marking:** MARINE POLLUTANT 2, 2, 4-Trimethylpentane

**HAZCHEM Code:** 3YE, HIN 33



## QM25+reg

Conforms to the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) in Australia

### 14.2 IMDG Transport Information



**ID No.:** UN 1203

**Shipping Name:** GASOLINE

**Hazard Class:** 3

**Packing Group:** II

**Flash Point:** (-12°C c.c.)

**EmS Number:** F-E, S-E

**Label:** Flammable

**Placard:** Flammable

**Marking:** Marine Pollutant 2, 2, 4-Trimethylpentane

### 14.3 UN Dangerous Goods Transport Information



**ID No.:** ID No.: UN1203

**Shipping Name:** Gasoline

**Hazard Class:** 3

**Packing Group:** II

**Label:** Flammable

**Placard:** Flammable

**Marking:** Marine Pollutant 2, 2, 4-Trimethylpentane

## Section 15 - Regulatory Information

### 15.1

**Australian manufacturers' and importers' obligations under the WHS Regulations:** All components of this product are on the Inventory or are exempt from Inventory requirements.

## Section 16 - Other Information

**16.1 Disclaimer:** The information presented in this Safety Data Sheet is based on data believed to be accurate as of the date this Safety Data Sheet was prepared. HOWEVER, NO responsibility is assumed for any damage or injury resulting from abnormal use or from any failure to adhere to recommended practices. The information provided above is furnished on the condition that the person receiving them shall make their own determination as to the suitability of the product for their particular purpose and on the condition that they assume the risk of their use.

## QM25+reg

Conforms to the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) in Australia

**16.2 References:** CHEMpendium database of Canadian Centre for Occupational Health and Safety (CCOHS), JJ Keller online, European Chemical Agency Data Base, and MSDS and SDS of chemicals in this mixture.

**16.3 SDS Preparation Date** 08/14/2019

**SDS Previous issue Date:** None

Prepared by SJC Compliance Education, Inc

16516 El Camino Real Suite 417

Houston, TX 77062

[VP@sjcedu.org](mailto:VP@sjcedu.org)

